



Electrical & Automation

for
Homes



Retail Products Price List
Maximum Retail Prices
Effective from 01-06-2026

©2026. ALL RIGHTS RESERVED

Trippler® | enConnect® | englaze® | entice | enCurve | enGem



Electrical & Automation

FROM THE COO'S DESK.

Dear Partner,

India is building at a pace and scale that few could have imagined a decade ago. **Infrastructure, metro networks, buildings, green energy corridors, the evolving new energy landscape including solar, modernising factories, and connected homes**, the demand on every link in the electrical and automation value chain has never been greater. It is a privilege to stand at the centre of this transformation, and it is a privilege we share with you.

As we step into this new phase of growth, we are sharing our updated price list. **This revision reflects the investments we continue to make in Made in India manufacturing, R&D, and the service infrastructure that you and your customers rely on every day, across every scale, segment, geography, and across all sources of power.** Our commitment to transparency, quality, and reliability remains the foundation of everything we do together.

At Lauritz Knudsen, we carry over 70 + years of experience built in India, for India. Today, that legacy powers a portfolio spanning **Low Voltage solutions, Industrial Automation, Software and Services**, designed to deliver seamlessly across diverse applications and evolving energy needs. From conventional systems to the rapidly expanding renewable and solar ecosystem, we enable consistent, high performance outcomes that power a **Non Stop India**.

It is your expertise, your relationships, and your reach that turn our solutions into real impact. Every specification advised, every installation completed, every customer served, that is where our shared purpose comes to life. We remain committed to equipping you with the products, training, and support that enable you to deliver with confidence.

As India accelerates toward its Viksit Bharat 2047 vision, the role of reliable, intelligent, and future ready electrical infrastructure has never been more critical. We are ready for what comes next, and we are proud to partner with you on this journey.

Our products and solutions are **built in India and engineered for all**.

We Listen, We Partner, We Innovate

A handwritten signature in blue ink, appearing to read 'Naresh Kumar'.

Warm regards,
Naresh Kumar
COO & Sr. VP, Electrical Standard Products
Lauritz Knudsen Electrical & Automation

Contents

Pg No
04-16




Tripper

Pg No
17



DY MCCB

Pg No
18-20



enConnect




englaze

Pg No
21-33



entice

Pg No
34-47



enCurve

Pg No
48-53



enGem

Pg No
54-59

A RANGE ENGINEERED FOR UNWAVERING PROTECTION,
BUILT FOR COMPLETE PEACE OF MIND.






World Class Safety Standards

Trippler products conform to relevant global standards viz., IEC, EN and IS. They also have CE/ISI marking and DEKRA certification.



Safety Redefined

Finger proof terminals eliminate chances of accidental contact with live parts. You can install, operate and maintain trippler with total confidence.



Energy Limiting Class - 3

If fault occurs, the rapid arc quenching mechanism operates and extinguishes the arc quickly, ensuring lowest possible energy flow through the circuit. This minimizes risk of fire and maximizes life of your equipment.




Safety Meets Superior Aesthetics

Ergonomically designed, profiled for superior cooling and manufactured with fire retardant material. Trippler offers user safety combined with elegance.



True Contact Indication

Trippler range enhances safety through true contact indication even from a distance regardless of it's knob position. Red and Green indication flag positively identifies the electrical ON/OFF status.



Innovatively Profiled Breathing Channels

When two or more poles are placed adjacent to each other, the breathing channels are so profiled that the air circulates around individual pole, resulting in cooler operation, year after year.




Large Terminal Size & Biconnect

Trippler can easily accommodate cables of up to 35 sq.mm. Biconnect terminals offer convenience of connecting both cable and bus bar.




Two Position DIN Rail Clip

Installation on a DIN rail is further simplified with a two position DIN rail clip as a standard feature. Trippler range makes mounting on a standard DIN rail more convenient.



Non-Welding Contacts

Silver Graphite contact tips ensure higher life and maximum safety against contact welding due to it's superior anti-welding properties, enhancing safety and life of the system.



Combihead Screw

Trippler range of products provided with combihead screws allow you to use standard as well as Phillips screwdrivers, offering flexibility.



HIGHLIGHTS

- marked, marked
- Conforms to IS/IEC 60898 - 6 kA
- Higher life with use of heavy duty contacts
- Innovatively designed breathing channels between poles ensure cooler operation
- Energy saving - watt loss approximately 50% lower than those prescribed by IEC standard
- Manufactured with high quality fire retardant material
- True contact indication for enhanced safety

MINIATURE CIRCUIT BREAKERS (MCBs) - B CURVE



Single Pole

Description	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)
6A B Curve	1	BA10060B	246	1/12
10A B Curve	1	BA10100B	246	1/12
16A B Curve	1	BA10160B	246	1/12
20A B Curve	1	BA10200B	246	1/12
25A B Curve	1	BA10250B	246	1/12
32A B Curve	1	BA10320B	246	1/12
40A B Curve	1	BA10400B	583	1/12



MINIATURE CIRCUIT BREAKERS (MCBs) - C CURVE

Single Pole

Double Pole

Three Pole

Four Pole

Description	Single Pole				Double Pole				Three Pole				Four Pole			
	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)
6A C Curve	1	BA10060C	246	1/12	2	BA20060C	955	1/6	3	BA30060C	1570	1/4	4	BA40060C	2125	1/3
10A C Curve	1	BA10100C	246	1/12	2	BA20100C	955	1/6	3	BA30100C	1570	1/4	4	BA40100C	2125	1/3
16A C Curve	1	BA10160C	246	1/12	2	BA20160C	955	1/6	3	BA30160C	1570	1/4	4	BA40160C	2125	1/3
20A C Curve	1	BA10200C	246	1/12	2	BA20200C	955	1/6	3	BA30200C	1570	1/4	4	BA40200C	2125	1/3
25A C Curve	1	BA10250C	246	1/12	2	BA20250C	955	1/6	3	BA30250C	1570	1/4	4	BA40250C	2125	1/3
32A C Curve	1	BA10320C	246	1/12	2	BA20320C	955	1/6	3	BA30320C	1570	1/4	4	BA40320C	2125	1/3
40A C Curve	1	BA10400C	583	1/12	2	BA20400C	1430	1/6	3	BA30400C	2240	1/4	4	BA40400C	2755	1/3
63A C Curve	1	BA10630C	649	1/12	2	BA20630C	1590	1/6	3	BA30630C	2405	1/4	4	BA40630C	2930	1/3



*Module Width: 1 Mod = 17.5 mm

HIGHLIGHTS

- marked, marked
- Conforms to IS 12640 - 1, IEC 61008-1
- Available in DP & FP versions from 25A to 63A ratings with 30mA, 100mA & 300mA sensitivity
- Operates on Core Balance Current Transformer (CBCT) principle
- Finger proof IP20 terminals



RESIDUAL CURRENT CIRCUIT BREAKERS (RCCBs/ELCBs)

Description	Double Pole				Four Pole			
	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)
25A 30mA	2	BC202503	2995	1	4	BC402503	4100	1
25A 100mA	2	BC202510	3275	1	4	BC402510	4175	1
25A 300mA	2	BC202530	3275	1	4	BC402530	4175	1
New 32 A 30mA	2	BC203203	3395	1	4	BC403203	4165	1
New 32A 100mA	2	BC203210	3440	1	4	BC403210	4250	1
New 32A 300mA	2	BC203230	3440	1	4	BC403230	4250	1
40A 30mA	2	BC204003	3395	1	4	BC404003	4090	1
40A 100mA	2	BC204010	3440	1	4	BC404010	4250	1
40A 300mA	2	BC204030	3440	1	4	BC404030	4250	1
63A 30mA	2	BC206303	4340	1	4	BC406303	4595	1
63A 100mA	2	BC206310	4525	1	4	BC406310	4745	1
63A 300mA	2	BC206330	4525	1	4	BC406330	4745	1
New 100A 30mA	2	BC210003	7495	1	4	BC410003	8135	1
New 100A 100mA	2	BC210010	7590	1	4	BC410010	8430	1
New 100A 300mA	2	BC210030	7590	1	4	BC410030	8430	1



HIGHLIGHTS

- marked
- Conforms to IEC 60947 - 3
- Higher life with use of heavy duty contacts
- Innovatively designed breathing channels between poles ensure cooler operation
- Manufactured with high quality fire retardant material
- True contact indication for enhanced safety



ISOLATORS

Description	Double Pole				Three Pole				Four Pole			
	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)
40A Isolator	2	BE204000	610	1/6	3	BE304000	1075	1/4	4	BE404000	1385	1/3
63A Isolator	2	BE206300	760	1/6	3	BE306300	1230	1/4	4	BE406300	1440	1/3
100A Isolator	2	BE210000	1055	1/6	3	BE310000	1455	1/4	4	BE410000	1735	1/3

*Module Width: 1 Mod = 17.5 mm

HIGHLIGHTS

- CE marked
- Conforms to IEC 60947-6, IEC 60947-3
- Wide Range of Current Ratings
 - Generator Side - 1.5A to 30A
 - Electricity Board Side - 30A
- No. of Poles 1P+N, for single phase applications
- Protection Degree - IP20
- Reliable microcontroller based design for sensing & control
- Lower power consumption
- RoHS compliant



AUTOMATIC CHANGEOVER WITH CURRENT LIMITER(ACCL)

	Description EB/DG	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)
New	30A/1A	4	BCL01030001	2360	1
	30A/1.5A	4	BCL010301E5	2360	1
New	30A/2A	4	BCL01030002	2360	1
	30A/2.5A	4	BCL010302E5	2360	1
	30A/3A	4	BCL01030003	2360	1
	30A/4A	4	BCL01030004	2360	1
	30A/5A	4	BCL01030005	2360	1
	30A/6A	4	BCL01030006	2360	1
	30A/8A	4	BCL01030008	2360	1
	30A/10A	4	BCL01030010	2360	1
	30A/12A	4	BCL01030012	2360	1
	30A/15A	4	BCL01030015	2360	1
	30A/20A	4	BCL01030020	2360	1
	30A/30A*	4	BCL01030030	2360	1

*Non current limiting variant

HIGHLIGHTS

- Settable overload current limit at DG side
- Separate power consumption monitoring for Mains & Genset
- Settable overvoltage & undervoltage protection
- Settable TPN or SPN mode at DG side
- Protection against single phasing

For 3 Phase ACCL programming video please scan the QR code or click here



THREE PHASE AUTOMATIC CHANGEOVER WITH CURRENT LIMITER (3PH ACCL) **NEW**



Description (AC-1) EB/DG	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)
32A / 32A	AUCL03032032	18415	1
40A / 32A	AUCL03040032	18975	1
40A / 40A	AUCL03040040	20540	1
50A / 50A	AUCL03050050	29275	1
63A / 50A	AUCL03063050	32300	1
63A / 63A	AUCL03063063	36590	1
80A / 80A	AUCL03080080	55765	1
125A / 125A	AUCL03125125	93870	1

HIGHLIGHTS

- Conforms to IEC 60947-3
- Available with 3 positions (I-O-II) with centre off position
- Utilization category AC-22A



MODULAR CHANGEOVER SWITCHES


Double Pole					Four Pole				
Description	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)	Description	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)
25A	2	AUC00202500	2270	1	40A	4	AUC00404000	5985	1
40A	2	AUC00204000	3475	1	63A	6	AUC00406300	6785	1
63A	3	AUC00206300	4040	1					

*Module Width: 1 Mod = 17.5 mm



HIGHLIGHTS

- marked, marked
- Conforms to IS 12640-2, IEC 61009-1, EN 61009-1
- Short Circuit Breaking Capacity - 10kA
- Wide range of current ratings - 6A to 100A
- Suitable for Isolation
- Safety Shutter
- Line-load Reversibility
- True Position Indication
- Trip-free Mechanism
- Easy fault identification -
 1. Short Circuit fault Indication :
Clear indication by amber coloured flag
 2. Earth Leakage Fault Indication :
Clear indication by yellow coloured flag



RESIDUAL CURRENT CIRCUIT BREAKER WITH OVER CURRENT PROTECTION (RCBOs)

NEW

Double Pole

Description	100 mA				30 mA			
	MW*	Cat No (30 mA)	MRP/Unit in ₹	Std. Pkg. (Nos.)	MW*	Cat No (100 mA)	MRP/Unit in ₹	Std. Pkg. (Nos.)
6A 2P RCBO	2	AUF3C200603	6710	1	2	AUF3C200610	6850	1
10A 2P RCBO	2	AUF3C201003	6710	1	2	AUF3C201010	6850	1
16A 2P RCBO	2	AUF3C201603	6710	1	2	AUF3C201610	6850	1
20A 2P RCBO	2	AUF3C202003	6710	1	2	AUF3C202010	6850	1
25A 2P RCBO	2	AUF3C202503	6710	1	2	AUF3C202510	6850	1
32A 2P RCBO	2	AUF3C203203	6710	1	2	AUF3C203210	6850	1
40A 2P RCBO	2	AUF3C204003	6710	1	2	AUF3C204010	6850	1
63A 2P RCBO	4	AUF3C206303	7970	1	4	AUF3C206310	8455	1

RESIDUAL CURRENT CIRCUIT BREAKER WITH OVER CURRENT PROTECTION (RCBOs)

NEW

Four Pole

Description	100 mA				30 mA			
	MW*	Cat No (30 mA)	MRP/Unit in ₹	Std. Pkg. (Nos.)	MW*	Cat No (100 mA)	MRP/Unit in ₹	Std. Pkg. (Nos.)
C16A 4P RCBO	7.5	AUF3C401603	7205	1	7.5	AUF3C401610	8020	1
C20A 4P RCBO	7.5	AUF3C402003	7205	1	7.5	AUF3C402010	8020	1
C25A 4P RCBO	7.5	AUF3C402503	7205	1	7.5	AUF3C402510	8020	1
C32A 4P RCBO	7.5	AUF3C403203	7440	1	7.5	AUF3C403210	8025	1
C40A 4P RCBO	7.5	AUF3C404003	7555	1	7.5	AUF3C404010	8025	1
C63A 4P RCBO	7.5	AUF3C406303	9055	1	7.5	AUF3C406310	9225	1
C80A 4P RCBO	12	AUF3C408003	35090	1	12	AUF3C408010	35875	1
C100A 4P RCBO	12	AUF3C410003	37515	1	12	AUF3C410010	38410	1



*Module Width: 1 Mod = 17.5 mm

Trip  box NXT



Electrical & Automation



Designed for safety.
Styled for you.



Over-The-Frame Design
Delivers Higher Protection

Curved Door
Adds a Stylish Touch

Uniform Gasketing
Ensures Press Protection

DESIGNED FOR SAFETY

STYLED FOR YOU

SPN DISTRIBUTION BOARDS

- Available in 4, 6, 8, 12 & 16 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bar, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- Choice of metal and glazed door
- With provision for DP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing



SPN DISTRIBUTION BOARDS **NEW**

Description	Modules		Double Door	MRP/Unit in ₹	Double Door - Glazed	MRP/Unit in ₹
	Incomer	Outgoing				
4-Way	2	2	DTSPN004DD	1960	DTSPN004GD	2580
6-Way	2	4	DTSPN006DD	2300	DTSPN006GD	2760
8-Way	2	6	DTSPN008DD	2445	DTSPN008GD	3015
12-Way	2	10	DTSPN012DD	2940	DTSPN012GD	3655
16-Way	2	14	DTSPN016DD	3680	DTSPN016GD	4520
18-Way	2	16	DTSPN018DD	3830	DTSPN018GD	4785

TPN DISTRIBUTION BOARDS

- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- Choice of metal and glazed door
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing



TPN DISTRIBUTION BOARDS **NEW**

Description	Modules		Double Door	MRP/Unit in ₹	Double Door - Glazed	MRP/Unit in ₹
	Incomer	Outgoing				
4-Way	8	4+4+4	DTPN004DD	4855	DTPN004GD	6335
6-Way	8	6+6+6	DTPN006DD	6055	DTPN006GD	7860
8-Way	8	8+8+8	DTPN008DD	7240	DTPN008GD	9400
12-Way	8	12+12+12	DTPN012DD	10770	DTPN012GD	14390

HORIZONTAL PPI (PER PHASE ISOLATION) DBs

- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer, DP RCCB/RCBO as sub-incomer and SP MCBs as outgoing



HORIZONTAL PPI (PER PHASE ISOLATION) DBs **NEW**

Description	Modules			Double Door	MRP/Unit in ₹
	Incomer	Sub-Incomer	Outgoing		
4-Way	8	2+2+2	4+4+4	DTHPI004DD	8025
6-Way	8	2+2+2	6+6+6	DTHPI006DD	9620
8-Way	8	2+2+2	8+8+8	DTHPI008DD	11470
12-Way	8	2+2+2	12+12+12	DTHPI012DD	15630

Flexi/ROW DBs

- Available in 2 Row 28 Mod, 3 Row 42 Mod, 3 Row 56 Mod, 4 Row 64 Mod
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- Gives flexibility to customer to mount modular devices as per requirement



FLEXI/ROW DBs

NEW

Description	Modules	IP 43 Metal Door	MRP/Unit
			in ₹
2 Row 28 Module	14	DTROW228DD	6450
3 Row 42 Module	14	DTROW342DD	7735
4 Row 56 Module	14	DTROW456DD	8410
4 Row 64 Module	16	DTROW464DD	9785

PHASE SEGREGATED DBs

- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator as incomer, DP RCCB/RCBO as sub-incomer and SP MCBs as outgoing



PHASE SEGREGATED DBs

NEW

Description	Modules			Double Door	MRP/Unit in ₹
	Incomer	Sub-Incomer	Outgoing		
4-Way	8	4+4+4	4+4+4	DTPSG004DD	12645
6-Way	8	4+4+4	6+6+6	DTPSG006DD	14275
8-Way	8	4+4+4	8+8+8	DTPSG008DD	15940
12-Way	8	4+4+4	12+12+12	DTPSG012DD	20115

PHASE SELECTOR DBs

- Available in 4, 6, 8 & 12 way
- Provided with 63A Selector Switches
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing



PHASE SELECTOR DBs

NEW

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	8	4+4+4	DTPSR004DD	15070
6-Way	8	6+6+6	DTPSR006DD	15435
8-Way	8	8+8+8	DTPSR008DD	16365
12-Way	8	12+12+12	DTPSR012DD	18360

VTPN DBs WITH MODULAR INCOMER

- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, Insulated vertical phase bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP/TP MCBs as outgoing



VTPN DBs WITH MODULAR INCOMER

NEW

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	8	4+4+4	DTVMT004DD	11625
6-Way	8	6+6+6	DTVMT006DD	13365
8-Way	8	8+8+8	DTVMT008DD	15510
12-Way	8	12+12+12	DTVMT012DD	20520

VTPN DBs WITH MCCB INCOMER

- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, Insulated vertical phase bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for MCCB as incomer and SP/TP MCBs as outgoing
- Suitable for 3P/4P MCCB as incomer upto 125A - DY125U



VTPN DBs WITH MCCB INCOMER **NEW**

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	MCCB	4+4+4	DTVTL004DD	13875
6-Way	MCCB	6+6+6	DTVTL006DD	16240
8-Way	MCCB	8+8+8	DTVTL008DD	17635
12-Way	MCCB	12+12+12	DTVTL012DD	22805

DBS WITH PROVISION FOR TV / TELEPHONE SPLITTERS

- Distribution Boards equipped with provisions to mount TV / Telephone splitters
- Available in SPN & TPN DBs
- Communication DB equipped with provisions to mount 2 ONT, Spike guard, Data switch, TV / Telephone splitters



DBS WITH PROVISION FOR TV / TELEPHONE SPLITTERS **NEW**

DB Type	Description	Modules		IP 43 Metal Door	MRP/Unit in ₹
		Incomer	Outgoing		
SPN	6 way	2	4	DTSPN006DDTV	4490
	8 way	2	6	DTSPN008DDTV	4825
	12 way	2	10	DTSPN012DDTV	5940
	16 way	2	14	DTSPN016DDTV	6890
	18 way	2	16	DTSPN018DDTV	8155
TPN	4 way	8	4+4+4	DTTPN004DDTV	8825
	6 way	8	6+6+6	DTTPN006DDTV	10195
	8 way	8	8+8+8	DTTPN008DDTV	12155
Communication DB				DTCOM01DD	*

EV CHARGING DB

- Engineered specifically Charging application-3.3kW
- Robust earth leakage, short circuit and overload protection with RCBO
- Factory fitted RCBO, switch and socket



EV CHARGING DB **NEW**

Description	Modules	IP 43 Metal Door	MRP/Unit in ₹
2 way EVDB	2	DTEVC002LD	*
4 way EVDB	4	DTEVC004LD	*

*For details, please contact nearest branch office

ENCLOSURES

- Available in 2, 3, 4 & 6 way
- With provision to mount MCB/Isolator/RCCB/RCBO or other modular devices



Single Door

ENCLOSURES **NEW**

Description	Modules	Single Door	MRP/Unit in ₹
2-Way	2	DTENC002SD	575
3-Way	3	DTENC003SD	645
4-Way	4	DTENC004SD	645
6-Way	6	DTENC006SD	970

PLUG & SOCKET DBs

- SPN 10A & 20A; TPN - 32A
- With provision to mount MCBs/RCCBs



Single Door

PLUG & SOCKET DBs **NEW**

Description	No. of Pins	Modules	Single Door	MRP/Unit in ₹
10A, 2 Pin+SC^	P+N	1	DTMPS110SD	1460
20A, 2 Pin+SC^	P+N	1	DTMPS120SD	1560
20A, 2 Pin+SC^	P+N	2	DTMPS220SD	1700
32A, 3 Pin+SC^	3P	3	DTMPS332SD	4030

SC^ - Scraping Earth

METAL PLUG & SOCKET

- Designed to ensure safe functioning of electrical equipment and the user safety
- Plugs & Sockets find its applications at air conditioners, welding machines, industrial equipment, etc., are made of non corrosive aluminum alloy
- Conforms to IS 8804




METAL PLUG & SOCKET

Description	No. of Pins	Cat No	MRP/Unit in ₹
Metal Plug			
10A, 2 Pin+SC^	P+N	MPS210P	320
20A, 2 Pin+SC^	P+N	MPS220P	340
20A, 3 Pin+SC^	3P	MPS320P	450
32A, 3 Pin+SC^	3P	MPS332P	855
Metal Socket			
10A, 2 Pin+SC^	P+N	MPS210S	335
20A, 2 Pin+SC^	P+N	MPS220S	370
20A, 3 Pin+SC^	3P	MPS320S	505
32A, 3 Pin+SC^	3P	MPS332S	855

SC^ - Scraping Earth

Note: Standard Pack Quantity for Metal Plug & Socket - 20 Nos.



Single Door

Double Door

HIGHLIGHTS

- Ready to use DBs, complete with colour - coded wire set, 100A bus bar, Neutral bar/s & Earth bar/s
- Superior quality powder coating for better looks and longer life
- DB is suitable for surface or flush mounting



Double Door



Double Door

SINGLE PHASE NEUTRAL (SPN) DBs

Description	Modules		Single Door	MRP/Unit in ₹	Double Door	MRP/Unit in ₹
	Incomer	Outgoing				
4 way	2	2	BH104SDB	1095	BH104DDB	1750
6 way	2	4	BH106SDB	1200	BH106DDB	1965
8 way	2	6	BH108SDB	1355	BH108DDB	2145
12 way	2	10	BH112SDB	1805	BH112DDB	2615
16 way	2	14	BH116SDB	2250	BH116DDB	3220

THREE PHASE NEUTRAL (TPN) DBs

Description	Modules		Single Door	MRP/Unit in ₹	Double Door	MRP/Unit in ₹
	Incomer	Outgoing				
4 way	8	4+4+4	BH304SDB	3385	BH304DDB	4375
6 way	8	6+6+6	BH306SDB	4185	BH306DDB	5375
8 way	8	8+8+8	BH308SDB	4835	BH308DDB	6520
12 way	8	12+12+12	BH312SDB	6860	BH312DDB	9380

PHASE SELECTOR DBs

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4 way	8	4+4+4	BHC04DDB	13775
6 way	8	6+6+6	BHC06DDB	14385

Provided with 40A selector switches

DY125U & DY250U1 MCCB



Description	Three Pole			Four Pole		
	Current Rating (A)	Cat No	MRP/Unit in ₹	Current Rating (A)	Cat No	MRP/Unit in ₹
MCCB DY125U 16A 10kA FTFM	16	EM909830OBO	3100	16	EM909840OBO	4170
MCCB DY125U 20A 10kA FTFM	20	EM909830OCO	3100	20	EM909840OCO	4170
MCCB DY125U 25A 10kA FTFM	25	EM909830ODO	3100	25	EM909840ODO	4170
MCCB DY125U 32A 10kA FTFM	32	EM909830OEO	3100	32	EM909840OEO	4170
MCCB DY125U 40A 10kA FTFM	40	EM909830OFO	3100	40	EM909840OFO	4170
MCCB DY125U 50A 10kA FTFM	50	EM909830OGO	3100	50	EM909840OGO	4170
MCCB DY125U 63A 10kA FTFM	63	EM909830OHO	3010	63	EM909840OHO	4050
MCCB DY125U 80A 10kA FTFM With Spreader Links	80	EM909830OJO	3390	80	EM909840OJO	4680
MCCB DY125U 100A 10kA FTFM With Spreader Links	100	EM909830OKO	3390	100	EM909840OKO	4680
MCCB DY125U 125A 10kA FTFM With Spreader Links	125	EM909830OLO	4980	125	EM909840OLO	6110
*MCCB DY250U1 160A 10kA FTFM With Spreader Links	160	CM981950OMO	9200	160	CM981960OMO	11900
*MCCB DY250U1 200A 10kA FTFM With Spreader Links	200	CM981950ONO	10300	200	CM981960ONO	13300
*MCCB DY250U1 250A 10kA FTFM With Spreader Links	250	CM981950OPO	13300	250	CM981960OPO	17900

Key Features

- Conforms to IS/IEC 60947-2, IEC 60947-2 & EN 60947-2
- Range: DY125U- 16A to 125A, 3P/4P
*DY250U1- 160A to 250A, 3P/4P
- $I_{cs}=100\%$ of I_{cu}
- High Electrical & Mechanical life
- Thermal Magnetic Release: FTFM - Fixed Thermal Fixed Magnetic
*Adjustable overload settings: $0.8 - 1.0 \times I_n$
- No Load-Line Bias
- ON-TRIP-OFF indication
- Suitable for Isolation
- Common SS enclosure for 3P & 4P

ACCESSORIES

Description	Std Pack	Cat No	MRP/Unit in ₹
SPREADER TERMINALS- 3P -DY125U	Set of 6	CM977850000	640
SPREADER TERMINALS- 4P -DY125U	Set of 8	CM979210000	1000
Auxiliary/Trip Alarm Contact- 1 C/o - DY125U	1	EM909660000	960
Shunt Release- 110V/240V/415V AC - DY125U	1	EM905200M00	1300
DIRECT ROH- DY125U	1	EM909690000	1850
EXTENDED ROH- DY125U	1	EM909700000	2660
Under Voltage Release - 240V AC- DY125U	1	EM90518B000	3910
Size I ENCLOSURE FOR DY125U MCCBs	1	CM909960000	3160
Auxiliary Contact- 1 C/O - DY250U1	1	CM978860000	1450
Auxiliary Contact- 2 C/O - DY250U1	1	CM978870000	2550
Trip Alarm Contact- 1 C/O - DY250U1	1	CM978880000	1450
Trip Alarm Contact- 2 C/O - DY250U1	1	CM978890000	2550
Auxiliary/Trip Alarm Contact- 1 C/o - DY250U1	1	CM978900000	2460
Shunt Release- 24V DC - DY250U1	1	CM914020400	2860
Shunt Release- 110V AC - DY250U1	1	CM978830A00	2860
Shunt Release- 240V/415V AC - DY250U1	1	CM978830M00	2860
Under Voltage Release - 240V AC- DY125U	1	CM97892B000	4740
DIRECT ROH- DY250U1	1	CM980400000	1980
EXTENDED ROH- DY250U1	1	CM980410000	2540
Size II ENCLOSURE FOR DY250U1 MCCBs	1	CM910030000	7260

Std Packing of all Cat nos – 1 no

enConnect[®]

Home Automation for a Smarter Lifestyle.

Upgrade to connected switches and experience home automation like never before.



Scenario and Scheduling of devices



Ease of Installation and Retrofit



Energy Monitoring



Data and Cyber Security

Wireless Home Automation Solution

Smart living is more than technology-it's effortless harmony. From mood-perfect lighting and seamless security to continuous connectivity, your home adapts intuitively to you. No matter where you are, control your home with just a tap.

Whether it's adjusting lighting, automating appliances for energy savings, or controlling your curtains anytime-every feature is designed to elevate your living experience.

With enConnect, experience a refined blend of luxury, comfort, and sustainability-crafted for modern living.



Key Features - what sets enConnect apart



Smart Connectivity Simplified
No gateway required. Seamless connect with Home Wi-Fi, backed by BLE



Data and Cybersecurity
Operate in secure systems, PEN test to ensure compliance with DPDP ACT 2023



Energy Management
Track and optimize energy usage



Touch, App and Voice Control
Works with Mobile App, Alexa, Google Assistant, and feather touch




Designed for Every Home
Planning a new home or renovating existing home, enConnect fits for all




Easy Installation
No need to change existing wires/ mounting boxes. Can be installed by any electrician.

Please contact the nearest branch office for more information on enConnect product


- Conforms to IEC 60669 Part 1 & 2
- Light dimmer suitable for Trailing Edge phase cut LED dimmable driver
- Fan Regulators also suitable for BLDC fan without remote
- All enConnect switches are suitable with englaze plates
- For more details, please refer technical catalogue




Wi-fi Switch
20A




Wi-fi Light
Dimmer 5 Step




Wi-fi Switch
4 Channel




Wi-fi Switch
2 Channel



Wi-fi Curtain
Controller



Wi-fi Fan
Regulator 5 Step



Wi-fi Scene
Controller



WiFi Band

- Works on 2.4 GHz WiFi Band



INSTALLATION

- **Mounting:** Compatible with all englaze plates
- **Wiring:** Required neutral wire at each load point



DATA SECURITY

- **Data Encryption:** AES 256
- **Cybersecurity Testing:** Penetration (PEN) Test
- **Compliances:** ISO 27017 - Cloud Security
ISO 27018 - Personal Data Security
Govt. of India DPDP Act, 2023
(Digital Personal Data Protection)



CERTIFICATION

- Conforms to International Standard IEC-60669 Part 1 & 2
- RoHS compliant
- REACH compliant


Scan to download enConnect APP >



Please contact the nearest branch office for more information on enConnect product

TECHNICAL SPECIFICATIONS

Description	Wattage	Type of Load	Application
Wi-fi Switch 2 Channel	1000W/ Switch	LED/CFL/Halogen: 1000W *(Load capacity consideration if the driver P.f < 0.9 - 500W per Switch) Incandescent: 1500W	Lighting Load - ON/OFF (Suitable for Profile Light / Strip Light / Cove Light)
Wi-fi Switch 4 Channel	200W/ Switch	LED/CFL/Halogen: 200W *(Load capacity consideration if the driver P.f < 0.9 - 100W per Switch) Incandescent: 400W	Lighting Load - ON/OFF
Wi-fi Switch 20A for Power Load with Energy Monitoring	Refer Type of Load Section	High power appliances control – AC: upto 2 Ton Pumps: upto 2 HP Geyser: upto 4.5 kW Resistive: upto 4.5 kW	Appliance - ON/OFF
Wi-fi Fan Regulator 5 Step	120W	Ceiling Fan BLDC Fan with Remote (Only ON/OFF) BLDC Fan Without Remote (Full Control)	Fan - ON/OFF & Speed Control
Wi-fi Light Dimmer 5 Step Trailing edge	200W	LED - Dimmable LED (Driver Type-Trailing edge Phase cut dimming) Halogen/Incandescent - Direct Dimming (no driver required)	Light Dimming, Intensity Control *(Colour Changing feature not available)
Coming Soon Wi-fi Light Dimmer 5 Step Leading edge	150W	LED - Dimmable LED (Driver Type-Leading edge Phase cut dimming) Halogen/Incandescent - Direct Dimming (no driver required)	Light Dimming, Intensity Control *(Colour Changing feature not available)
Wi-fi Curtain Controller	50W	Motor Type: 4/5 wire AC motor (Non-Smart Motor)	Curtain/ Blinds/Shutter Control (Opening/Closing)
Wi-fi Scene Controller	-N.A-	-N.A-	Can be used as a Master Switch 4 Scenes can be allocated & operated through Touch Control (Out of total scenes created on app)





Electrical & Automation



LUXURY IN EVERY TEXTURE,
ELEGANCE IN EVERY DETAIL.

englaze[®]

Luxurious and innovative switches
from Lauritz Knudsen



Fabulously
flat look



Anti-Microbial



Soft Feel
Switching



Natural
Material Plates



ANTI-MICROBIAL

No need to keep disinfecting your switches. No one can tarnish the silver infused Englaze range that stays anti-Microbial forever



FABULOUSLY FLAT LOOK

Englaze is designed to look flat from every angle. With super thin plates and carefully crafted switches, these don't bulge or clutter, they just stay pretty



ENERGY MONITORING

Monitor and optimize energy usage of your heavy-duty appliances with our smart enConnect Power Switch



REAL MATERIAL PLATES

Real Material Plates are meticulously crafted from authentic, high-quality materials such as genuine wood, metal alloys and premium glass. Choose from various finishes, textures, and colours to create a truly personalized statement



BEAUTIFULLY BRIDGELESS

Our design philosophy allows no room for gaps. Every element seamlessly flows into the next like a well written poem



SAFETY SHUTTERS

Go ahead and let your children be mischievous. Every socket is carefully designed with safety shutters to keep them safe



CONNECTED SWITCHES

Control your home with touch, mobile app or voice command with our enConnect home automation solution



BI-MATERIAL GRID FRAME

Advanced Bi-Material Grid Frame engineered with a strong metal core infused within high-grade engineering plastic for superior strength and precision Installation



SOFT FEEL SWITCHES

Welcome home the silent beauty. Nothing can disturb you, not even a toggling of switches with englaze soft feel switches



QUICK CHARGING

No need to wait any longer to charge your devices. With USB type A and USB type C charging solutions you can charge your devices faster and safer



INDICATIVE REGULATORS

Don't worry about fumbling with the regulators anymore, these beauties come with indicators that tell you exactly what speed its on. Plus, its so pretty!



FLAT DESIGN FAN REGULATOR

Flat Fan regulator design concept to compliment the flat design philosophy of englaze range



SOFT FEEL SWITCHES - 1 MODULE WITH




Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Switch 10AX 1-way 1M	20	CB92601SW10	254	CB92601SM10	290	CB92601SB10	290
Switch 10AX 1-way with Indicator 1M	20	CB92801SW10	484	CB92801SM10	608	CB92801SB10	608
Switch 10AX 2-way 1M	20	CB92701SW10	461	CB92701SM10	574	CB92701SB10	574
Switch 16AX 1-way 1M	20	CB92601SW16	490	CB92601SM16	611	CB92601SB16	611
Switch 16AX 1-way with Indicator 1M	20	CB92801SW16	587	CB92801SM16	736	CB92801SB16	736
Switch 16AX 2-way 1M	20	CB92701SW16	587	CB92701SM16	736	CB92701SB16	736
Switch 25A 1-way 1M	20	CB92601SW25	674	CB92601SM25	838	CB92601SB25	838
Switch 25A 1-way with Indicator 1M	20	CB92801SW25	815	CB92801SM25	1020	CB92801SB25	1020

KEY FEATURES

- Designed For Silent Operation
- Soft Feel Switches
- Flat Aesthetic
- Robust Design For Longer Life
- Double rocker system for smooth operations
- 4 part design to reduce switching sound
- Heavy Duty Terminals
- Available in Snow White, Mountain Grey and Sparkle Black Colour

- All Switches and bell push are ISI marked and conforms to IS 3854: 2023
- "AX" rating for switches are suitable to fluorescent lights also.
- Suitable for Self Ballast Lamp





SWITCHES - 2 MODULE (MEGA SWITCHES) WITH ISI




Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Switch 20A DP with Indicator 2M	10	CB92402SW20	997	CB92402SM20	1250	NA	
Switch 32A DP with Indicator 2M	10	CB92402SW32	1193	CB92402SM32	1493	CB92402SB32	1493
Switch 10AX 1-way 2M	10	CB92102SW10	413	CB92102SM10	517	NA	
Switch 10AX 1-way with Indicator 2M	10	CB92302SW10	552	CB92302SM10	696	NA	
Switch 10AX 2-way 2M	10	CB92202SW10	499	CB92202SM10	627	NA	
Switch 16AX 1-way 2M	10	CB92102SW16	616	CB92102SM16	769	NA	
Switch 16AX 1-way with Indicator 2M	10	CB92302SW16	743	CB92302SM16	929	NA	
Switch 16AX 2-way 2M	10	CB92202SW16	707	CB92202SM16	884	NA	
Switch 20A 1-way 2M	10	CB92102SW20	768	CB92102SM20	961	NA	
Switch 20A 1-way with Indicator 2M	10	CB92302SW20	929	CB92302SM20	1162	NA	
Switch 20A 2-way 2M	10	CB92202SW20	884	CB92202SM20	1106	NA	



BELL PUSH WITH ISI

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Soft Feel Bell Push 10AX 1-way 1M	20	CB92601BW10	489	CB92601BM10	612	CB92601BB10	612
Soft Feel Bell Push 10AX 1-way with Ind 1M	20	CB92801BW10	565	CB92801BM10	705	CB92801BB10	705
Bell Push 10AX 2M	10	CB92102BW10	606	CB92102BM10	753	CB92102BB10	753
Bell Push 10AX with Indicator 2M	10	CB92302BW10	690	CB92302BM10	867	CB92302BB10	867



MOTOR STARTER

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Motor Starter 25A 2M	10	CB92102MW25	1993	CB92102MM25	2491	CB92102MB25	2491

• All Switches and bell push are ISI marked and conforms to IS 3854: 2023 • "AX" rating for switches are suitable to fluorescent lights also.
 • Suitable for Self Ballast Lamp



CB92602CW06

CB92302CW16



CB92602CM06


CB92302CM16

- 6A 3 Pin , 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is suitable for 2 Pin Plug top also.
- 6A/16A Sockets also tested upto 25A rating.

POWER SOCKETS WITH

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Socket 6A 3 Pin with ISI 2M (Heavy Duty)	10	CB92602CW06	450	CB92602CM06	536	CB92602CB06	536
Socket 6A/16A 3 Pin Combi with ISI 2M	10	CB92302CW16	775	CB92302CM16	881	CB92302CB16	881

FAN REGULATORS & DIMMERS



CB92101DM04

CB921101RM01

CB92102RM02

CB92202RM02

- 5 step fan regulator conforms to IS 11037: 2019 and comes with "flag indicator".
- All fan regulators are with 360 degree rotation.
- Dimmers only support incandescent and halogen load.
- Fan Regulators also suitable for BLDC fan without remote.

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Dimmer 400 W 1M	10	CB92101DW04	1512	CB92101DM04	1889	CB92101DB04	1889
Fan Regulator 4-Step 80W 1M	10	CB92101RW01	1288	CB92101RM01	1611	CB92101RB01	1611
Fan Regulator 5-Step 120W with ISI 2M	5	CB92102RW02	1671	CB92102RM02	2088	CB92102RB02	2088
Fan Regulator 5-Step Flat Type 120W with ISI 2M	5	CB92202RW02	1544	CB92202RM02	1931	CB92202RB02	1931



CB92101TW11 CB92301TW45 CB92101TW00



CB92101TM11 CB92301TM45 CB92101TM00

• For Cat 6A- Data transfer speed is upto 10GBPS and Bandwidth frequency is upto 500MHz.

DATA SOCKETS

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
RJ 11 Socket with Shutter 1M	20	CB92101TW11	457	CB92101TM11	570	CB92101TB11	570
New RJ 45 Cat 6A Socket with Shutter 1M	20	CB92301TW45	1636	CB92301TM45	2040	CB92301TB45	2040
TV Socket 1M	20	CB92101TW00	444	CB92101TM00	555	CB92101TB00	555

ACCESSORIES



CB92102AW00 CB92101AW00 CB92102LW00 CB92201AW00 CB92202LW00



CB92202LW00 CB92101AW02 CB92101AW18 CB92201AW18 CB92301AM30

• USB charger conforms to IS 13252(Part1)
 • Electronic ding-dong bell is suitable for small rooms/cabins etc.

Coming Soon

Coming Soon

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Buzzer 2M	5	CB92102AW00	1047	CB92102AM00	1273	CB92102AB00	1273
Cable Outlet 1M	20	CB92101AW00	354	CB92101AM00	432	CB92101AB00	432
Blank off unit 1M	20	CB92201AW00	92	CB92201AM00	112	CB92201AB00	112
LED Foot Light 2M - White	5	CB92102LW00	2103	CB92102LM00	2568	CB92102LB00	2568
Coming Soon LED Foot Light 2M - Warm White	5	CB92202LW00	2103	CB92202LM00	2568	CB92202LB00	2568
USB Charger - 2A 1M	10	CB92101AW02	2242	CB92101AM02	3121	CB92101AB02	3121
USB Type A Quick Charger 18W 1M	10	CB92101AW18	2882	CB92101AM18	3221	CB92101AB18	3221
USB Type C PD Charger 18W 1M	10	CB92201AW18	3786	CB92201AM18	4125	CB92201AB18	4125
Coming Soon USB Type C PD Charger 30W 1M	10	CB92301AW30	4354	CB92301AM30	4744	CB92301AB30	4744
LED Phase Indicator 1M - Full Glow	20	CB92401AW00	589	Same as White		Same as White	
Electronic Ding Dong Bell 2M	10	CB92402AW00	1640	CB92402AM00	2048	CB92402AB00	2048



CB92202HW20
CB92302HW32
CB92302HW00
CB92403HW20



CB92502HW10
CB92602HW10

• Mechanical & electronic key tags are modular type.



CB92101KW06
CB92101KW10
CB92101KW16
CB92101KW20
CB92101KW25
CB92101KW32

CB92202KW25
CB92202KW32

FEATURES

- Mini MCBs with LED indicator
- Conforms to IS/IEC 60898 – part 1
- Breaking capacity – 3 kA
- No Line load bias
- Suitable for use as isolator

HOSPITALITY RANGE

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Mech key tag switch 20A 2M	5	CB92202HW20	1699	CB92202HM20	2125	CB92202HB20	2125
Mech Key Tag Switch 32A 2M	5	CB92302HW32	1923	CB92302HM32	2405	CB92302HB32	2405
Spare Key for Mech Key Tag	10	CB92302HW00	166	CB92302HM00	185	CB92302HB00	185
Electronic Key Tag 20A 3M	2	CB92403HW20	7581	CB92403HM20	9475	CB92403HB20	9475
DND-MMR Inside Room Unit 2M	10	CB92502HW10	1753	CB92502HM10	2192	CB92502HB10	2192
DND-MMR Outside Room Unit 2M	10	CB92602HW10	1244	CB92602HM10	1555	CB92602HB10	1555

MINI MCBs WITH LED INDICATOR

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
6A SP Mini MCB 3 kA	10	CB92101KW06	804	CB92101KM06	936	CB92101KB06	936
10A SP Mini MCB 3 kA	10	CB92101KW10	804	CB92101KM10	936	CB92101KB10	936
16A SP Mini MCB 3 kA	10	CB92101KW16	804	CB92101KM16	936	CB92101KB16	936
20A SP Mini MCB 3 kA	10	CB92101KW20	804	CB92101KM20	936	CB92101KB20	936
25A SP Mini MCB 3 kA	10	CB92101KW25	804	CB92101KM25	936	CB92101KB25	936
32A SP Mini MCB 3 kA	10	CB92101KW32	804	CB92101KM32	936	CB92101KB32	936
25A DP Mini MCB 3 kA	5	CB92202KW25	1616	CB92202KM25	1869	CB92202KB25	1869
32A DP Mini MCB 3 kA	5	CB92202KW32	1616	CB92202KM32	1869	CB92202KB32	1869

WOOD PLATES WITHOUT GRID FRAMES



Mocha Wood



Beige Wood



Oak Wood

Description	Std Pack	Mocha Wood		Beige Wood		Oak Wood	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1/10	CB92101FM04	2615	CB92101FB04	2615	CB92101FW04	2615
2 Module Cover Plate	1/10	CB92102FM04	2896	CB92102FB04	2896	CB92102FW04	2896
3 Module Cover Plate	1/10	CB92103FM04	3439	CB92103FB04	3439	CB92103FW04	3439
4 Module Cover Plate	1/10	CB92104FM04	3695	CB92104FB04	3695	CB92104FW04	3695
6 Module Cover Plate	1/10	CB92106FM04	3934	CB92106FB04	3934	CB92106FW04	3934
8 Module Cover Plate Horizontal	1/10	CB92108FM04	4294	CB92108FB04	4294	CB92108FW04	4294
8 Module Cover Plate Square	1/5	CB92208FM04	4857	CB92208FB04	4857	CB92208FW04	4857
12 Module Cover Plate	1/5	CB92112FM04	7262	CB92112FB04	7262	CB92112FW04	7262
16 Module Cover Plate	1/4	CB92116FM04	8208	CB92116FB04	8208	CB92116FW04	8208
18 Module Cover Plate	1/5	CB92118FM04	8944	CB92118FB04	8944	CB92118FW04	8944


METAL (ALUMINIUM) PLATES WITHOUT GRID FRAMES



Metallic Gold



Brush Silver



Jet Black

Description	Std Pack	Metallic Gold		Brush Silver		Jet Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1/10	CB92101FG03	2945	CB92101FS03	2945	CB92101FJ03	2945
2 Module Cover Plate	1/10	CB92102FG03	3222	CB92102FS03	3222	CB92102FJ03	3222
3 Module Cover Plate	1/10	CB92103FG03	3791	CB92103FS03	3791	CB92103FJ03	3791
4 Module Cover Plate	1/10	CB92104FG03	4226	CB92104FS03	4226	CB92104FJ03	4226
6 Module Cover Plate	1/10	CB92106FG03	5206	CB92106FS03	5206	CB92106FJ03	5206
8 Module Cover Plate Horizontal	1/10	CB92108FG03	6197	CB92108FS03	6197	CB92108FJ03	6197
8 Module Cover Plate Square	1/5	CB92208FG03	7022	CB92208FS03	7022	CB92208FJ03	7022
12 Module Cover Plate	1/5	CB92112FG03	10548	CB92112FS03	10548	CB92112FJ03	10548
16 Module Cover Plate	1/4	CB92116FG03	13483	CB92116FS03	13483	CB92116FJ03	13483
18 Module Cover Plate	1/5	CB92118FG03	17285	CB92118FS03	17285	CB92118FJ03	17285

- All wooden, glass and metal plates are supplied without grid frames.
- Customers need to order the grid plates separately.
- Being Natural Wood, color and texture may have variations in supplied wooden plates.

GLASS PLATES WITHOUT GRID FRAMES



Icy White



Champagne Gold



Silky Silver

Description	Std Pack	Icy White		Champagne Gold		Silky Silver	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1/10	CB92101FW02	1472	CB92101FC02	1472	CB92101FS02	1472
2 Module Cover Plate	1/10	CB92102FW02	1667	CB92102FC02	1667	CB92102FS02	1667
3 Module Cover Plate	1/10	CB92103FW02	1793	CB92103FC02	1793	CB92103FS02	1793
4 Module Cover Plate	1/10	CB92104FW02	2323	CB92104FC02	2323	CB92104FS02	2323
6 Module Cover Plate	1/10	CB92106FW02	2729	CB92106FC02	2729	CB92106FS02	2729
8 Module Cover Plate Horizontal	1/10	CB92108FW02	3093	CB92108FC02	3093	CB92108FS02	3093
8 Module Cover Plate Square	1/5	CB92208FW02	3093	CB92208FC02	3093	CB92208FS02	3093
12 Module Cover Plate	1/5	CB92112FW02	4811	CB92112FC02	4811	CB92112FS02	4811
16 Module Cover Plate	1/4	CB92116FW02	4951	CB92116FC02	4951	CB92116FS02	4951
18 Module Cover Plate	1/5	CB92118FW02	5369	CB92118FC02	5369	CB92118FS02	5369

GLASS PLATES WITHOUT GRID FRAMES



Midnight Black



Oceanic Green



Matte Mirror

Description	Std Pack	Midnight Black		Oceanic Green		Matte Mirror	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1/10	CB92101FB02	1472	CB92101FG02	1472	CB92101FM02	1472
2 Module Cover Plate	1/10	CB92102FB02	1667	CB92102FG02	1667	CB92102FM02	1667
3 Module Cover Plate	1/10	CB92103FB02	1793	CB92103FG02	1793	CB92103FM02	1793
4 Module Cover Plate	1/10	CB92104FB02	2323	CB92104FG02	2323	CB92104FM02	2323
6 Module Cover Plate	1/10	CB92106FB02	2729	CB92106FG02	2729	CB92106FM02	2729
8 Module Cover Plate Horizontal	1/10	CB92108FB02	3093	CB92108FG02	3093	CB92108FM02	3093
8 Module Cover Plate Square	1/5	CB92208FB02	3093	CB92208FG02	3093	CB92208FM02	3093
12 Module Cover Plate	1/5	CB92112FB02	4811	CB92112FG02	4811	CB92112FM02	4811
16 Module Cover Plate	1/4	CB92116FB02	4951	CB92116FG02	4951	CB92116FM02	4951
18 Module Cover Plate	1/5	CB92118FB02	5369	CB92118FG02	5369	CB92118FM02	5369

All wooden, glass and metal plates are supplied without grid frames. Customers need to order the grid plates separately.



PLASTIC COVER PLATES WITH PLASTIC GRID FRAMES



Snow White



Mountain Grey



Sparkle Black

Description	Dimensions W X H X D (mm)	Std Pack	Snow White		Mountain Grey		Sparkle Black	
			Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	97 X 90 X 14	10	CB92101FW00	307	CB92101FM01	440	CB92101FB01	440
2 Module Cover Plate	97 X 90 X 14	10	CB92102FW00	307	CB92102FM01	440	CB92102FB01	440
3 Module Cover Plate	125 X 90 X 14	10	CB92103FW00	357	CB92103FM01	512	CB92103FB01	512
4 Module Cover Plate	157 X 90 X 14	10	CB92104FW00	409	CB92104FM01	588	CB92104FB01	588
6 Module Cover Plate	228 X 90 X 14	5	CB92106FW00	636	CB92106FM01	909	CB92106FB01	909
8 Module Cover Plate Horizontal	262 X 90 X 18	4	CB92108FW00	753	CB92108FM01	1078	CB92108FB01	1078
8 Module Cover Plate Square	157 X 157 X 14	5	CB92208FW00	753	CB92208FM01	1078	CB92208FB01	1078
12 Module Cover Plate	228 X 157 X 14	5	CB92112FW00	1017	CB92112FM01	1451	CB92112FB01	1451
16 Module Cover Plate	249 X 157 X 19	4	CB92116FW00	1260	CB92116FM01	1725	CB92116FB01	1725
18 Module Cover Plate	228 X 226 X 20	5	CB92118FW00	1424	CB92118FM01	1942	CB92118FB01	1942

PLASTIC COVER PLATES WITH PLASTIC GRID FRAMES

NEW

NEW



Champagne Gold



Moonlight Silver



Gold Blush



Satin Chrome

Description	Dimensions W X H X D (mm)	Std Pack	Champagne Gold*		Moonlight Silver*		Gold Blush		Satin Chrome	
			Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	97 X 90 X 14	10	CB92101FC01	440	CB92101FS01	440	CB92101FG01	440	CB92101FT01	440
2 Module Cover Plate	97 X 90 X 14	10	CB92102FC01	440	CB92102FS01	440	CB92102FG01	440	CB92102FT01	440
3 Module Cover Plate	125 X 90 X 14	10	CB92103FC01	512	CB92103FS01	512	CB92103FG01	512	CB92103FT01	512
4 Module Cover Plate	157 X 90 X 14	10	CB92104FC01	588	CB92104FS01	588	CB92104FG01	588	CB92104FT01	588
6 Module Cover Plate	228 X 90 X 14	5	CB92106FC01	909	CB92106FS01	909	CB92106FG01	909	CB92106FT01	909
8 Module Cover Plate H	262 X 90 X 18	4	CB92108FC01	1078	CB92108FS01	1078	CB92108FG01	1078	CB92108FT01	1078
8 Module Cover Plate S	157 X 157 X 14	5	CB92208FC01	1078	CB92208FS01	1078	CB92208FG01	1078	CB92208FT01	1078
12 Module Cover Plate	228 X 157 X 14	5	CB92112FC01	1451	CB92112FS01	1451	CB92112FG01	1451	CB92112FT01	1451
16 Module Cover Plate	249 X 157 X 19	4	CB92116FC01	1725	CB92116FS01	1725	CB92116FG01	1725	CB92116FT01	1725
18 Module Cover Plate	228 X 226 X 20	5	CB92118FC01	1942	CB92118FS01	1942	CB92118FG01	1942	CB92118FT01	1942

All white and colour plastic plates are supplied with grid frames.

* Product Discontinued, available till stocks last

PLASTIC GRID FRAMES FOR ALL MATERIAL PLATES (GLASS, METAL, WOOD)



Description	Cut-out Dimensions (For Furniture Installation) W X H (mm)	Std Pack	Cat No	MRP in ₹
1/2 Module Plastic Grid Frame	71 X 60	10	CB92102GB00	118
3 Module Plastic Grid Frame	86 X 60	10	CB92103GB00	151
4 Module Plastic Grid Frame	110 X 60	10	CB92104GB00	179
6 Module Plastic Grid Frame	156 X 60	5	CB92106GB00	278
8 Module Plastic Grid Frame Horizontal	206 X 68	4	CB92108GB00	330
8 Module Plastic Grid Frame Square	109 X 125	5	CB92208GB00	330
12 Module Plastic Grid Frame	168 X 126	5	CB92112GB00	451
16 Module Plastic Grid Frame	191 X 136	4	CB92116GB00	584
18 Module Plastic Grid Frame	156 X 193	5	CB92118GB00	651



BI-MATERIAL GRID FRAMES FOR ALL MATERIAL PLATES (GLASS, METAL, WOOD)

COMING SOON

Description	Std Pack	Cat No	MRP in ₹
1/2 Module Bi-Material Grid Frame	-	CB92102GB01	195
3 Module Bi-Material Grid Frame	-	CB92103GB01	250
4 Module Bi-Material Grid Frame	-	CB92104GB01	296
6 Module Bi-Material Grid Frame	-	CB92106GB01	459
8 Module Bi-Material Grid Frame Horizontal	-	CB92108GB01	545
8 Module Bi-Material Grid Frame Square	-	CB92208GB01	545
12 Module Bi-Material Grid Frame	-	CB92112GB01	745
16 Module Bi-Material Grid Frame	-	CB92116GB01	964
18 Module Bi-Material Grid Frame	-	CB92118GB01	1075

For Metal Boxes refer pg. no. 43

englaze

Introducing **Bi-Material Grid Frame**



Next-Gen Bi-Material Grid Frame

Introducing Next Generation Advanced dual-material engineering for exceptional strength, precision, and lifetime performance.




Precision Fit, Superior Strength

Ensures perfect alignment of switches and other accessories while delivering durability far beyond ordinary plastic plates.



Flawless Finish on Any Surface

Compensates for uneven walls, ensuring a clean and seamless visual interface every time.



Rust-Proof Metal Core, Fully Insulated

Anti-corrosion treated metal that never rusts. safely insulated from all live components.



Slim Design, Exceptional Rigidity

Sleek aesthetics backed by high structural strength-resists bulging and deflection effortlessly



PLASTIC COVER PLATES WITH BI-MATERIAL GRID FRAMES

COMING SOON



Snow White



Mountain Grey



Sparkle Black

Description	Dimensions W X H X D (mm)	Std Pack	Snow White		Mountain Grey		Sparkle Black	
			Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	97 X 90 X 14	10	CB92301FW00	-	CB92301FM01	-	CB92301FB01	-
2 Module Cover Plate	97 X 90 X 14	10	CB92302FW00	-	CB92302FM01	-	CB92302FB01	-
3 Module Cover Plate	125 X 90 X 14	10	CB92303FW00	-	CB92303FM01	-	CB92303FB01	-
4 Module Cover Plate	157 X 90 X 14	10	CB92304FW00	-	CB92304FM01	-	CB92304FB01	-
6 Module Cover Plate	228 X 90 X 14	5	CB92306FW00	-	CB92306FM01	-	CB92306FB01	-
8 Module Cover Plate Horizontal	262 X 90 X 18	4	CB92308FW00	-	CB92308FM01	-	CB92308FB01	-
8 Module Cover Plate Square	157 X 157 X 14	5	CB92408FW00	-	CB92408FM01	-	CB92408FB01	-
12 Module Cover Plate	228 X 157 X 14	5	CB92312FW00	-	CB92312FM01	-	CB92312FB01	-
16 Module Cover Plate	249 X 157 X 19	4	CB92316FW00	-	CB92316FM01	-	CB92316FB01	-
18 Module Cover Plate	228 X 226 X 20	5	CB92318FW00	-	CB92318FM01	-	CB92318FB01	-

PLASTIC COVER PLATES WITH BI-MATERIAL GRID FRAMES

COMING SOON



Gold Blush



Satin Chrome

Description	Dimensions W X H X D (mm)	Std Pack	Gold Blush		Satin Chrome	
			Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	97 X 90 X 14	10	CB92301FG01	-	CB92301FT01	-
2 Module Cover Plate	97 X 90 X 14	10	CB92302FG01	-	CB92302FT01	-
3 Module Cover Plate	125 X 90 X 14	10	CB92303FG01	-	CB92303FT01	-
4 Module Cover Plate	157 X 90 X 14	10	CB92304FG01	-	CB92304FT01	-
6 Module Cover Plate	228 X 90 X 14	5	CB92306FG01	-	CB92306FT01	-
8 Module Cover Plate H	262 X 90 X 18	4	CB92308FG01	-	CB92308FT01	-
8 Module Cover Plate S	157 X 157 X 14	5	CB92408FG01	-	CB92408FT01	-
12 Module Cover Plate	228 X 157 X 14	5	CB92312FG01	-	CB92312FT01	-
16 Module Cover Plate	249 X 157 X 19	4	CB92316FG01	-	CB92316FT01	-
18 Module Cover Plate	228 X 226 X 20	5	CB92318FG01	-	CB92318FT01	-


All white and colour plastic plates are supplied with grid frames.

*Your switch. Your style.
Your shade.*



entice

Vibrant and sophisticated
switches from Lauritz Knudsen



Sleek Design



Vertical and Horizontal plate mounting



Glass Plates



Wide range of colours

THE SHADE OF SUCCESS

360-degree /
full rotation of
fan regulator.

Modular
USB
charger.

Complete
connection
solution for TV,
computers etc.

Modular MCB
with LED
Indicators.

ISI
certified

Glass Plates &
Marble Finish
Plates

Strong,
durable
build.

Safety
shutters.

Sleek,
ribless
design.

Vertical &
horizontal
mounting
plates.

Tested for over
3 Lakh clicks.

Type A & Type C
Quick Charger

Feather Touch
Switches with
Remote

High
gloss
mirror
finish.

MODULAR IR TOUCH SWITCHES - SUITABLE FOR ENTICE PLATES

KEY FEATURES : TOUCH SWITCHES

- Modular type Touch Switches range suitable for all entice plates
- Hassle free installation-No need to change any wiring & mounting boxes
- Night Locator-Easy to locate in dark
- Highly Reliable & Durable
- Conforms to international standard IEC-60669 Part 1 & 2
- Range covers Switching & Controls function
- Black & Charcoal Grey options available




KEY FEATURES: IR REMOTE


- Sit and operate-32 Switch control
- Set your favourite scene-8 different scenes in a click
- Master Switch-Master On/Off in a click




SWITCHES




SWITCH: 4CH




SWITCH: 2CH



SWITCH: 2-WAY




SWITCH: BELL PUSH




SWITCH: 25 A

CONTROLS



LIGHT DIMMER



FAN REGULATOR

Charcoal Grey



Black



Description	Std Pack	Charcoal Grey		Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Touch IR Switch 2 Channel 2M	1	CB91602SC02	5115	CB91602SB02	5115
Touch IR Switch 4 Channel 2M	1	CB91602SC04	5610	CB91602SB04	5610
Touch IR Switch 2 way 2M	1	CB91602SC00	5456	CB91602SB00	5456
Touch Bell Push 2M	1	CB91602BC00	5104	CB91602BB00	5104
Touch IR Switch 25 A 2M	1	CB91602SC20	5363	CB91602SB20	5363
Touch IR Fan Regulator 8-Step 2M	1	CB91602FC00	5940	CB91602RB00	5940
Touch IR Universal Light Dimmer 2M*	1	CB91602DC00	6600	CB91602DB00	6600
IR Remote Control - Black	1	CB98T02RM13	1540		

*Universal Dimmer suitable for LED Lights with phase-cut drivers



CB91101SW10
CB91101SW16
CB91101SW25
CB91301SW10
CB91301SW16
CB91301SW25
CB91201SW10
CB91201SW16
CB91402SW20
CB91402SW32



CB91101SG10
CB91101SG16
CB91101SG25
CB91301SG10
CB91301SG16
CB91301SG25
CB91201SG10
CB91201SG16
CB91402SG20
CB91402SG32



CB91101BW10
CB91301BW10
CB91101BG10
CB91301BG10



CB91102MW25
CB91102MG25

- 3 Lakh switching operation.
- Spark Shield, Captive screws & Tunnel Terminals.
- All Switches and bell push are ISI marked and conforms to IS 3854: 2023
- "AX" rating for switches are suitable to fluorescent lights also.
- Suitable for Self Ballast Lamp

SWITCHES WITH

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Switch 10AX 1-way 1M	20	CB91101SW10	131	CB91101SG10	186
Switch 10AX 1-way with Indicator 1M	20	CB91301SW10	330	CB91301SG10	475
Switch 10AX 2-way 1M	20	CB91201SW10	299	CB91201SG10	428
Switch 16AX 1-way 1M	20	CB91101SW16	319	CB91101SG16	479
Switch 16AX 1-way with Indicator 1M	20	CB91301SW16	399	CB91301SG16	581
Switch 16AX 2-way 1M	20	CB91201SW16	399	CB91201SG16	553
Switch 25A 1-way 1M	20	CB91101SW25	496	CB91101SG25	583
Switch 25A 1-way with Indicator 1M	20	CB91301SW25	601	CB91301SG25	670
Switch 20A DP with Indicator 2M	10	CB91402SW20	758	CB91402SG20	1024
Switch 32A DP with Indicator 2M	10	CB91402SW32	871	CB91402SG32	1229

BELL PUSH WITH

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Bell Push 10AX 1M	20	CB91101BW10	349	CB91101BG10	472
Bell Push 10AX with indicator 1M	20	CB91301BW10	400	CB91301BG10	542
Bell Push 10AX with indicator 2M	10	CB91302BW10	519	CB91302BG10	701

MOTOR STARTER

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Motor Starter 25A 2M	10	CB91102MW25	1784	CB91102MG25	2341



CB91602CW06
CB91702CW06



CB91302CW16



CB91602CG06
CB91702CG06



CB91302CG16

POWER SOCKETS WITH ISI

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Socket 6A 3 Pin with ISI 2M	10	CB91602CW06	265	CB91602CG06	377
New Socket 6A 3 Pin with ISI 2M (Heavy Duty)	10	CB91702CW06	285	CB91702CG06	385
Socket 6A/16A 3 Pin Combi with ISI 2M	10	CB91302CW16	580	CB91302CG16	813

- 6A 3 Pin, 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is also suitable for 2 Pin Plug top.
- 6A 3 Pin Socket Heavy Duty is with heavy connectors and terminals for more durability.
- 6A/16A Sockets also tested upto 25A rating.

FAN REGULATORS & DIMMERS



CB91101DW04



CB91101RW01



CB91102RW02

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Dimmer 400 W 1M	10	CB91101DW04	1239	CB91101DG04	1758
Fan Regulator 4-Step 80W 1M	10	CB91101RW01	860	CB91101RG01	1256
Fan Regulator 5-Step 120W with ISI 2M	5	CB91102RW02	1188	CB91102RG02	1735

- 5 step fan regulator conforms to IS 11037: 2019
- All fan regulators are with 360 degree rotation.
- Dimmers only support incandescent and halogen load.
- Fan Regulators also suitable for BLDC fan without remote.

DATA SOCKETS



CB91101TW11 CB91301TW45 CB91101TW00

Description	Standard Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
RJ 11 Socket with Shutter 1M	20	CB91101TW11	363	CB91101TG11	535
New RJ 45 Cat 6A Socket with Shutter 1M	20	CB91301TW45	1327	CB91301TG45	1912
TV Socket 1M	20	CB91101TW00	363	CB91101TG00	514

• For Cat 6A- Data transfer speed is upto 10GBPS and Bandwidth frequency is upto 500MHz.



CB91102AW00 CB91402AW00 CB91101AW00 CB91201AW00 CB91102LW00
CB91202LW00



CB91101AW02 CB91401AW00 CB91201AG00 CB91101AG18 CB91201AW18 CB91301AG30

• Electronic ding-dong bell is suitable for small rooms/cabins etc.

ACCESSORIES

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Buzzer 2M	5	CB91102AW00	865	CB91102AG00	1243
Cable Outlet 1M	White 20 Grey 15	CB91101AW00	292	CB91101AG00	421
Blank Off Unit 1M	20	CB91201AW00	75	CB91201AG00	104
LED Foot Light 2M - White	5	CB91102LW00	1742	CB91102LG00	2504
Coming Soon LED Foot Light 2M - Warm White	5	CB91202LW00	1742	CB91202LG00	2504
USB Charger 2A 1M	10	CB91101AW02	1754	CB91101AG02	2620
USB Type A Quick Charger 18W 1M	10	CB91101AW18	2301	CB91101AG18	2670
USB Type C PD Charger 18W 1M	10	CB91201AW18	3157	CB91201AG18	3585
Coming Soon USB Type C PD Charger 30W 1M	10	CB91301AW30	3631	CB91301AG30	4123
LED Phase Indicator 1M - Full Glow	20	CB91401AW00	452	Same as White	
Electronic Ding Dong Bell 2M	10	CB91402AW00	1393	CB91402AG00	1848



CB91202HW20
CB91302HW32 CB91502HW10 CB91602HW10



CB91302HW00 CB91202HG20
CB91302HG32 CB91502HG10

• Mechanical Key Tag are modular type and supplied without any plates.



CB91101KW06
CB91101KW10
CB91101KW16
CB91101KW20
CB91101KW25
CB91101KW32



CB91202KW25
CB91202KW32

FEATURES

- Mini MCBs with LED indicator
- Conforms to IS/IEC 60898 – part 1
- Breaking capacity – 3 kA
- No Line load bias
- Suitable for use as isolator

HOSPITALITY RANGE

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Mech Key Tag Switch 20A 2M	5	CB91202HW20	1201	CB91202HG20	1584
Mech Key Tag Switch 32A 2M	5	CB91302HW32	1362	CB91302HG32	1797
Spare Key for Mech Key Tag	10	CB91302HW00	127	CB91302HG00	143
DND-MMR Inside Room Unit 2M	10	CB91502HW10	940	CB91502HG10	1373
DND-MMR Outside Room Unit 2M	10	CB91602HW10	1002	Same as White	

MINI MCBs WITH LED INDICATOR

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
6A SP Mini MCB 3kA 1M	10	CB91101KW06	707	CB91101KG06	880
10A SP Mini MCB 3kA 1M	10	CB91101KW10	707	CB91101KG10	880
16A SP Mini MCB 3kA 1M	10	CB91101KW16	707	CB91101KG16	880
20A SP Mini MCB 3kA 1M	10	CB91101KW20	707	CB91101KG20	880
25A SP Mini MCB 3kA 1M	10	CB91101KW25	707	CB91101KG25	880
32A SP Mini MCB 3kA 1M	10	CB91101KW32	707	CB91101KG32	880
25A DP Mini MCB 3kA 2M	5	CB91202KW25	1405	CB91202KG25	1735
32A DP Mini MCB 3kA 2M	5	CB91202KW32	1405	CB91202KG32	1735

WHITES



The serenity of the white classics are perfect for those who seek understated elegance.



VIVID



Gold Rush



Eco Grey

Handpicked artistic colours that will shine through, as a display of your fine taste.



Charcoal Grey



Ice Silver



Bottle Green



Black Beauty




VIBRANT




Firestorm Orange

Rare & full of life, the vibrant series is full of bright colours, crafted for those who prefer the exotic.



Metallic Grey



Rustic Gold



Rose Gold



WOODEN



Cinnamon Wood


Rustic & earthy, these wooden tones really bring out the aesthetics of your home.



Dark Chocolate Wood



COVER PLATES WITH GRID FRAMES - WHITE



- 8M Horizontal Small size, is suitable for 10M ORIS Box.
- All White cover plates supplied with grid frames.
- 16M Cover plate is also suitable for 12M GI metal box.

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
1 Module Cover Plate+Grid Frame	97 X 90 X 14	15	CB91101FW00	223
2 Module Cover Plate+Grid Frame	97 X 90 X 14	15	CB91102FW00	223
3 Module Cover Plate+Grid Frame	125 X 90 X 14	10	CB91103FW00	290
4 Module Cover Plate+Grid Frame	157 X 90 X 14	10	CB91104FW00	332
6 Module Cover Plate+Grid Frame	228 X 90 X 14	5	CB91106FW00	444
8 Module Cover Plate+Grid Frame Horizontal	262 X 90 X 14	5	CB91108FW00	528
8 Module Cover Plate+Grid Frame Square	157 X 157 X 14	5	CB91208FW00	528
8 Module Cover Plate+Grid Frame-Small Size (Suitable for Oris 10M Boxes)	262 X 90 X 18	5	CB91308FW00	626
12 Module Cover Plate+Grid Frame	228 X 157 X 14	5	CB91112FW00	713
16 Module Cover Plate+Grid Frame	248 X 156 X 18	4	CB91116FW00	884
18 Module Cover Plate+Grid Frame	228 X 226 X 14	5	CB91118FW00	933

COVER PLATES WITHOUT GRID FRAMES - VIVID SHADES



- All color plates supplied without grid frames.
- Customer need to select Grid Frames Separately.
- All colour product pictures are for visualization purpose only, actual product colour may vary.
- Automotive Grade 2K PU Paint Technology for Durability.
- 16M Cover plate is also suitable for 12M GI metal box.

Description	Std Pack	Charcoal Grey	Eco Grey*	Gold Rush	Ice Silver	Black Beauty	Bottle Green*	MRP in ₹
		Cat No	Cat No	Cat No	Cat No	Cat No	Cat No	
1 Module Cover Plate	15	CB91101FG11	CB91101FE11	CB91101FU11	CB91101FI11	CB91101FB11	CB91101FD11	298
2 Module Cover Plate	15	CB91102FG11	CB91102FE11	CB91102FU11	CB91102FI11	CB91102FB11	CB91102FD11	298
3 Module Cover Plate	10	CB91103FG11	CB91103FE11	CB91103FU11	CB91103FI11	CB91103FB11	CB91103FD11	396
4 Module Cover Plate	10	CB91104FG11	CB91104FE11	CB91104FU11	CB91104FI11	CB91104FB11	CB91104FD11	439
6 Module Cover Plate	5	CB91106FG11	CB91106FE11	CB91106FU11	CB91106FI11	CB91106FB11	CB91106FD11	567
8 Module Cover Plate Horizontal	5	CB91108FG11	CB91108FE11	CB91108FU11	CB91108FI11	CB91108FB11	CB91108FD11	664
8 Module Cover Plate Square	5	CB91208FG11	CB91208FE11	CB91208FU11	CB91208FI11	CB91208FB11	CB91208FD11	664
12 Module Cover Plate	5	CB91112FG11	CB91112FE11	CB91112FU11	CB91112FI11	CB91112FB11	CB91112FD11	898
16 Module Cover Plate	5	CB91116FG11	CB91116FE11	CB91116FU11	CB91116FI11	CB91116FB11	CB91116FD11	1219
18 Module Cover Plate	5	CB91118FG11	CB91118FE11	CB91118FU11	CB91118FI11	CB91118FB11	CB91118FD11	1352


* Product Discontinued, available till stocks last

COVER PLATES WITHOUT GRID FRAMES - VIBRANT SHADES



Rustic Gold

Metallic Grey



Firestorm Orange

Rose Gold

- All color plates supplied without grid frames.
- Customer need to select Grid Frames Separately.
- All colour product pictures are for visualization purpose only, actual product colour may vary.
- Automotive Grade 2K PU Paint Technology for Durability.
- 16M Cover plate is also suitable for 12M GI metal box.

Description	Std Pack	Rustic Gold	Metallic Grey	Firestorm Orange	Rose Gold*	MRP in ₹
		Cat No	Cat No	Cat No	Cat No	
1 Module Cover Plate	15	CB91101FR11	CB91101FM11	CB91101FS11	CB91101FL11	398
2 Module Cover Plate	15	CB91102FR11	CB91102FM11	CB91102FS11	CB91102FL11	398
3 Module Cover Plate	10	CB91103FR11	CB91103FM11	CB91103FS11	CB91103FL11	498
4 Module Cover Plate	10	CB91104FR11	CB91104FM11	CB91104FS11	CB91104FL11	526
6 Module Cover Plate	5	CB91106FR11	CB91106FM11	CB91106FS11	CB91106FL11	604
8 Module Cover Plate Horizontal	5	CB91108FR11	CB91108FM11	CB91108FS11	CB91108FL11	792
8 Module Cover Plate Square	5	CB91208FR11	CB91208FM11	CB91208FS11	CB91208FL11	792
12 Module Cover Plate	5	CB91112FR11	CB91112FM11	CB91112FS11	CB91112FL11	1057
16 Module Cover Plate	5	CB91116FR11	CB91116FM11	CB91116FS11	CB91116FL11	1163
18 Module Cover Plate	5	CB91118FR11	CB91118FM11	CB91118FS11	CB91118FL11	1445

COVER PLATES WITHOUT GRID FRAMES - WOODEN FINISHES



Dark Chocolate Wood


Cinnamon Wood

- All color plates supplied without grid frames.
- Customer need to select Grid Frames Separately.
- All colour product pictures are for visualization purpose only, actual product colour may vary.
- Cubic Printing Technology used for wooden finishes.
- 16M Cover plate is also suitable for 12M GI metal box.

Description	Std Pack	Dark Chocolate Wood	Cinnamon Wood	MRP in ₹
		Cat No	Cat No	
1 Module Cover Plate	15	CB91101FL12	CB91101FA12	479
2 Module Cover Plate	15	CB91102FL12	CB91102FA12	479
3 Module Cover Plate	10	CB91103FL12	CB91103FA12	573
4 Module Cover Plate	10	CB91104FL12	CB91104FA12	681
6 Module Cover Plate	5	CB91106FL12	CB91106FA12	925
8 Module Cover Plate Horizontal	5	CB91108FL12	CB91108FA12	1119
8 Module Cover Plate Square	5	CB91208FL12	CB91208FA12	1119
12 Module Cover Plate	5	CB91112FL12	CB91112FA12	1586
16 Module Cover Plate	5	CB91116FL12	CB91116FA12	2000
18 Module Cover Plate	5	CB91118FL12	CB91118FA12	2504

* Product Discontinued, available till stocks last


entice glass plates



Classic Grey



Onyx Black



Glacier White



Caramel Brown



Elevate your interiors with premium Glass plates crafted from real toughened glass - where luxury meets durability.



Built with superior strength and flawless precision, these plates offer lasting beauty with everyday reliability.



Designed to make a statement, the elegant glossy finish and rich color options add a sophisticated touch to every space.



Modern, stylish, and timeless - a perfect blend of safety, elegance, and premium craftsmanship..



entice

Marble finish plates



Crafted from high-quality acrylic material with luxurious marble-inspired finishes, these plates offer a perfect blend of style, durability, and sophistication



The smooth surface, refined detailing, and premium finish create a seamless look that complements both modern and classic interiors



Enhance your interiors with premium Marble finish Cover Plates designed to bring the elegance of marble into modern switchboard aesthetics




Available in two exclusive marble finishes, they add a rich and contemporary touch to every space



Stylish, durable, and crafted to impress a premium switchboard solution inspired by timeless marble elegance



Onyx Black Glass



Classic Grey Glass




Glacier White Glass



Caramel Brown Glass



Mystic Marble Finish



White Marble Finish

ENTICE GLASS PLATES WITH GRID FRAME


NEW NEW

Description	Std Pack	Onyx Black	Classic Grey	Glacier White	Caramel Brown	MRP in ₹
		Cat No	Cat No	Cat No	Cat No	
1 Module Cover Plate	1	CB91101FB02	CB91101FC02	CB91101FG02	CB91101FR02	790
2 Module Cover Plate	1	CB91102FB02	CB91102FC02	CB91102FG02	CB91102FR02	790
3 Module Cover Plate	1	CB91103FB02	CB91103FC02	CB91103FG02	CB91103FR02	1125
4 Module Cover Plate	1	CB91104FB02	CB91104FC02	CB91104FG02	CB91104FR02	1550
6 Module Cover Plate	1	CB91106FB02	CB91106FC02	CB91106FG02	CB91106FR02	1950
8 Module Cover Plate Horizontal	1	CB91108FB02	CB91108FC02	CB91108FG02	CB91108FR02	2250
8 Module Cover Plate Square	1	CB91208FB02	CB91208FC02	CB91208FG02	CB91208FR02	2250
12 Module Cover Plate	1	CB91112FB02	CB91112FC02	CB91112FG02	CB91112FR02	2725
16 Module Cover Plate	1	CB91116FB02	CB91116FC02	CB91116FG02	CB91116FR02	2950
18 Module Cover Plate	1	CB91118FB02	CB91118FC02	CB91118FG02	CB91118FR02	3350


ENTICE MARBLE FINISH PLATES WITH GRID FRAME

Description	Std Pack	Mystic Marble Finish		White Marble Finish	
		Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1	CB91101FM07	455	CB91101FW07	455
2 Module Cover Plate	1	CB91102FM07	455	CB91102FW07	455
3 Module Cover Plate	1	CB91103FM07	525	CB91103FW07	525
4 Module Cover Plate	1	CB91104FM07	595	CB91104FW07	595
6 Module Cover Plate	1	CB91106FM07	830	CB91106FW07	830
8 Module Cover Plate Horizontal	1	CB91108FM07	925	CB91108FW07	925
8 Module Cover Plate Square	1	CB91208FM07	925	CB91208FW07	925
12 Module Cover Plate	1	CB91112FM07	1250	CB91112FW07	1250
16 Module Cover Plate	1	CB91116FM07	1850	CB91116FW07	1850
18 Module Cover Plate	1	CB91118FM07	1950	CB91118FW07	1950

GRID FRAMES (FOR VIVID, VIBRANT & WOOD COVER PLATES)




- Grid frames suitable for all colour plates and wooden finish plates.
- Ease for retailers to maintain stocks.



Description	Cut-out Dimensions (For Furniture Installation) W X H (mm)	Std Pack	Cat No	MRP in ₹
1/2 Module Grid Frame	52 X 55	15	CB91102GB00	85
3 Module Grid Frame	80 X 66	10	CB91103GB00	99
4 Module Grid Frame	119 X 55	10	CB91104GB00	127
6 Module Grid Frame	178 X 61	5	CB91106GB00	199
8 Module Grid Frame Horizontal	222 X 68	5	CB91108GB00	236
8 Module Grid Frame Square	113 X 120	5	CB91208GB00	236
12 Module Grid Frame	173 X 120	5	CB91112GB00	324
16 Module Grid Frame	203 X 126	4	CB91116GB00	541
18 Module Grid Frame	173 X 185	5	CB91118GB00	559

GI METAL MOUNTING BOXES

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1 & 2 Module	77 X 76 X 53	60	CB91102WM00	124
GI Metal Box-3 Module	103 X 76 X 53	45	CB91103WM00	173
GI Metal Box- 4 Module	136 X 76 X 53	30	CB91104WM00	198
GI Metal Box- 6 Module	210 X 76 X 53	20	CB91106WM00	279
GI Metal Box- 8 Module Horizontal	227 X 82 X 53	15	CB91108WM00	354
GI Metal Box- 8 Module Square	136 X 132 X 58	24	CB91208WM00	354
GI Metal Box- 12 Module	210 X 132 X 61	16	CB91112WM00	521
GI Metal Box- 16 Module	227 X 146 X 61	12	CB91116WM00	601
GI Metal Box- 18 Module	212 X 210 X 61	10	CB91118WM00	651

- Suitable for entice, englaze, enCurve and enGem ranges.
- GI Boxes Conforms to IS14772: 2000
- With  Marking

Curves never
looked this **sharp.**



enCurve



Exclusive 9
Module Plate



Wide Plate and
Colour Range



Double Knob
Spark-free
Mechanism



Soft
Operating
Switch

Soft Operating Switches
from Lauritz Knudsen

KEY FEATURES



SLEEK & CURVILINEAR DESIGN

Impress your customers with the enCurve range's stunning curvilinear design that blends seamlessly into modern interiors. The premium build and contemporary look are sure to add a touch of sophistication to every space.



SOFT OPERATING SWITCH

With its soft operating switches and low-sound mechanism, enCurve offers a smooth, noiseless experience to customers. Every click on switch feels premium, ensuring both comfort and satisfaction in daily use.



ENGINEERED FOR ENDURANCE

enCurve switches are tested for over 1 lakh switching operations, ensuring exceptional durability. Pair that with strong grid frames & a break-free knob design for fan regulators, and you get unmatched reliability over years of use.



EFFORTLESS CONNECTION

The hassle-free socket design ensures easy plugging and unplugging, making it convenient for all age groups while offering complete peace of mind for everyday use.



INSTALL IN A SNAP

A front-removal system, captive screws, & smart construction make installation fast & fuss-free. Whether it's a fresh fit-out or an upgrade, enCurve ensures time efficiency for professionals and a perfect finish for every space.



DUAL-PORT USB CHARGING

USB Charger Integrated with both Type-A and Type -C PD charging ports delivering 18W of power. enCurve delivers fast, reliable charging for all your devices. Eliminate the need for bulky adapters & keep your tech powered with a sleek, built-in solution that matches your interiors.



FOUR PART SWITCH CONSTRUCTION

- Double-Knob Spark-free mechanism
- Safe, quiet switching




HOSPITALITY SOLUTIONS

Specially curated combinations & finishes to enhance guest experiences in hotels & resorts. Built to withstand frequent use These solutions balance durability with style for every touchpoint.



MULTIPLE COLOUR OPTIONS

enCurve offers wide range of colour options to customer to match with their home décor





CB95101SW06
CB95101SW16
CB95101SW25
CB95301SW06
CB95301SW16
CB95301SW25
CB95402SW32



CB95201SG06
CB95201SG16
CB95101BG06
CB95101SG06
CB95101SG16
CB95101SG25
CB95301SG06
CB95301SG16
CB95301SG25

- Soft operating & low sound switch.
- Brass Switch terminals & screws
- 1 Lakh switching operation.
- Spark Shield, Captive screws & Tunnel Terminals.
- All Switches and bell push are ISI marked and conforms to IS 3854: 2023
- "AX" rating for switches are suitable to fluorescent lights also.
- Suitable for Self Ballast Lamp.



CB95102MW25



CB95602CW06



CB95302CW16

- 6A 3 Pin, 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is suitable for 2 Pin Plug top also.

SWITCHES & BELL PUSH WITH

Description	Std Pack	White		Magnesium Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Switch 1 way 6AX 1M	20	CB95101SW06	94	CB95101SG06	117
Switch 1 way 6AX with indicator 1M	20	CB95301SW06	247	CB95301SG06	318
Switch 2 way 6AX 1M	20	CB95201SW06	236	CB95201SG06	305
Switch 1 way 16 AX 1M	20	CB95101SW16	219	CB95101SG16	270
Switch 1 way 16AX with indicator 1M	20	CB95301SW16	302	CB95301SG16	373
Switch 2 way 16AX 1M	20	CB95201SW16	332	CB95201SG16	426
Switch 1 way 25 A 1M	20	CB95101SW25	279	CB95101SG25	359
Switch 1 way 25A with indicator 1M	20	CB95301SW25	378	CB95301SG25	487
Switch 32A DP with Indicator lamp 2M	10	CB95402SW32	600	CB95402SG32	771
Bell Push 6A 1M	20	CB95101BW06	262	CB95101BG06	338
Bell Push 6A 1M with Indicator 1 M	20	CB95301BW06	293	CB95301BG06	375
Bell Push 6A with indicator 2M	10	CB95302BW06	389	CB95302BG06	501

MOTOR STARTER

Description	Std Pack	White		Magnesium Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Motor starter 25A 2M	10	CB95102MW25	1239	CB95102MG25	1455

POWER SOCKET WITH

Description	Std Pack	White		Magnesium Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Socket 3 Pin Socket 6A with ISI 2M	10	CB95602CW06	190	CB95602CG06	243
Socket 6A/16A combined with ISI 2M (Tested upto 25A rating also)	10	CB95302CW16	313	CB95302CG16	390

FAN REGULATORS & DIMMERS



CB95101RW01 CB95102RW02

- 5 step fan regulator conforms to IS 11037: 2019
- All fan regulators are with 360 degree rotation.
- Fan Regulators also suitable for BLDC fan without remote.
- Dimmers support incandescent and halogen loads only.

DATA SOCKETS & ACCESSORIES



CB95101TW11 CB95101TW00 CB95101AW00 CB95201AW00 CB95102LW00



CB95101AW02 CB95101AW18 CB95401AW00

USB Charger conforms to IS 13252 (Part 1)



CB95101KW06
CB95101KW10
CB95101KW16
CB95101KW20
CB95101KW25
CB95101KW32
CB95202KW25
CB95202KW32

FEATURES

- Conforms to IS/IEC 60898 - part 1
- Breaking capacity - 3 kA
- No Line load bias
- Suitable for use as isolator

Description	Std Pack	White		Magnesium Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Dimmer 400 W 1M	10	CB95101DW04	910	CB95101DG04	1136
Fan regulator 4-Step 1M	10	CB95101RW01	627	CB95101RG01	753
Fan regulator 5-Step 2M	5	CB95102RW02	810	CB95102RG02	933

Description	Std Pack	White		Magnesium Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
RJ 11 1M	20	CB95101TW11	265	CB95101TG11	328
RJ 45 Cat 6A 1M	20	CB95301TW45	1010	CB95301TG45	1263
TV Socket 1M	20	CB95101TW00	258	CB95101TG00	321
Cable Outlet 1M	20	CB95101AW00	207	CB95101AG00	261
Blank off unit 1M	20	CB95201AW00	47	CB95201AG00	59
LED Foot Light 2M - White	5	CB95102LW00	1240	CB95102LG00	1548
LED Foot Light 2M - Warm White	5	CB95202LW00	1240	CB95202LG00	1548
USB Charger 2A 1M	10	CB95101AW02	1358	CB95101AG02	1630
USB Charger 18W Type A & Type C- Combi Type 1M	10	CB95101AW18	2450	CB95101AG18	2750
LED Phase indicator 1M-Full Glow	20	CB95401AW00	313	Same as White	

Coming Soon

MINI MCBs

Description	Std Pack	White		Magnesium Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
6A SP Mini MCB 3 kA 1M	10	CB95101KW06	618	CB95101KG06	742
10A SP Mini MCB 3 kA 1M	10	CB95101KW10	618	CB95101KG10	742
16A SP Mini MCB 3 kA 1M	10	CB95101KW16	618	CB95101KG16	742
20A SP Mini MCB 3 kA 1M	10	CB95101KW20	618	CB95101KG20	742
25A SP Mini MCB 3 kA 1M	10	CB95101KW25	618	CB95101KG25	742
32A SP Mini MCB 3 kA 1M	10	CB95101KW32	618	CB95101KG32	742
25A DP Mini MCB 3 kA 2M	5	CB95202KW25	1379	CB95202KG25	1655
32A DP Mini MCB 3 kA 2M	5	CB95202KW32	1379	CB95202KG32	1655


HOSPITALITY RANGE



CB95302HW32



CB95302HW00



CB95502HW10



CB95601HW10


- DND MMR Outside Unit in 1 Module size
- DND MMR Inside Unit supplied complete set, occupy 2 module size
- Mechanical Key Tag is Modular type and supplied without plate

Description	Std Pack	White		Magnesium Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Mech Key Tag 32A 2M	5	CB95302HW32	1145	CB95302HG32	1512
Spare key for Mech key tag	10	CB95302HW00	107	CB95302HG00	120
DND MMR inside room unit 2M	10	CB95502HW10	791	CB95502HG10	1155
DND MMR outside room unit 1M	10	CB95601HW10	846	CB95601HG10	1281




COVER PLATES WITH GRID FRAMES


Description	Std Pack	White		Magnesium Grey		Desert Gold		Vintage Gold		Nebula Black		Antique Bronze	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate with Grid Frames	10	CB95101FW00	152	CB95101FG01		CB95101FD01		CB95101FV01		CB95101FB01		CB95101FA01	205
2 Module Cover Plate with Grid Frames	10	CB95102FW00	152	CB95102FG01		CB95102FD01		CB95102FV01		CB95102FB01		CB95102FA01	205
3 Module Cover Plate with Grid Frames	10	CB95103FW00	197	CB95103FG01		CB95103FD01		CB95103FV01		CB95103FB01		CB95103FA01	267
4 Module Cover Plate with Grid Frames	10	CB95104FW00	232	CB95104FG01		CB95104FD01		CB95104FV01		CB95104FB01		CB95104FA01	314
6 Module Cover Plate with Grid Frames	5	CB95106FW00	343	CB95106FG01		CB95106FD01		CB95106FV01		CB95106FB01		CB95106FA01	463
8 Module Cover Plate with Grid Frames Horizontal	5	CB95108FW00	406	CB95108FG01		CB95108FD01		CB95108FV01		CB95108FB01		CB95108FA01	547
8 Module Cover Plate with Grid Frames Square	5	CB95208FW00	406	CB95208FG01		CB95208FD01		CB95208FV01		CB95208FB01		CB95208FA01	547
9 Module Cover Plate with Grid Frames Horizontal	5	CB95109FW00	453	CB95109FG01		CB95109FD01		CB95109FV01		CB95109FB01		CB95109FA01	590
12 Module Cover Plate with Grid Frames	5	CB95112FW00	549	CB95112FG01		CB95112FD01		CB95112FV01		CB95112FB01		CB95112FA01	741
16 Module Cover Plate with Grid Frames	4	CB95116FW00	813	CB95116FG01		CB95116FD01		CB95116FV01		CB95116FB01		CB95116FA01	1096
18 Module Cover Plate with Grid Frames	4	CB95118FW00	833	CB95118FG01		CB95118FD01		CB95118FV01		CB95118FB01		CB95118FA01	1121



CB95101FW00



CB95102FW00



CB95103FW00



CB95104FW00



CB95106FW00




CB95108FW00



CB95109FW00



CB95208FW00



CB95112FW00



Electrical & Automation

Built for reliability. Designed for style.



enGem

Safe and secure switches
from Lauritz Knudsen



Ease Of
Installation



Plates
with Bezels



Fast
Charger



360°
360 Degree rotation for
Break free operations




COMPLETE USB CHARGING SOLUTION

The enGem range allows customers to fast-charge devices with the power of 18W Combi type - Type A & Type C. The range also comes with a 2A USB Charger.



PREMIUM FLAT DESIGN

Premium flat-design plates with superior plastic quality and wider cover plates for enhanced durability, elegant aesthetics, and easy installation.



HASSLE-FREE PLUGGING

Enhanced child safety with in-built socket safety shutters for secure, worry-free everyday usage.



360° ROTATION FOR BREAK-FREE OPERATIONS

Break-Free 360° Fan Regulator designed for smooth operation, enhanced durability, and long-lasting everyday comfort.



CAPTIVE SCREWS AND FRONT REMOVAL SYSTEM

Faster Installation with captive screws and front removal design - saving valuable installation time and ensuring hassle-free fitting.



1 LAKH + CLICKS & 10,000 TIMES SOCKET UNPLUGGING

Certified for long-lasting performance with 1 Lakh+ switch operations and 10,000+ socket insertions for reliable everyday use.



COLOUR & BEZEL OPTIONS AVAILABLE

Switches available in elegant White & Stone Grey shades with premium Chrome & Gold bezel plate options - offering 6 stylish combinations to complement every décor.



HOSPITALITY SOLUTIONS

Specially curated finishes and combinations designed for hotels & resorts, offering premium aesthetics with durability for high-frequency usage.

SWITCHES & BELL PUSH WITH 

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Switch 6AX 1-way 1M	20	CB93101SW06	78	CB93101SS06	97
Switch 6AX 1-way with Indicator 1M	20	CB93301SW06	228	CB93301SS06	290
Switch 6AX 2-way 1M	20	CB93201SW06	201	CB93201SS06	270
Switch 16AX 1-way 1M	20	CB93101SW16	195	CB93101SS16	246
Switch 16AX 1-way with Indicator 1M	20	CB93301SW16	277	CB93301SS16	339
Switch 16AX 2-way 1M	20	CB93201SW16	282	CB93201SS16	352
Switch 20A 1-way 1M	20	CB93101SW20	255	CB93101SS20	326
Switch 20A 1-way with Indicator 1M	20	CB93301SW20	348	CB93301SS20	444
Switch 32A DP with Indicator lamp 2M	10	CB93402SW32	552	CB93402SS32	702
Bell Push 6A 1M	20	CB93101BW06	242	CB93101BS06	308
Bell Push 6A with Indicator 1M	20	CB93301BW06	269	CB93301BS06	341
Bell Push 6A with Indicator 2M	10	CB93302BW06	358	CB93302BS06	456

MOTOR STARTER

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Motor Starter 25A 2M	10	CB93102MW25	1130	CB93102MS25	1390

POWER SOCKET WITH 

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Socket 6A 3 Pin with ISI 2M	10	CB93602CW06	186	CB93602CS06	238
Socket 6A/16A 3 Pin Combi with ISI 2M	10	CB93302CW16	306	CB93302CS16	382




CB93101SW06 CB93301SW06 CB93201SW06 CB93101BW06 CB93402SW32
CB93101SW16 CB93301SW16 CB93201SW16



CB93101SS06 CB93301SS06 CB93201SS06 CB93101BS06 CB93302BS06

- 1 Lakh switching operation.
- Spark Shield, Captive screws & Tunnel Terminals.
- All Switches and bell pushes are ISI marked and conforms to IS 3854: 2023
- "AX" rating for switches are suitable to fluorescent lights also.
- Suitable for Self Ballast Lamp



CB93102MW25



CB93602CW06



CB93302CW16

- 6A 3 Pin, 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is suitable for 2 Pin Plug top also.
- 6A/16A Sockets tested upto 25A rating also.



CB93101RW01 CB93102RW02 CB93102RS02 CB93101RS01

- 5 step fan regulator conforms to IS 11037: 2019
- All fan regulators are with 360 degree rotation.
- Fan Regulators also suitable for BLDC fan without remote.
- Dimmers only support incandescent and halogen load.



CB93101TW11 CB93101TW00 CB93101AW00 CB93201AW00 CB93102LW00
CB93202LW00



CB93101AW02 CB93101AW18 CB93101TS11 CB93101AS02 CB93401AW00

USB Charger conforms to IS 13252 (Part 1)



CB93101KW06 CB93101KW10 CB93101KW16 CB93101KW20 CB93101KW25 CB93101KW32 CB93202KW25 CB93202KW32

FEATURES

- Conforms to IS/IEC 60898 - part 1
- Breaking capacity - 3 kA
- No Line load bias
- Suitable for use as isolator

FAN REGULATORS & DIMMERS

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Dimmer 400 W 1M	10	CB93101DW04	843	CB93101DS04	1082
Fan Regulator 4-Step 80W 1M	10	CB93101RW01	581	CB93101RS01	718
Fan Regulator 5-Step 120W with ISI 2M	05	CB93102RW02	752	CB93102RS02	889

DATA SOCKETS & ACCESSORIES

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
RJ 11 Socket with Shutter 1M	20	CB93101TW11	239	CB93101TS11	305
RJ 45 Cat 6A Socket with Shutter 1M	20	CB93301TW45	911	CB93301TS45	1170
TV Socket 1M	20	CB93101TW00	233	CB93101TS00	298
Cable Outlet 1M	20	CB93101AW00	193	CB93101AS00	242
Blank off Unit 1M	20	CB93201AW00	45	CB93201AS00	56
LED Foot Light 2M - White	5	CB93102LW00	1149	CB93102LS00	1437
LED Foot Light 2M - Warm White	5	CB93202LW00	1149	CB93202LS00	1437
USB Charger 2A 1M	10	CB93101AW02	1293	CB93101AS02	1552
USB Charger 18W Type A & C 1M	10	CB93101AW18	2400	CB93101AS18	2700
LED Phase Indicator 1M-Full Glow	20	CB93401AW00	290	Same as White	

Coming Soon

MINI MCBs

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
6A SP Mini MCB 3kA 1M	10	CB93101KW06	589	CB93101KS06	706
10A SP Mini MCB 3kA 1M	10	CB93101KW10	589	CB93101KS10	706
16A SP Mini MCB 3kA 1M	10	CB93101KW16	589	CB93101KS16	706
20A SP Mini MCB 3kA 1M	10	CB93101KW20	589	CB93101KS20	706
25A SP Mini MCB 3kA 1M	10	CB93101KW25	589	CB93101KS25	706
32A SP Mini MCB 3kA 1M	10	CB93101KW32	589	CB93101KS32	706
25A DP Mini MCB 3kA 2M	5	CB93202KW25	1313	CB93202KS25	1577
32A DP Mini MCB 3kA 2M	5	CB93202KW32	1313	CB93202KS32	1577

COVER PLATES WITH GRID FRAMES



CB93101FW00

CB93102FW00

CB93103FW00

CB93104FW00



CB93104FS01



CB93106FS01



CB93104FS06



CB93106FS05



CB93106FW05



CB93106FW06

Description	Dimensions W X H X D (mm)	Std Pack	White		Stone Grey	
			Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate+Grid Frame	98 X 90 X 14	15	CB93101FW00	138	CB93101FS01	187
2 Module Cover Plate+Grid Frame	98 X 90 X 14	15	CB93102FW00	138	CB93102FS01	187
3 Module Cover Plate+Grid Frame	126 X 90 X 14	10	CB93103FW00	179	CB93103FS01	243
4 Module Cover Plate+Grid Frame	158 X 90 X 14	10	CB93104FW00	212	CB93104FS01	287
6 Module Cover Plate+Grid Frame	229 X 90 X 14	5	CB93106FW00	314	CB93106FS01	422
8 Module Cover Plate+Grid Frame Horizontal	263 X 90 X 14	5	CB93108FW00	370	CB93108FS01	500
8 Module Cover Plate+Grid Frame Square	158 X 157 X 14	5	CB93208FW00	370	CB93208FS01	500
12 Module Cover Plate+Grid Frame	229 X 157 X 14	5	CB93112FW00	501	CB93112FS01	675
16 Module Cover Plate+Grid Frame	249 X 156 X 18	4	CB93116FW00	741	CB93116FS01	999
18 Module Cover Plate+Grid Frame	229 X 226 X 14	5	CB93118FW00	758	CB93118FS01	1024

COVER PLATES WITH GRID FRAMES FOR BEZEL OPTIONS



White with
Chrome Bezel



White with
Gold Bezel



Stone Grey with
Chrome Bezel



Stone Grey with
Gold Bezel


Description	Std Pack	White with Chrome Bezel		White with Gold Bezel		Stone Grey with Chrome Bezel		Stone Grey with Gold Bezel	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate+Grid Frame	10	CB93101FW05	164	CB93101FW06	176	CB93101FS05	224	CB93101FS06	254
2 Module Cover Plate+Grid Frame	10	CB93102FW05	164	CB93102FW06	176	CB93102FS05	224	CB93102FS06	254
3 Module Cover Plate+Grid Frame	10	CB93103FW05	213	CB93103FW06	226	CB93103FS05	293	CB93103FS06	329
4 Module Cover Plate+Grid Frame	10	CB93104FW05	250	CB93104FW06	268	CB93104FS05	345	CB93104FS06	390
6 Module Cover Plate+Grid Frame	4	CB93106FW05	370	CB93106FW06	395	CB93106FS05	510	CB93106FS06	576
8 Module Cover Plate+Grid Frame Horizontal	4	CB93108FW05	455	CB93108FW06	484	CB93108FS05	629	CB93108FS06	703
8 Module Cover Plate+Grid Frame Square	4	CB93208FW05	455	CB93208FW06	484	CB93208FS05	629	CB93208FS06	703
12 Module Cover Plate+Grid Frame	4	CB93112FW05	638	CB93112FW06	654	CB93112FS05	850	CB93112FS06	916
16 Module Cover Plate+Grid Frame	4	CB93116FW05	946	CB93116FW06	970	CB93116FS05	1261	CB93116FS06	1357
18 Module Cover Plate+Grid Frame	4	CB93118FW05	968	CB93118FW06	992	CB93118FS05	1288	CB93118FS06	1389

HOSPITALITY RANGE **NEW**



CB93302HW32 CB93302HW00 CB93502HW10 CB93601HW10

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Mech Key Tag 32A 2M	5	CB93302HW32	1060	CB93302HS32	1399
Spare key for Mech key tag	10	CB93302HW00	99	CB93302HS00	111
DND MMR inside room unit 2M	10	CB93502HW10	732	CB93502HS10	1068
DND MMR outside room unit 1M	10	CB93601HW10	783	CB93601HS10	1185



- GI Metal Boxes Suitable for englage, entice, enCurve and enGem ranges
- GI Metal Boxes Conforms to IS 14772:2000.
- New Standard retail packing as per above mentioned quantity, will be available soon with new packaging.
- With Marking
- Standard pack size suitable for Retail sales.

GI METAL MOUNTING BOXES WITH

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1 & 2 Module	72 X 75 X 46	10	CB93102WM00	91
GI Metal Box-3 Module	98 X 75 X 46	10	CB93103WM00	134
GI Metal Box- 4 Module	133 X 75 X 53	10	CB93104WM00	163
GI Metal Box- 6 Module	204 X 75 X 53	10	CB93106WM00	233
GI Metal Box- 8 Module Horizontal	230 X 78 X 53	5	CB93108WM00	299
GI Metal Box- 8 Module Square	131 X 136 X 58	5	CB93208WM00	299
GI Metal Box- 12 Module	204 X 135 X 58	5	CB93112WM00	398
GI Metal Box- 16 Module	231 X 142 X 58	5	CB93116WM00	488
GI Metal Box- 18 Module	204 X 202 X 58	5	CB93118WM00	554

SURFACE MOUNTING BOXES

Suitable for englage, entice, enCurve and enGem range of plates



MOUNTING BOXES - PLASTIC SURFACE

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
Surface Mounting Box - 1/2M	98 X 90 X 50	12	CB91102WP00	112
Surface Mounting Box - 3M	126 X 90 X 50	10	CB91103WP00	147
Surface Mounting Box - 4M	158 X 90 X 50	12	CB91104WP00	175
Surface Mounting Box - 6M	229 X 90 X 50	5	CB91106WP00	230
Surface Mounting Box - 8M Horizontal	263 X 90 X 50	5	CB91108WP00	288
Surface Mounting Box - 8M Square	158 X 157 X 50	7	CB91208WP00	288
Surface Mounting Box - 12M	229 X 157 X 50	5	CB91112WP00	383
Surface Mounting Box - 16M	249 X 157 X 50	5	CB91116WP00	406
Surface Mounting Box - 18M	229 X 226 X 50	5	CB91118WP00	441

STANDALONE RANGE



CB93100PW06
CB93100PW16



CB93300PW06
CB93300PW16



Angle Holder
Batten Angle Holder
CB93400LW01




CB93400LW02



CB93400LW03



CB93400LW04



OA05W06



OA04W13






CB93400AB06
CB93300AB06

PLUG TOP WITH

Description	Std Pack	Cat No	MRP in ₹
Plug Top 6A 3 Pin with ISI	10	CB93100PW06	120
Plug Top 6A 3 Pin with indicator with ISI	10	CB93300PW06	145
Plug Top 16A 3 Pin with ISI	10	CB93100PW16	184
Plug Top 16A 3 Pin with indicator with ISI	10	CB93300PW16	205

LAMP HOLDER

Description	Std Pack	Cat No	MRP in ₹
 Jumbo Lamp Holder 2 in 1 Type	24	CB93400LW01	141
 Lamp Holder Angular Type	30	CB93400LW02	53
 Lamp Holder Batten Type	40	CB93400LW03	51
Jumbo Ceiling Rose	40	CB93400LW04	85


SPIKE GUARDS

Description	Std Pack	Cat No	MRP in ₹
Spike Guard 4-way with Resettable Fuse	1	OA04W13	1190
Spike Guard 3-way with Twin USB Charger and Resettable Fuse	1	OA05W06	1852
Spike Guard 4 Way - 1.5 Mtr	1	CB93300AB06	900
Spike Guard 4 Way - 5 Mtr	1	CB93400AB06	1398

CUSTOMISED GI METAL BOXES SUITABLE FOR MIVAN CONSTRUCTION

Suitable for entice, englaze and enGem range of plates

Technical Specifications

- Material Type – CRCA Galvanised Sheet
- Sheet Thickness – 1.2mm / 1.6mm
- Depth – 50mm / 60mm
- GI coating – 120 GSM
- Knockouts – Multiple knockouts on all sides
- RoHS Compliant – Yes
- Testing /Certification – Conforms to IS14772: 2000
- with  Marking



• Make to order for projects, please consider **Delivery time – 6-8 weeks**

CUSTOMISED GI METAL BOXES - 1.2MM THICK & 50MM DEPTH

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1/2 Module 1.2mm & 50mm Depth	73 X 78 X 50	10	CB91102WM1250	215
GI Metal Box-3 Module 1.2mm & 50mm Depth	99 X 78 X 50	10	CB91103WM1250	265
GI Metal Box- 4 Module 1.2mm & 50mm Depth	133 X 78 X 50	10	CB91104WM1250	314
GI Metal Box- 6 Module 1.2mm & 50mm Depth	202 X 78 X 50	10	CB91106WM1250	450
GI Metal Box- 8 Module L-1.2mm & 50mm Depth	231 X 78 X 50	5	CB91108WM1250	535
GI Metal Box- 8 Module Sqr -1.2mm & 50mm Depth	132 X 136 X 50	5	CB91208WM1250	535
GI Metal Box- 12 Module -1.2mm & 50mm Depth	204 X 136 X 50	5	CB91112WM1250	677

CUSTOMISED GI METAL BOXES - 1.6MM THICK & 50MM DEPTH

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1/2 Module 1.6mm & 50mm Depth	74 X 78 X 50	10	CB91102WM1650	277
GI Metal Box-3 Module 1.6mm & 50mm Depth	100 X 78 X 50	10	CB91103WM1650	327
GI Metal Box- 4 Module 1.6mm & 50mm Depth	134 X 78 X 50	10	CB91104WM1650	400
GI Metal Box- 6 Module 1.6mm & 50mm Depth	205 X 78 X 50	10	CB91106WM1650	523
GI Metal Box- 8 Module L-1.6mm & 50mm Depth	232 X 78 X 50	5	CB91108WM1650	646
GI Metal Box- 8 Module Sqr -1.6mm & 50mm Depth	132 X 136 X 50	5	CB91208WM1650	646
GI Metal Box- 12 Module -1.6mm & 50mm Depth	204 X 136 X 50	5	CB91112WM1650	843

CUSTOMISED GI METAL BOXES - 1.2MM THICK & 60MM DEPTH

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1/2 Module 1.2mm & 60mm Depth	72 X 75 X 61	10	CB91102WM1260	247
GI Metal Box-3 Module 1.2mm & 60mm Depth	98 X 75 X 61	10	CB91103WM1260	304
GI Metal Box- 4 Module 1.2mm & 60mm Depth	133 X 75 X 61	10	CB91104WM1260	361
GI Metal Box- 6 Module 1.2mm & 60mm Depth	204 X 75 X 61	10	CB91106WM1260	516
GI Metal Box- 8 Module L-1.2mm & 60mm Depth	232 X 78 X 62	5	CB91108WM1260	615
GI Metal Box- 8 Module Sqr -1.2mm & 60mm Depth	132 X 136 X 62	5	CB91208WM1260	615
GI Metal Box- 12 Module -1.2mm & 60mm Depth	205 X 136 X 62	5	CB91112WM1260	800

CUSTOMISED GI METAL BOXES - 1.6MM THICK & 60MM DEPTH

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1/2 Module 1.6mm & 60mm Depth	74 X 75 X 61	10	CB91102WM1660	319
GI Metal Box-3 Module 1.6mm & 60mm Depth	100 X 75 X 61	10	CB91103WM1660	375
GI Metal Box- 4 Module 1.6mm & 60mm Depth	134 X 75 X 61	10	CB91104WM1660	460
GI Metal Box- 6 Module 1.6mm & 60mm Depth	205 X 75 X 61	10	CB91106WM1660	601
GI Metal Box- 8 Module L-1.6mm & 60mm Depth	232 X 78 X 62	5	CB91108WM1660	743
GI Metal Box- 8 Module Sqr -1.6mm & 60mm Depth	132 X 136 X 62	5	CB91208WM1660	743
GI Metal Box- 12 Module -1.6mm & 60mm Depth	205 X 136 X 62	5	CB91112WM1660	969

POWERING A NON-STOP INDIA



PROUD PRINCIPAL PARTNER





WARRANTY POLICY

- **All products** carry warranty against manufacturing defects due to fault workmanship.
- **All switches**, sockets and accessories carry a warranty of 12 years from the date of manufacturing.
- **Products** with electronic circuits and LED i.e. enConnect WiFi Switches, electronic fan regulators, dimmers, foot light, buzzers, hotel range, USB chargers, bell indicators, sensors, touch switches etc., carry a warranty of 2 years from the date of manufacturing.
- **All colour products** and material plates carry a warranty of 3 years from the date of manufacturing.
- **Warranty** does not apply to case of breakage/tampering with products.
- **The warranty** is subject to the provision of proper usage and proper maintenance and does not cover defects arising out of fire, accident, insufficient maintenance, faulty operations and wilful or accidental damage.
- **Company** shall not be liable for any consequential losses, injuries or damages attributes to defect or failure of it's products.
- **Trippler, Tripbox and Tripbox PLUS range**
all products listed in the price list carry a warranty against manufacturing deffects for a period of 18* months from the date of purchase.
- Extended Warranty of 5 years on **Lauritz Knudsen E&A MCBs** and Isolators if mounted inside **Lauritz Knudsen E&A Distribution Boards**.
- **Note:** We are committed to maintaining our product warranty in line with our standard terms for both the Lauritz Knudsen brand and the L&T Switchgear brand.
The change in brand will not alter our standard warranty terms or any applicable extended warranty terms.
Furthermore, we will ensure that spares and after-sales support remain available throughout the entire product life cycle, regardless of whether the products are under the L&T Switchgear brand or the Lauritz Knudsen Brand

*Proof of purchase to be retained to avail warranty.

Electrical Standard Products (ESP) Offices:

HEAD OFFICE

Lauritz Knudsen Electrical & Automation, Electrical Standard Product, A/600, Shil-Mahape Road, TTC Industrial Area, MIDC, Navi Mumbai, 400 710, Maharashtra,
Tel: 022 6722 6300 | Fax: 022-67051112 | e-mail: CIC@LK-EA.com

BRANCH OFFICES

Lauritz Knudsen Electrical & Automation
C-201, The First Commercial Complex,
B/S Keshavbaug Party Plot, Vastrapur,
Ahmedabad - 380 015
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
6th Floor, Exotica Greens, A Block, 191,
R G Baruah Road, Guwahati Central,
Guwahati - 781 005
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Business Communication Centre
2nd Floor, Chiramel Chambers,
Kurisupally Road, Ravipuram,
Kochi - 682 015
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
TC II, Tower B, PRIMA BAY Gate No. 5,
Saki Vihar Road Powai,
Mumbai - 400 072
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
UrbanWrk, 5th Floor, Sai Radhe,
Raja Bahadur Mill Road, Behind Hotel
Grand Sheraton, Sangamwadi
Pune - 411 001
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Wework Central, #36 Infantry Road,
Bengaluru - 560 001
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Shri Daneshwari, 1st Floor,
Plot No. 17, 2nd Cross, Near Old Income
Tax Office Road, Vidyanagar,
Hubballi - 580 021
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
207, 2nd floor, Revolution Complex,
Station Road, E Ward,
Next to Pedestrian Bridge,
Kolhapur - 416 001
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Unnati Building, 2nd Floor,
Automation Campus, A-600, TTC Industrial
Area Shil-Mahape Road, Mahape,
Navi Mumbai - 400 710
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Office No. 211 & 212, Pithalia Plaza,
KK Road, Near Fafadih Chowk,
Raipur - 492 001
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Work loop Unit-612, 6th Floor,
Esplanade One, Rasulgarrh,
Bhubaneswar - 751 010
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
AWFIS Space Solutions, Prestige Phoenix,
4th floor, 1405, Umanagar, Begumpet,
Hyderabad - 500 016
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
2nd Floor, BN3, Salt Lake, Sector-V,
Kolkata - 700 091
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
M1 & M2, Mezzanine Floor,
Himalaya Excellency,
Plot No. C-47, Pratap Nagar Square,
Nagpur - 440 022
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
DevX 4th Floor, A Wing, Om 9 Square,
150 Ft Ring Road, Near Nana Mava Circle,
Opp Silver Heights,
Rajkot - 360 001
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
801 Word Level-8, No. 28,
SIDCO Industrial Estate, Guindy,
Chennai - 600 032
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Workie, 214 - 2nd Floor,
Apollo Premier, PU-4,
Scheme No. 54, Vijay Nagar Square,
Indore - 452 010
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
No.10, Fortuna Towers, 2nd Floor,
Rana Pratap Marg, Near NBRI,
Lucknow - 226 001
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
2nd Floor, Samarth House,
Opposite Titan World,
Samarth Nagar, Mahatma Nagar,
Nasik - 422 005
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
10th Floor, Titaanium Business,
Bhimrad Road, Althan
Surat - 395 017
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Playworkz Coworking Space
43 & 44, 3rd Cross,
Bharathy Colony, Peelamedu,
Coimbatore - 641 004
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Office No. 430, 4th Floor,
Jaipur Electronic Market, Riddhi Siddhi,
Gopalpura Bypass,
Jaipur - 302 018
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
El Dorado Building, 3rd Floor, 6,
Venkatraman Street, Chinna Chokkikulam,
Madurai - 625 002
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
A-25, 1st Floor, Imperia Complex,
Mohan Corporate Industrial Estate,
Near Sarita Vihar Metro Station,
Mathura Road,
New Delhi - 110 044
Phone no: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
11th Floor, Block-D, Notus IT Park,
Sarabhai Campus, Bhailal Amin Marg,
Vadodara - 390 023
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
3rd Floor, 1&2 Vijay Park,
Main Chakrata Road, Opp. Anandam,
Near Ballupur chowk,
Dehradun - 248 001
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
GDR Siddha, Ground Floor, N Road
Bistupur, Opposite St. Mary's Church,
Jamshedpur - 831 001
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Bestech Business Park,
Tower - A, 2nd floor, Sector - 66
Mohali - 160059
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
A06/A07, Second Floor,
Grand Chandra Complex, Frazer Road
Patna - 800 001
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Qubexpro Business Centre,
4th Floor, V Mall, Above Lifestyles,
Facor Layout, Waltair Uplands,
Visakhapatnam - 530 003
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com


Lauritz Knudsen Electrical & Automation
Ground Floor, B-27,
Biplab Rashbihari Sarani,
Sector 2A, Bidhan Nagar,
Durgapur - 713 212
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Product improvement is a continuous process. For the latest information and special application, please contact any of our offices listed here. Product photographs shown for representative purpose only

Lauritz Knudsen Electrical & Automation, Electrical Standard Product, A/600, Shil-Mahape Road, TTC Industrial Area, MIDC, Navi Mumbai, 400 710, Maharashtra, Tel: 022 6722 6300 | Web: www.LK-EA.com

Customer Interaction Center (CIC)
Phone no: 022 6932 7800
Web: www.LK-EA.com | e-mail: CIC@LK-EA.com

Reach Us On:



Electrical & Automation