



Since 1942

PRICE LIST

W.e.f 15th June 2026

Pioneering Excellence
for Over 84 Years








Contents








Rotary Switch	01
Rotary Cam Switch & Battery Disconnect Switch	12
New Rotary Cam Switch	21
Breaker Control Switch	24
Toggle Switch	25
Micro Switch	26
Limit Switch	28
Rotary Toggle Switch	32
Foot Switch	32
Phase Selector Switch	32
Auxiliary Switch	33
Counter	37
Hour Meter (TT & MTT)	38
Cable Lugs	39
General Purpose Relay	47
Push Button & Indicating Lamps	50
Changeover Switch	55
Electronic Buzzer	56
Distribution Boards	57

10-16-25-40-63 AMP 4 POSITION 90°

Single Phase - 250 Volts (1 & 2 Poles) Three Phase - 440 Volts (3 Pole & above)






SWITCHING	IP MARKING	NO. OF POLES	10A TYPE	M.R.P. (RS)	16A TYPE	M.R.P. (RS)	25A TYPE	M.R.P. (RS)
ON - OFF		1	SRP112	553	SRP112	553	SRP213	748
		2	SRP123	855	SRP123	855	SRP225	993
		3	SRP134	948	SRPM134	1064	SRPM237	1391
		4	SRP145	1032	SRPM145	1089	SRPM249	1692
TWO WAY NO OFF		1	SRP113A	786	SRP113A	786	SRP213A	924
		2	SRP125A	1081	SRP125A	1081	SRP225A	1201
		3	SRP137A	1230	SRPM137A	1474	SRPM237A	1673
		4	SRP149A	1628	SRPM149A	1647	SRPM249A	2096
TWO WAY WITH OFF		1	SRP113B	792	SRP113B	792	SRP215B	974
		2	SRP125B	943	SRP125B	943	SRP229B	1364
		3	SRP137B	1275	SRPM137B	1493	SRPM2313B	2243
		4	SRP149B	1602	SRPM149B	1641	SRPM2418B/LM	2909
THREE WAY WITH OFF		1	SRP113C	1006	SRP113C	1006	SRP215C	1050
		2	SRP126C	1037	SRP126C	1037	SRP229C	1728
		3	SRP139C	1378	SRPM139C	1903	SRPM2313C	2506
		4	SRP1412C	1916	SRPM1412C	2493	SRPM2418C/LM	3070
FOUR WAY NO OFF		1	SRP113D	1088	SRP113D	1088	SRP215D	1301
		2	SRP126D	1138	SRP126D	1138	SRP229D	1804
		3	SRP139D	1442	SRPM139D	1846	SRPM2313D	2474
		4	SRP1412D	1987	SRPM1412D	2615	SRPM2418D/LM	3678






SWITCHING	IP MARKING	NO. OF POLES	40A TYPE	M.R.P. (RS)	63A TYPE	M.R.P. (RS)
ON - OFF		1	SRPM312	1331	SRPM613	1661
		2	SRPM323	1564	SRPM625	1958
		3	SRPM334	2003	SRPM637	2991
		4	SRPM345	2293	SRPM649	3505
TWO WAY NO OFF		1	SRPM313A	1590	SRPM613A	1783
		2	SRPM325A	2501	SRPM625A	2578
		3	SRPM337A	3254	SRPM637A	3558
		4	SRPM349A	3472	SRPM649A	4355
TWO WAY WITH OFF		1	SRPM313B	1609	SRPM615B	2106
		2	SRPM325B	2216	SRPM629B	4116
		3	SRPM337B	2833	SRPM6313B	4414
		4	SRPM349B	3709	SRPM6417B	5297
THREE WAY WITH OFF		1	SRPM313C	1661	SRPM615C	2397
		2	SRPM326C	2442	SRPM629C	3399
		3	SRPM339C	3558	SRPM6313C	4572
		4	SRPM3412C	5040	SRPM6417C	5527
FOUR WAY NO OFF		1	SRPM313D	1622	SRPM615D	2152
		2	SRPM326D	2630	SRPM629D	3379
		3	SRPM339D	3821	SRPM6313D	5284
		4	SRPM3412D	5099	SRPM6417D	6436



Note : Melamine Disc Switches Are available on request

10-16-25-40-63 AMP 4 POSITION 90°
Single Phase - 250 Volts (1 & 2 Poles) Three Phase - 440 Volts (3 Pole & above)

SWITCHING	IP MARKING	NO. OF POLES	10A TYPE	M.R.P.(RS)	16A TYPE	M.R.P. (RS)	25A TYPE	M.R.P. (RS)
ON - OFF		1	RP112	1037	RP112	1037	RP213	1339
		2	RP123	1226	RP123	1226	RP225	1615
		3	RP134	1352	RPM134	1461	RPM238/LM	2198
		4	RP145	1589	RPM145	1564	RPM2410/LM	2551
TWO WAY NO OFF		1	RP113A	1150	RP113A	1150	RP213A	1446
		2	RP125A	1483	RP125A	1483	RP225A	1785
		3	RP138A/LM	2320	RPM138A/LM	2410	RPM238A/LM	2743
		4	RP1410A/LM	2724	RPM1410A/LM	2865	RPM2410A/LM	2839
TWO WAY WITH OFF		1	RP113B	1113	RP113B	1113	RP215B	1766
		2	RP125B	1364	RP125B	1364	RP2210B/LM	2244
		3	RP138B/LM	2326	RPM138B/LM	2345	RPM2314B/LM	3416
		4	RP1410B/LM	2480	RPM1410B/LM	2666		
THREE WAY WITH OFF		1	RP113C	1219	RP113C	1219	RP215C	1062
		2	RP127C/LM	1942	RP127C/LM	1942	RP2210C/LM	2351
		3	RP1310C/LM	2422	RPM1310C/LM	3127	RPM2314C/LM	3698
		4	RP1413C/LM	2800	RPM1413C/LM	3191		
FOUR WAY NO OFF		1	RP113D	1408	RP113D	1408	RP215D	1628
		2	RP127D/LM	2011	RP127D/LM	2011	RP2210D/LM	2665
		3	RP1310D/LM	2903	RPM1310D/LM	3102	RPM2314D/LM	4146
		4	RP1413D/LM	2986	RPM1413D/LM	3608		

SWITCHING	IP MARKING	NO. OF POLES	40A TYPE	M.R.P. (RS)	63A TYPE	M.R.P. (RS)
ON - OFF		1	RPM312	2158	RPM613	2333
		2	RPM323	2455	RPM625	3547
		3	RPM334	2899	RPM637	3992
		4	RPM345	3340	RPM649	4783
TWO WAY NO OFF		1	RPM313A	2526	RPM613A	2791
		2	RPM325A	3160	RPM625A	3612
		3	RPM337A	4348	RPM637A	4638
		4	RPM349A	4789	RPM649A	5455
TWO WAY WITH OFF		1	RPM313B	2462	RPM615B	3173
		2	RPM325B	3237	RPM629B	4543
		3	RPM337B	4045	RPM6313B	6147
		4	RPM349B	4763		
THREE WAY WITH OFF		1	RPM313C	2533	RPM615C	3237
		2	RPM326C	3367	RPM629C	4672
		3	RPM339C	5139	RPM6313C	7451
		4	RPM3412C	6054		
FOUR WAY NO OFF		1	RPM313D	2727	RPM615D	3463
		2	RPM326D	3677	RPM629D	4840
		3	RPM339D	5402	RPM6313D	8004
		4	RPM3412D	6772		



Note : LM indicates Large Mechanism

COMPACT AC ROTARY SWITCH






25 - 63 AMP 4 POSITION 90°
 Single Phase - 250 Volts (1 & 2 Poles) Three Phase - 440 Volts (3 Pole & above))


SWITCHING	IP MARKING	NO. OF POLES	25A TYPE	M.R.P.(RS)	63A TYPE	M.R.P.(RS)
ON - OFF		1	SRP212	740	SRPM612	1655
		2	SRP223	914	SRPM623	1886
		3	SRPM234	1222	SRPM634	2633
		4	SRPM245	1476	SRPM645	3054
TWO WAY WITH OFF		1	SRP213B	946	SRPM613B	2065
		2	SRP225B	1223	SRPM625B	3051
		3	SRPM237B	2041	SRPM637B	4338
		4	SRPM249B	2353	SRPM649B	5320
THREE WAY WITH OFF		1	SRP213C	1024	SRPM613C	2164
		2	SRP226C	1417	SRPM626C	3177
		3	SRPM239C	2301	SRPM639C	4458
		4	SRPM2412C	2633	SRPM6412C	5527
FOUR WAY NO OFF		1	SRP213D	1114	SRPM613D	2090
		2	SRP226D	1597	SRPM626D	3283
		3	SRPM239D	2399	SRPM639D	4685
		4	SRPM2412D	2789	SRPM6412D	5962



80 - 100 AMP 4 POSITION 90°






Single Phase - 250 Volts (1 & 2 Poles) Three Phase - 440 Volts (3 Pole & above)

SWITCHING	IP MARKING	NO. OF POLES	80A TYPE	M.R.P.(RS)	100A TYPE	M.R.P.(RS)
ON - OFF		1	SRPM814	3012	SC101H4	3979
		2	SRPM825	4515	SC102H6	5627
		3	SRPM836	5713	SC103H11	7924
		4	SRPM847	7235	SC104H14	10118
TWO WAY NO OFF		1	SRPM815A	4561	SC101H7A	7371
		2	SRPM827A	7302	SC102H11A	12264
		3	SRPM839A	10777	SC103H15A	16970
		4	SRPM8411A	13617		
TWO WAY WITH OFF		1	SRPM815B	4561	SC101H7B	7371
		2	SRPM827B	7302	SC102H11B	12264
		3	SRPM839B	10777	SC103H15B	18970
		4	SRPM8411B	13948		
THREE WAY WITH OFF		1	SRPM815C	5024	SC101H7C	8132
		2	SRPM827C	8381	SC102H11C	14132
		3	SRPM8310C	11744	SC103H15C	20472
		4	SRPM8414C	14948		
FOUR WAY NO OFF		1	SRPM815D	5375	SC101H7D	8928
		2	SRPM827D	8659	SC102H11D	16181
		3	SRPM8310D	12081	SC103H15D	23184
		4	SRPM8414D	15603		



Single Phase - 250 Volts (1 & 2 Poles) Three Phase - 440 Volts (3 Pole & above)



SWITCHING	IP MARKING	NO. OF POLES	TYPE	M.R.P.(RS)
ON - OFF		1	SC101H3	3737
		2	SC102H4	5101
		3	SC103H5	7246
		4	SC104H6	9606
TWO WAY NO OFF		1	SC101H3A	7073
		2	SC102H5A	11488
		3	SC103H7A	15821
		4	SC104H9A	20236
TWO WAY WITH OFF		1	SC101H4B	7073
		2	SC102H7B	11488
		3	SC103H10B	16561
		4	SC104H13B	21157
THREE WAY WITH OFF		1	SC101H4C	7654
		2	SC102H7C	13295
		3	SC103H10C	19406
		4	SC104H13C	22278
FOUR WAY NO OFF		1	SC101H4D	8014
		2	SC102H7D	15184
		3	SC103H10D	21399
		4	SC104H13D	26638

SPRING RETURN ROTARY SWITCHES

SWITCHING	NO. OF POLES	RATING	TYPE	M.R.P.(RS)
OFF - 2 - 1	2	7.5A/230V AC OR 5A/230V DC	RP123R/TA3/PRM/LM	2729
	2	20A/230V AC OR 15A/230V DC	RPM323R/TA3/PRM	3224
	4	20A/230V AC OR 15A/230V DC	RPM345R/TA3/PRM	5896
	4	40A/230V AC OR 30/230V DC	RPM649R/TA3/PRM	8612
OFF - 2 - 1	1	7.5A/230V AC OR 5A/230V DC	SRP113B/TA3/PRM/LM	1879
	2	7.5A/230V AC OR 5A/230V DC	SRP125B/TA3/PRM/LM	2317
	1	20A/230V AC OR 15A/230V DC	RPM313B/TA3/PRM	3269
	2	20A/230V AC OR 15A/230V DC	RPM325B/TA3/PRM	4551
	3	20A/230V AC OR 15A/230V DC	RPM337B/TA3/PRM	5217
	4	20A/230V AC OR 15A/230V DC	RPM349B/TA3/PRM	5896
OFF- ON	1	20A/230V AC OR 15A/230V DC	RPM312/TB3/PRM	3224
	3	40A/230V AC OR 30A/230V DC	RPM637/TB3/PRM	6423

SPECIAL ROTARY SWITCHES






SWITCHING	NO. OF POLES	TYPE (AC)	M.R.P.(RS)	TYPE (AC/ DC)	M.R.P. (RS)
REVERSING WITH OFF	2	SRP125K	1219	RP125K	1645
	3	SRP136K	2087	RP137K/LM	2457
	3	SRPM136K	1586	RPM137K/LM	2568
	4	SRP149K	1794	RP1410K/LM	2887
	4	SRPM149K	2015	RPM1410K/LM	3238
	3	SRPM337K	4336	RPM337K	5819
REVERSING WITHOUT OFF	2	SRP125LK	1209	RP125LK	1801
	3	SRP137LK	1560	RP138LK/LM	2373
	3	SRPM137LK	1742	RPM138LK/LM	2652
	4	SRP149LK	1794	RP1410LK/LM	2887
	4	SRPM149LK	2015	RPM1410LK/LM	3114
	2	SRPM229LK	2178	RP2210LK/LM	3511
NO/NC CONTACTS	2	SRP123R	923	RP123R	1567
	4	SRP145R	1242	RP145R	1833
	4	SRPM145R	1339	RPM145R	2145
	2	SRPM323R	2269	RPM323R	3589
	4	SRPM345R	3192	RPM345R	4681
STAR DELTA WITH OFF	3	SRP1310AK	1742		
	3	SRPM1310AK	2464		
	3	SRPM3310AK	5370		
2 SPEED CONTROL	3	SRP139PC	1794		
	3	SRPM139PC	2015		
	3	SRPM339PC	4993		








HEAVY DUTY AC ROTARY SWITCH






100 - 200 - 300 - 400 - 500 - 600 AMP
Single Phase - 250 Volts (1 & 2 Poles)






4 POSITION 90°
Three Phase - 440 Volts (3 Pole & above)

SWITCHING	IP MARKING	NO. OF POLES	100A TYPE	M.R.P. (RS)	200A TYPE	M.R.P. (RS)	300A TYPE	M.R.P. (RS)
ON - OFF		1	SC1012	9669	SC2012	11487	SC3012	15157
		2	SC1023	12148	SC2023	13683	SC3023	21679
		3	SC1034	15267	SC2034	19255	SC3034	29020
		4	SC1045	17650	SC2045	22877	SC3045	36244
TWO WAY NO OFF		1	SC1013A	13064	SC2013A	16714	SC3013A	22464
		2	SC1025A	18291	SC2025A	25514	SC3025A	36567
		3	SC1037A	25397	SC2037A	34240	SC3037A	51614
		4	SC1049A	32091	SC2049A	42786	SC3049A	64458
TWO WAY WITH OFF		1	SC1013B	13449	SC2013B	16982	SC3013B	22856
		2	SC1025B	19206	SC2025B	25611	SC3025B	37228
		3	SC1037B	25941	SC2037B	36092	SC3037B	62419
		4	SC1049B	33158	SC2049B	43323	SC3049B	66055
THREE WAY WITH OFF		1	SC1013C	13986	SC2013C	17760	SC3013C	24048
		2	SC1025C	20515	SC2025C	27697	SC3025C	39969
		3	SC1037C	27277	SC2037C	36636	SC3037C	56703
		4	SC1049C	34501	SC2049C	45988	SC3049C	71144
FOUR WAY NO OFF		1	SC1013D	12692	SC2013D	17127	SC3013D	24488
		2	SC1025D	21417	SC2025D	29522	SC3025D	43096
		3	SC1037D	27932	SC2037D	41161	SC3037D	57544
		4	SC1049D	36374	SC2049D	54314	SC3049D	71640

SWITCHING	IP MARKING	NO. OF POLES	400A TYPE	M.R.P. (RS)	500A TYPE	M.R.P. (RS)	600A TYPE	M.R.P. (RS)
ON - OFF		1	SC4013	15674	SC5013	21279	SC6013	28724
		2	SC4025	27422	SC5025	37614	SC6025	44404
		3	SC4037	39584	SC5037	54424	SC6037	66854
		4	SC4049	50540	SC5049	70600	SC6049	88774
TWO WAY NO OFF		1	SC4015A	29777	SC5015A	40224	SC6015A	49355
		2	SC4029A	50939	SC5029A	71833	SC6029A	90117
		3	SC40313A	68996	SC50313A	99744	SC60313A	128357
TWO WAY WITH OFF		1	SC4015B	30307	SC5015B	40761	SC6015B	49900
		2	SC4029B	51724	SC5029B	73135	SC6029B	90902
		3	SC40313B	69801	SC50313B	100150	SC60313B	132902
		4	SC40413B/TA3	77012	SC50413B/TA3	113648	SC60413B/TA3	147089
THREE WAY WITH OFF		1	SC4015C	31347	SC5015C	41787	SC6015C	51979
		2	SC4029C	53549	SC5029C	77838	SC6029C	95598
		3	SC40313C	76206	SC50313C	108311	SC60313C	141731
FOUR WAY NO OFF		1	SC4015D	35266	SC5015D	43227	SC6015D	53811
		2	SC4029D	56938	SC5029D	79932	SC6029D	98739
		3	SC40313D	81247	SC50313D	119529	SC60313D	145746









100 - 200 - 300 - 400 - 500 - 600 AMP 4 POSITION 90°
Single Phase - 250 Volts (1 & 2 Poles) Three Phase - 440 Volts (3 Pole & above)

SWITCHING	IP MARKING	NO. OF POLES	100A TYPE	M.R.P. (Rs)	200A TYPE	M.R.P. (Rs)	300A TYPE	M.R.P. (Rs)
ON - OFF		1	C1012	10454	C2012	13842	C3012	15935
		2	C1023	12382	C2023	16796	C3023	23813
		3	C1034	14627	C2034	23566	C3034	31960
		4	C1045	19392	C2045	28076	C3045	39838
TWO WAY NO OFF		1	C1013A	15536	C2013A	19592	C3013A	24550
		2	C1025A	22725	C2025A	30548	C3025A	40486
		3	C1037A	30032	C2037A	39225	C3037A	57495
		4	C1049A	36099	C2049A	49404	C3049A	72473
TWO WAY WITH OFF		1	C1013B	15811	C2013B	20281	C3013B	24950
		2	C1025B	23249	C2025B	29984	C3025B	41271
		3	C1037B	31278	C2037B	43323	C3037B	58556
		4	C1049B	37166	C2049B	52413	C3049B	74085
THREE WAY WITH OFF		1	C1013C	16459	C2013C	24302	C3013C	26389
		2	C1025C	24550	C2025C	32759	C3025C	44404
		3	C1037C	32897	C2037C	44797	C3037C	63914
		4	C1049C	38509	C2049C	55354	C3049C	80228
FOUR WAY NO OFF		1	C1013D	16982	C2013D	21940	C3013D	27815
		2	C1025D	22953	C2025D	33957	C3025D	47531
		3	C1037D	33957	C2037D	48137	C3037D	68466
		4	C1049D	39838	C2049D	61235	C3049D	86914

Switching	IP MARKING	NO. OF POLES	400A TYPE	M.R.P. (Rs)	500A TYPE	M.R.P. (Rs)	600A TYPE	M.R.P. (Rs)
ON - OFF		1	C4013	21031	C5013	23779	C6013	32642
		2	C4025	33179	C5025	41271	C6025	49631
		3	C4037	47902	C5037	60429	C6037	72721
		4	C4049	61145	C5049	78623	C6049	92258
TWO WAY NO OFF		1	C4015A	36030	C5015A	44921	C6015A	54589
		2	C4029A	61634	C5029A	78355	C6029A	96129
		3	C40313A	82672	C50313A	108572	C60313A	142013
TWO WAY WITH OFF		1	C4015B	35383	C5015B	45843	C6015B	56159
		2	C4029B	62591	C5029B	79146	C6029B	97953
		3	C40313B	84456	C50313B	111782	C60313B	144940
		4	C40413B/TA3	93188	C50413B/TA3	124349	C60413B/TA3	157239
THREE WAY WITH OFF		1	C4015C	39177	C5015C	49114	C6015C	59554
		2	C4029C	62949	C5029C	81632	C6029C	103173
		3	C40313C	90124	C50313C	122208	C60313C	152970
FOUR WAY NO OFF		1	C4015D	44404	C5015D	54858	C6015D	61386
		2	C4029D	68438	C5029D	89325	C6029D	106575
		3	C40313D	96273	C50313D	134238	C60313D	159119





10 AMP 440 V AC 50Hz





AMMETER SELECTOR SWITCHES VOLTMETER SELECTOR SWITCHES

SWITCHING	TYPE	M.R.P.(Rs)	IP MARKING
AMMETER SELECTOR SWITCHES			
Current in each phase with off 4 position 90 Deg.	SRP136MA60	772	
Current in each phase and leakage current or out of balance current with off, 6 position 60 Deg.	SRP148MF42/S	1480	
Current in each phase and neutral and leakage current with off, 6 position 60 Deg.	SRP1210MA43/S	2333	
VOLTMETER SELECTOR SWITCHES			
Voltage between phases with off 4 position 90 Deg.	SRP135VS	690	
Voltage between phase and neutral with off, 4 position 90 Deg.	SRP115BE18	855	
Voltage between phase and between phase and neutral without off, 6 position 60 Deg.	SRP137SV	1646	
SPECIAL SELECTOR SWITCHES			
With one switch to indicate, with one Ammeter & one Voltmeter, simultaneously reading of phase current & voltage between phases, with off.	SRP1310MB28	1480	
Ammeter selector switch to read current between phases, without CT, 4 position 90 Deg.	SRP1313ZZF12	4027	

6 POSITION 60 DEG. AC ONLY (FIVE WAY WITH OFF & SIX WITH NO OFF)

8 POSITION 45DEG. AC ONLY (SEVEN WAY WITH OFF & EIGHT WITH NO OFF)







SWITCHING	IP MARKING	NO. OF POLES	16 AMP 250V	M.R.P. (Rs)	25 AMP 250V	M.R.P. (Rs)
FIVE WAY WITH OFF		1	SRPM11E3	1728	SRPM21E5	2200
		2	SRPM12E6	2232	SRPM22E10	3546
SIX WAY NO OFF		1	SRPM11F3	1792		
		1	SRPM11F6	1881	SRPM21F5	2232
		2	SRPM12F6	2398	SRPM22F10	3616
SEVEN WAY WITH OFF		1	SRPM21G4	2162		
		2	SRPM22G7	3291		
EIGHT WAY NO OFF		1	SRPM21H4	2251		
		2	SRPM22H7	3380		

SWITCHING	IP MARKING	NO. OF POLES	10 A/ 440 V	M.R.P. (RS)	16 A/ 440 V	M.R.P. (RS)
FIVE WAY WITH OFF		3	SRPM13E9	3291	SRPM23E15	4311
SIX WAY NO OFF		3	SRPM13F9	3412	SRPM23F15	4458
SEVEN WAY WITH OFF		3	SRPM23G10	4681		
EIGHT WAY NO OFF		3	SRPM23H12	4758		







DESCRIPTION	M.R.P.(Rs)
INDICATING PLATE	
Grey / Yellow flush plate with acrylic Indicating Plate, Standard Markings size 64sq mm square for 10-16-25 Amps. 4 position switches.	86
Grey / Yellow flush plate with acrylic Indicating Plate, Standard Markings size 84sq mm square for switches 40-60 Amp , 6 Pos. & 100Amp Light Duty	92
100-600Amp 178 x 178 mm square for non Lockable IP	202
100-600Amp 178 x 178 mm square for Lockable IP	196
HANDLES	
Knob - Small Drg. SW. 7913 - Sq cavity for 10-16-25 Amps, 4 position switches.	55
Knob - Large Drg. SW E. 6036 (IT.3) - for small switch - sq. Cavity - for 10-16-25 Amp	74
Knob - Large Drg. SW E. 6036 (IT.2), for 10-16-25 Amps - 6 position switches.	74
Knob - Large Drg. SW E. 6036 (IT.1) - sq. Cavity for 40-60 and 100 Amps. Light Duty.	74
Lever type - Small Drg. SW5-B-89 for 10-16-25 Amps, 4 position switches.	110
Lever type - Large Drg. SWL-B-83/1 for 40-60 and 100 Amps Light Duty.	135
Lever type for 100 - 600 Amps Heavy Duty switches - Drg. SW-D, 7677	190
Capstan type 100 - 600 Amps Heavy Duty Switches - Drg, SW -C 5159	466

CENTER KEY LOCK	
For Switches 10-60 Amps and Light Duty	
Lever type LOCK (Code LG)	816
Tee (Knob) type LOCK (Code TG)	816
CUBICLE DOOR INTERLOCK - NON LOCKABLE TYPE	
In rotary Lever type handle (Code LSH*) for 10-60Amps & 100 Amp Light duty. (*While ordering please specify position in which the door interlock should disengage and also lock the handle).	460
In rotary Lever type handle (Code CSH*) for 100-600Amps Heavy duty. (*While ordering please specify position in which the door interlock should disengage and also lock the handle).	699
CUBICLE DOOR INTERLOCK - LOCKABLE TYPE	
Lever type handle Code- LHR*For Switches 10-60 A and 100A Light Duty 4 position only - (*While ordering please specify position in which the door interlock should disengage and also lock the handle).	908
BLOCKED POSITION	
10-60 Amps and 100 Amps, Light Duty Switches.	92
100-600 Amps Switches.	386
*While ordering please specify position to be blocked	
PAD LOCK	
Pad Locking for 10 - 25 Amps and 40-60 Amps	478
SHROUD (per unit)	
For 10-16-25 Amp Switches	74
For 40-60 Amp Switches	117

*MRP for special sequence switches & more number of poles available on request., send your enquiry on sales@kayceeindustries.com .
Switches will be available with YR (yellow plate & red knob) as required or else by default will be GB(grey plate & black knob).
100 to 600 Amp AC & AC/DC handles available are Lever Type & Capstan Type.
100 to 600 Amp upto 3 disc Lever type Handle & above 5 disc Capstan type Handle provided.*












SWITCHING	IP MARKING	NO. of Poles	6 AMP TYPE	M.R.P (Rs.)	10 AMP TYPE	M.R.P (Rs.)	12 AMP TYPE	M.R.P. (Rs.)	16 AMP TYPE	M.R.P. (Rs.)	25 AMP TYPE	M.R.P. (Rs.)
ON- OFF 2 - POSITION 60°		1	1R16O	219	1S16O	294	1T16O	429	1U16O	440	1V16O/N	722
		2	1R26O	282	1S26O	363	1T26O	506	1U26O	523	1V26O/N	812
		3	2R36O	305	2S36O	369	2T36O	474	2U36O	485	2V36O/N	1007
		4	2R46O	374	2S46O	493	2T46O	564	2U46O	579	2V46O/N	1243
2 WAY NO-OFF 2 - POSITION 60°		1	1R16B	294	1S16B	369	1T16B	539	1U16B	555	1V16B/N	873
		2	2R26B	386	2S26B	519	2T26B	636	2U26B	657	2V26B/N	1181
		3	3R36B	461	3S36B	613	3T36B	877	3U36B	905	3V36B/N	1461
		4	4R46B	576	4S46B	815	4T46B	1134	4U46B	1172	4V46B/N	1893
2 WAY WITH OFF 3 -POSITION 60°		1	1R16BO	294	1S16BO	369	1T16BO	539	1U16BO	555	1V16BO/N	907
		2	2R26BO	386	2S26BO	519	2T26BO	636	2U26BO	714	2V26BO/N	1181
		3	3R36BO	461	3S36BO	613	3T36BO	974	3U36BO	1007	3V36BO/N	1489
		4	4R46BO	576	4S46BO	815	4T46BO	1134	4U46BO	1172	4V46BO/N	1904
3 WAY NO-OFF 3 -POSITION 60°		1	2R16C	363	2S16C	409	2T16C	610	2U16C	625	2V16C/N	991
		2	3R26C	449	3S26C	620	3T26C	649	3U26C	670	3V26C/N	1539
		3	5R36C	703	5S36C	865	5T36C	1000	5U36C	1027	5V36C/N	2144
		4	6R46C	806	6S46C	1151	6T46C	1364	6U46C	1410	6V46C/N	2684
3 WAY WITH OFF 4 - POSITION 45°		1	2R14CO	328	2S14CO	419	2T14CO	474	2U14CO	485	2V14CO/N	996
		2	3R24CO	478	3S24CO	632	3T24CO	877	3U24CO	905	3V24CO/N	1528
		3	5R34CO	645	5S34CO	951	5T34CO	974	5U34CO	1001	5V34CO/N	2015
		4	6R44CO	864	6S44CO	1333	6T44CO	1278	6U44CO	1313	6V44CO/N	2616
4 WAY NO OFF 4 - POSITION 60°		1	2R16D	357	2S16D	532	2T16D	552	2U16D	574	2V16D/N	1209
		2	4R26D	536	4S26D	788	4T26D	877	4U26D	905	4V26D/N	1931
		3	6R36D	731	6S36D	1095	6T36D	1253	6U36D	1288	6V36D/N	2541
		4	8R46D	996	8S46D	1301	8T46D	1528	8U46D	1571	8V46D/N	3317

























SWITCHING	IP MARKING	NO. of Poles	10 AMP TYPE	M.R.P. (Rs.)	12 AMP TYPE	M.R.P. (Rs.)	25 AMP TYPE	M.R.P. (Rs.)
4 WAY WITH OFF 5-POSITION 60°		1	3S16DO	593	3T16DO	735	3V16DO/N	1395
		2	5S26DO	998	5T26DO	1103	5V26DO/N	2278
		3	8S36DO	1494	8T36DO	1631	8V36DO/N	3035
		4	10S46DO	1578	10T46DO	1985	10V46DO/N	3905
5 WAY NO-OFF 5-POSITION 60°		1	3S16E	702	3T16E	989	3V16E/N	1574
		2	5S26E	1050	5T26E	1176	5V26E/N	2349
		3	8S36E	1417	8T36E	1671	8V36E/N	3911
		4	10S46E	2209	10T46E	2286	10V46E/N	4305
5 WAY WITH 6- POSITION 60°		1	3S16EO	631	3T16EO	849	3V16EO/N	1574
		2	6S26EO	1114	6T26EO	1357	6V26EO/N	2415
		3	9S36EO	1591	9T36EO	1637	9V36EO/N	3512
		4	12S46EO	1984	12T46EO	2386	12V46EO/N	4764
6 WAY NO-OFF 6-POSITION 60°		1	3S16F	689	3T16F	742	3V16F/N	1646
		2	6S26F	1333	6T26F	1544	6V26F/N	2755
		3	9S36F	1707	9T36F	1851	9V36F/N	3858
		4	12S46F	2145	12T46F	2393	12V46F/N	5092
6 WAY WITH OFF 7-POSITION 45°		1	4S14FO	837	4T14FO	896	4V14FO/N	1896
		2	7S24FO	1385	7T24FO	1497	7V24FO/N	3393
		3	11S34FO	1997	11T34FO	2206	11V34FO/N	4782
7 WAY NO OFF 7-POSITION 45°		1	4S14G	895	4T14G	949	4V14G/N	2641
		2	7S24G	1468	7T24G	1571	7V24G/N	3458
		3	11S34G	1926	11T34G	2226	11V34G/N	4812








10 - 12 - 25 AMP

SWITCHING	IP MARKING	NO. OF POLES	10 AMP TYPE	M.R.P. (Rs.)	12 AMP TYPE	M.R.P. (Rs.)	25 AMP TYPE	M.R.P. (Rs.)
7 WAY WITH OFF 8 POSITION 45 Deg.		1	4S14GO	863	4T14GO	909	4V14GO/N	2003
		2	8S24GO	1546	8T24GO	1678	8V24GO/N	4001
		3	12S34GO	2261	12T34GO	2413	12V34GO/N	4782
8 WAY NO- OFF 8 POSITION 45 Deg.		1	4S14H	876	4T14H	982	4V14H/N	2152
		2	8S24H	1623	8T24H	1718	8V24H/N	4209
		3	12S34H	2273	12T34H	2433	12V34H/N	5444
8 WAY WITH OFF 9 POSITION 30 Deg.		1	5S13HO	985	5T13HO	1089	5V13HO/N	2290
9 WAY NO- OFF 9 POSITION 30 Deg.		1	5S13J	1043	5T13J	1130	5V13J/N	2737
9 WAY WITH OFF 10 POSITION 30 Deg.		1	5S13JO	1043	5T13JO	1130	5V13JO/N	3065
10 WAY NO OFF 10 POSITION 30 Deg.		1	5S13K	1088	5T13K	1183	5V13K/N	2820
10 WAY WITH OFF 11 POSITION 30 Deg.		1	6S13KO	1256	6T13KO	1350	6V13KO/N	2874
11 WAY NO-OFF 11 POSITION 30 Deg.		1	6S13L	1307	6T13L	1437	6V13L/N	3217
11 WAY WITH OFF 12 POSITION 30 Deg.		1	6S13LO	1309	6T13LO	1437	6V13LO/N	3220
12 WAY NO-OFF 12 POSITION 30 Deg.		1	6S13M	1307	6T13M	1457	6V13M/N	3220
REVERSING WITH OFF 3 POSITION 60 Deg.		2	2S26RO	560	2T26RO	615		
		3	3S36RO	644	3T36RO	735		


SWITCHING	IP MARKING	NO. OF POLES	6 AMP TYPE	M.R.P. (RS.)	25 AMP TYPE	M.R.P. (RS.)
ON-OFF 2 - POSITION 60 Deg		1	1TD16O	470	1MD16O	919
		2	1TD26O	457	1MD26O	1085
		3	2TD36O	568	2MD36O	1359
		4	2TD46O	679	2MD46O	1703
2 WAY NO-OFF 2 - POSITION 60 Deg		1	1TD16B	444	1MD16B	1161
		2	2TD26B	686	2MD26B	1767
		3	3TD36B	882	3MD36B	2654
		4	4TD46B	1195	4MD46B	3113
2 WAY WITH OFF 3 - POSITION 60 Deg		1	1TD16BO	444	1MD16BO	1161
		2	2TD26BO	686	2MD26BO	1767
		3	3TD36BO	882	3MD36BO	2654
		4	4TD46BO	1195	4MD46BO	3190
3 WAY NO-OFF 3 - POSITION 60 Deg		1	2TD16C	509	2MD16C	1333
		2	3TD26C	810	3MD26C	2539
		3	5TD36C	1306	5MD36C	3777
		4	6TD46C	1633	6MD46C	4606
3 WAY WITH OFF 4 - POSITION 45 Deg		1	2TD14CO	581	2MD14CO	1467
		2	3TD24CO	751	3MD24CO	2884
		3	5TD34CO	1306	5MD34CO	3598
		4	6TD44CO	1992	6MD44CO	3777
4 WAY NO OFF - 4 POSITION 60 Deg		1	2TD16D	725	2MD16D	1703
		2	4TD26D	1228	4MD26D	3254
		3	6TD36D	1679	6MD36D	3860
		4	8TD46D	1901	8MD46D	4912
4 WAY WITH OFF 5- POSITION 60 Deg		1	3TD16DO	790	3MD16DO	2635
		2	5TD26DO	1339	5MD26DO	3171
		3	8TD36DO	1986	8MD36DO	4689
		4	10TD46DO	2306	10MD46DO	5346
5 WAY NO-OFF 5- POSITION 60 Deg		1	3TD16E	843	3MD16E	2699
		2	5TD26E	1398	5MD26E	3088
		3	8TD36E	2025	8MD36E	4689
		4	10TD46E	2593	10MD46E	5754
5 WAY WITH OFF 6- POSITION 60 Deg		1	3TD16EO	901	3MD16EO	2699
		2	6TD26EO	1679	6MD26EO	4121
		3	9TD36EO	2110	9MD36EO	4689
		4	12TD46EO	2828	12MD46EO	6820
6 WAY NO-OFF 6 POSITION 60°		1	3TD16F	862	3MD16F	2845
		2	6TD26F	1692	6MD26F	3955
		3	9TD36F	2306	9MD36F	5199
		4	12TD46F	3005	12MD46F	7266
6 WAY WITH OFF 7- POSITION 45°		1	4TD14FO	1136	4MD14FO	3266
		2	7TD24FO	1986	7MD24FO	5295
		3	11TD34FO	2776	11MD34FO	6973
7 WAY NO OFF 7- POSITION 45°		1	4TD14G	1123	4MD14G	3292
		2	7TD24G	2005	7MD24G	5097
		3	11TD34G	2776	11MD34G	7056

SWITCHING	IP MARKING	NO. OF POLES	6 AMP TYPE	M.R.P. (RS.)	25 AMP TYPE	M.R.P. (RS.)
7 WAY WITH OFF 8 POSITION 45 Deg.		1	4TD14GO	1176	4MD14GO	2641
		2	8TD24GO	2103	8MD24GO	5263
		3	12TD34GO	3155	12MD34GO	6603
8 WAY NO- OFF 8 POSITION 45 Deg.		1	4TD14H	1228	4MD14H	2769
		2	8TD24H	2168	8MD24H	5474
		3	12TD34H	3220	12MD34H	7292
8 WAY WITH OFF 9 POSITION 30 Deg.		1	5TD13HO	1326	5MD13HO	3062
9 WAY NO- OFF 9 POSITION 30 Deg.		1	5TD13J	1376	5MD13J	3534
9 WAY WITH OFF 10 POSITION 30 Deg.		1	5TD13JO	1378	5MD13JO	3847
10 WAY NO OFF 10 POSITION 30 Deg.		1	5TD13K	1424	5MD13K	3636
10WAY WITH OFF 11 POSITION 30 Deg.		1	6TD13KO	1679	6MD13KO	3828
11 WAY NO-OFF 11 POSITION 30 Deg.		1	6TD13L	1677	6MD13L	4185
11 WAY WITH OFF 12 POSITION 30 Deg.		1	6TD13LO	1679	6MD13LO	4185
12 WAY NO-OFF 12 POSITION 30 Deg.		1	6TD13M	1679	6MD13M	4185

INSTRUMENTATION SWITCHES

SWITCHING	IP MARKING	6 AMP TYPE	M.R.P. (Rs.)	10 AMP TYPE	M.R.P. (Rs.)	12 AMP TYPE	M.R.P. (Rs.)
TYPE AP- Ammeter Selector Switch CURRENT IN EACH PHASE WITH OFF 4 Pos. 90 Deg.		4R39AP	464	4S39AP	573	4T39AP	640
TYPE APN - Ammeter Selector Switch CURRENT IN EACH PHASE NEUTRAL AND LEAKAGE WITH OFF 6 Pos. 60 Deg.		6R56APN	867	6S56APN	947	6T56APN	1230
TYPE VP - Voltmeter Selector Switch BETWEEN PHASES WITH OFF 4 - POSITION 90 Deg.		3R39VP	357	3S39VP	408	3T39VP	457
TYPE VPN -Voltmeter Selector Switch VOLTAGE BETWEEN PHASES AND BETWEEN EACH PHASE AND NEUTRAL WITH OFF 8 - Pos. 45 Deg.		4R44VPN	699	4S44VPN	726	4T44VPN	1127
TYPE VN - Voltmeter Selector Switch VOLTAGE BETWEEN PHASE AND NEUTRAL WITH OFF 4 Pos. 90 Deg.		3R49VN	565	3S49VN	805	3T49VN	804

BATTERY DISCONNECT SWITCH

	ITEM CODE	ITEM DESCRIPTION	MRP (in Rs.)
	KBDS010	BATTERY DISCONNECT SWITCH	3000/-

MOTOR CONTROL CAM SWITCHES

REVERSE FORWARD SWITCH

SWITCHING	OPEN EXECUTION TYPE	M.R.P.(Rs)	WITH SHEET STEEL ENCLOSURE	M.R.P.(Rs)
ON-OFF	2M60B	1254	2M60B/E	2018
REVERSING WITH OFF	3M6KB	1698	3M6KB/E	2475
STAR/DELTA STARTING WITH OFF	4M6SDB	2293	4M6SDB/E	3057
TWO SPEED POLE CHANGING				
(a) SEPARATE WINDING	3M6PCB	1848	3M6PCB/E	2613
(b) DAHILANDER WIINDING	4M6PCB	2293	4M6PCB/E	3057
(c) REVERSING	7M4PCKB	3357	--	
SYSTEM SELECTOR (1 LOAD 2 SYSTEMS)	3M6CB	1848	3M6CB/E	2613

Above switches are supplied with Indicating Plate and Ball type handle as standard.

If Wing type knob is required substitute suffix code with GB while ordering.

Wing type knob available in Red & Black colour. Please specify while ordering.

REVERSE FORWARD SWITCH

TYPE	DESCRIPTION	STD PACKING	M. R. P. (RS)
KCRF20/N	REVERSE FORWARD SWITCH 20 AMP	1	746
KCRF32/N	REVERSE FORWARD SWITCH 32 AMP	1	1367

ACCESSORIES FOR ALL CAM SWITCHES

DESCRIPTION	M.R.P.(RS.)
INDICATING PLATE	
Standard Markings or Non standard marking Size 48 x 48mm	67
Standard Markings or Non standard marking Size 72.5 x 72.5mm	86
HANDLES	
Ball type for 25 Amp Switch only	135
Pistol grip for 25 Amp Switch only	147
KNOB	
Knobs for 6 Amp - 12 Amp RED /BLACK	55
Knobs for 25 Amp RED/BLACK	61
Centre key Lock	
Centre key lock Lever Type Handle (Code LG)	816
Centre key lock Tee Type Handle (Code TG)	816

ON-OFF SWITCHES

6A TO 200A

Type	6A	MRP	10A	MRP	12A	MRP	16A	MRP	20A	MRP	25A	MRP	32A	MRP
1 P ON-OFF	61190	171	101190	218	121190	342	161190	361	201190	378	251190	399	321190	491
2 P ON-OFF	61290	205	101290	237	121290	377	161290	418	201290	458	251290	486	321290	582
3 P ON-OFF	62390	231	102390	324	122390	458	162390	496	202390	557	252390	630	322390	702
4 P ON-OFF	62490	279	102490	383	122490	511	162490	536	202490	655	252490	770	322490	831
Type	40A	MRP	63A	MRP	80A	MRP	100A	MRP	125A	MRP	160A	MRP	200A	MRP
1 P ON-OFF	401190	617	631190	730	801190	2157	1001190	2696	1251190	2979	1601190	3137	2001190	3301
2 P ON-OFF	401290	762	631290	924	801290	2462	1001290	3076	1251290	4094	1601290	4311	2001290	4539
3 P ON-OFF	402390	883	632390	1251	802390	3342	1002390	4177	1252390	5524	1602390	5815	2002390	6121
4 P ON-OFF	402490	1005	632490	1486	802490	3645	1002490	4557	1252490	6637	1602490	6986	2002490	7354

2 WAY NO OFF SWITCHES

6A TO 200A

Type	6A	MRP	10A	MRP	12A	MRP	16A	MRP	20A	MRP	25A	MRP	32A	MRP
1P 2 WAY	6119B	205	10119B	250	12119B	417	16119B	456	20119B	486	25119B	511	32119B	556
2P 2 WAY	6229B	290	10229B	332	12229B	511	16229B	537	20229B	611	25229B	652	32229B	778
3P 2 WAY	6339B	342	10339B	437	12339B	639	16339B	695	20339B	834	25339B	996	32339B	1076
4P 2 WAY	6449B	425	10449B	557	12449B	743	16449B	810	20449B	1039	25449B	1306	32449B	1386
Type	40A	MRP	63A	MRP	80A	MRP	100A	MRP	125A	MRP	160A	MRP	200A	MRP
1P 2 WAY	40119B	1047	63119B	1091	80119B	2520	100119B	3150	125119B	4373	160119B	4606	200119B	4846
2P 2 WAY	40229B	1066	63229B	1486	80229B	3794	100229B	4743	125229B	5961	160229B	6656	200229B	7973
3P 2 WAY	40339B	1329	63339B	2009	80339B	5256	100339B	6570	125339B	6996	160339B	9275	200339B	11111
4P 2 WAY	40449B	1553	63449B	2511	80449B	7005	100449B	8756	125449B	12884	160449B	13559	200449B	14275

2 WAY WITH OFF SWITCHES

6A TO 200A

Type	6A	MRP	10A	MRP	12A	MRP	16A	MRP	20A	MRP	25A	MRP	32A	MRP
1 P 2 WAY	6119BO	205	10119BO	250	12119BO	417	16119BO	456	20119BO	486	25119BO	511	32119BO	556
2 P 2 WAY	6229BO	290	10229BO	332	12229BO	511	16229BO	537	20229BO	611	25229BO	652	32229BO	778
3 P 2 WAY	6339BO	342	10339BO	437	12339BO	639	16339BO	695	20339BO	834	25339BO	996	32339BO	1076
4 P 2 WAY	6449BO	425	10449BO	557	12449BO	743	16449BO	810	20449BO	1039	25449BO	1306	32449BO	1386
Type	40A	MRP	63A	MRP	80A	MRP	100A	MRP	125A	MRP	160A	MRP	200A	MRP
1 P 2 WAY	40119BO	1047	63119BO	1091	80119BO	2520	100119BO	3150	125119BO	4373	160119BO	4606	200119BO	4846
2 P 2 WAY	40229BO	1066	63229BO	1486	80229BO	3794	100229BO	4743	125229BO	5961	160229BO	6656	200229BO	7973
3 P 2 WAY	40339BO	1329	63339BO	2009	80339BO	5256	100339BO	6570	125339BO	6996	160339BO	9275	200339BO	11111
4 P 2 WAY	40449BO	1553	63449BO	2511	80449BO	7005	100449BO	8756	125449BO	12884	160449BO	13559	200449BO	14275

3 WAY WITH OFF SWITCHES

6A TO 200A

Type	6A	MRP	10A	MRP	12A	MRP	16A	MRP	20A	MRP	25A	MRP	32A	MRP
1 P 3 Way	6219CO	246	10219CO	442	12219CO	481	16219CO	501	20219CO	547	25219CO	596	32219CO	639
2 P 3 Way	6329CO	542	10329CO	666	12329CO	890	16329CO	936	20329CO	685	25329CO	722	32329CO	1264
3 P 3 Way	6539CO	731	10539CO	1002	12539CO	989	16539CO	1035	20539CO	996	25539CO	1057	32539CO	1877
4 P 3 Way	6649CO	979	10649CO	1391	12649CO	1285	16649CO	1344	20649CO	1841	25649CO	1318	32649CO	2356
Type	40A	MRP	63A	MRP	80A	MRP	100A	MRP	125A	MRP	160A	MRP	200A	MRP
1 P 3 Way	40219CO	1043	63219CO	1163	80219CO	***	100219CO	3966	125219CO	5431	160116BO	5720	200219CO	6020
2 P 3 Way	40329CO	1110	63329CO	1231	80809CO	***	100329CO	6596	125329CO	9489	160226BO	9987	200329CO	10517
3 P 3 Way	40539CO	1648	63539CO	1909	80539CO	***	100539CO	9181	125539CO	13550	160336BO	14262	200539CO	15013
4 P 3 Way	40649CO	1987	63649CO	2490	80649CO	***	100649CO	11745	125649CO	17613	160446BO	18538	200649CO	19512


3 WAY NO OFF SWITCHES

6A TO 200A


Type	6A	MRP	10A	MRP	12A	MRP	16A	MRP	20A	MRP	25A	MRP	32A	MRP
1 P 3 Way	6219C	246	10219C	442	12219C	481	16219C	501	20219C	547	25219C	596	32219C	639
2 P 3 Way	6329C	542	10329C	666	12329C	890	16329C	936	20329C	685	25329C	722	32329C	1264
3 P 3 Way	6539C	731	10539C	1002	12539C	989	16539C	1035	20539C	996	25539C	1057	32539C	1877
4 P 3 Way	6649C	979	10649C	1391	12649C	1285	16649C	1344	20649C	1841	25649C	1318	32649C	2356
Type	40A	MRP	63A	MRP	80A	MRP	100A	MRP	125A	MRP	160A	MRP	200A	MRP
1 P 3 Way	40219C	1043	63219C	1163	80219C	***	100219C	3966	125219C	5431	160219C	5720	200219C	6020
2 P 3 Way	40329C	1110	63329C	1231	80809C	***	1001009C	6596	1251259C	9489	160259C	9987	200329C	10517
3 P 3 Way	40539C	1648	63539C	1909	80539C	***	100539C	9181	125539C	13550	160539C	14262	200539C	15013
4 P 3 Way	40649C	1987	63649C	2490	80649C	***	100649C	11745	125649C	17613	160649C	18538	200649C	19512

*** on request


ON OFF SWITCH



2 WAY NO OFF




2 WAY WITH OFF


























3 WAY NO OFF




3 WAY WITH OFF



SWITCHING	IP MARKING	POLE	6A TYPE	M.R.P (Rs)	10A TYPE	M.R.P(Rs)	16A TYPE	M.R.P (Rs)	25A TYPE	M.R.P (Rs)
OFF -ON , 4 POS. 90 DEG. THROW		1	N1R194O	271	N1S194O	413	N1U194O	577	N1V194O	638
		2	N1R294O	338	N1S294O	466	N1U294O	658	N1V294O	780
		3	N2R394O	358	N2S394O	558	N2U394O	761	N2V394O	1016
		4	N2R494O	444	N2S494O	614	N2U494O	822	N2V494O	1220
OFF -ON , 2 POS. 90 DEG. THROW		1	N1R192O	271	N1S192O	413	N1U192O	577	N1V192O	638
		2	N1R292O	338	N1S292O	466	N1U292O	658	N1V292O	780
		3	N2R392O	358	N2S392O	558	N2U392O	761	N2V392O	1016
		4	N2R492O	444	N2S492O	614	N2U492O	822	N2V492O	1220
OFF -ON , 2 POS. 60 DEG. THROW		1	N1R160	271	N1S160	413	N1U160	577	N1V160	638
		2	N1R260	338	N1S260	466	N1U260	658	N1V260	780
		3	N2R360	358	N2S360	558	N2U360	1165	N2V360	1453
		4	N2R460	444	N2S460	614	N2U460	822	N2V460	1220
TWO WAY NO OFF, 4 POS. 90 DEG.THROW		1	N1R19B	338	N1S19B	516	N1U19B	725	N1V19B	791
		2	N2R29B	444	N2S29B	608	N2U29B	822	N2V29B	1061
		3	N3R39B	527	N3S39B	750	N3U39B	1087	N3V39B	1587
		4	N4R49B	650	N4S49B	873	N4U49B	1251	N4V49B	2083
TWO WAY WITH OFF 4 POS. 90 DEG. THROW		1	N1R19BO	338	N1S19BO	516	N1U19BO	725	N1V19BO	791
		2	N2R29BO	444	N2S29BO	608	N2U29BO	822	N2V29BO	1061
		3	N3R39BO	527	N3S39BO	750	N3U39BO	1087	N3V39BO	1587
		4	N4R49BO	650	N4S49BO	873	N4U49BO	1251	N4V49BO	2083
THREE WAY NO OFF 3 POS. 60 DEG. THROW		1	N2R16C	371	N2S16C	558	N2U16C	772	N2V16C	975
		2	N3R26C	527	N3S26C	828	N3U26C	1067	N3V26C	1281
		3	N5R36C	756	N5S36C	1017	N5U36C	1582	N5V36C	1857
		4	N6R46C	956	N6S46C	1148	N6U46C	1833	N6V46C	2358
THREE WAY WITH OFF 4 POS. 90 DEG. THROW		1	N2R19CO	388	N2S19CO	583	N2U19CO	756	N2V19CO	894
		2	N3R29CO	527	N3S29CO	669	N3U29CO	909	N3V29CO	1261
		3	N5R39CO	756	N5S39CO	889	N5U39CO	1532	N5V39CO	1857
		4	N6R49CO	956	N6S49CO	1148	N6U49CO	1858	N6V49CO	2316
FOUR WAY NO OFF, 4 POS. 90 DEG.THROW		1	N2R19D	405	N2S19D	603	N2U19D	914	N2V19D	1170
		2	N4R29D	589	N4S29D	895	N4U29D	1087	N4V29D	1373
		3	N6R39D	803	N6S39D	950	N6U39D	1710	N6V39D	2188
		4	N8R49D	1104	N8S49D	1240	N8U49D	1991	N8V49D	2634
FIVE WAY WITH OFF, 6 POS. 60 DEG THROW		1	N3R16EO	491	N3S16EO	675	N3U16EO	1148	N3V16EO	1643
SIX WAY NO OFF 6 POS. 60 DEG. THROW		1	N3R16F	516	N3S16F	1001	N3U16F	1098	N3V16F	1459
		2	N6R26F	1012	N6S26F	1170	N6U26F	1655	N6V26F	2586
		3	N9R36F	1220	N9S36F	2114	N9U36F	2793	N9V36F	3082
SEVEN WAY WTH OFF 8 POS. 45 DEG.THROW		1	N4R14GO	650	N4S14GO	939	N4U14GO	1301	N4V14GO	1659
EIGHT WAY NO OFF 45 DEG.THROW		1	N4R14H	650	N4S14H	1098	N4U14H	1399	N4V14H	1751
		2	N8R24H	1140	N8S24H	1735	N8U24H	2328	N8V24H	2751
		3	N12R34H	1588			N12U34H	3322	N12V34H	3577

SWITCHING	IP MARKING	POLE	32A TYPE	M.R.P. (Rs)	40A TYPE	M.R.P. (Rs)	63A TYPE	M.R.P. (Rs)
OFF - ON , 4 POS. 90 DEG. THROW		1	N1W194O	791	N1X194O	1101	N1Y194O	1320
		2	N1W294O	913	N1X294O	1310	N1Y294O	1607
		3	N2W394O	1133	N2X394O	1510	N2Y394O	2146
		4	N2W494O	1312	N2X494O	1708	N2Y494O	2545
OFF - ON , 2 POS. 90 DEG. THROW		1	N1W192O	791	N1X192O	1101	N1Y192O	1320
		2	N1W292O	913	N1X292O	1310	N1Y292O	1607
		3	N2W392O	1133	N2X392O	1510	N2Y392O	2146
		4	N2W492O	1312	N2X492O	1708	N2Y492O	2545
OFF - ON , 2 POS. 60 DEG. THROW		1	N1W16O	791	N1X16O	1101	N1Y16O	1320
		2	N1W26O	913	N1X26O	1310	N1Y26O	1607
		3	N2W36O	1612	N2X36O	2153	N2Y36O	3060
		4	N2W46O	1312	N2X46O	1708	N2Y46O	2545
TWO WAY NO OFF, 4 POS. 90 DEG. THROW		1	N1W19B	888	N1X19B	1271	N1Y19B	1699
		2	N2W29B	1220	N2X29B	1713	N2Y29B	2545
		3	N3W39B	1715	N3X39B	2142	N3Y39B	3392
		4	N4W49B	2188	N4X49B	2576	N4Y49B	4241
TWO WAY WITH OFF, 4 POS. 90 DEG.THROW		1	N1W19BO	888	N1X19BO	1271	N1Y19BO	1699
		2	N2W29BO	1220	N2X29BO	1713	N2Y29BO	2545
		3	N3W39BO	1715	N3X39BO	2142	N3Y39BO	3392
		4	N4W49BO	2188	N4X49BO	2576	N4Y49BO	4241
THREE WAY WITH OFF, 4 POS. 90 DEG. THROW		2	N3W29CO	1348	N3X29CO	2075	N3Y29CO	2326
		3	N5W39CO	2021	N5X39CO	2749	N5Y39CO	3556
		4	N6W49CO	2531	N6X49CO	3653	N6Y49CO	4266
FOUR WAY NO OFF, 4 POS. 90 DEG. THROW		1	N2W19D	1220	N2X19D	1816	N2Y19D	2490
		2	N4W29D	1515	N4X29D	2159	N4Y29D	2790
		3	N6W39D	2419	N6X39D	2924	N6Y39D	3734
		4	N8W49D	2806	N8X49D	3734	N8Y49D	4953
FIVE WAY WITH OFF, 6 POS. 60 DEG. THROW		1	N3W16EO	1659	N3X16EO	2297	N3Y16EO	2570
SIX WAY NO OFF 6 POS. 60 DEG. THROW		1	N3W16F	1659	N3X16F	2086	N3Y16F	2626
		2	N6W26F	2659	N6X26F	2954	N6Y26F	3637
		3	N9W36F	3199	N9X36F	3714	N9Y36F	4939
SEVEN WAY WTH OFF 8 POS. 45 DEG.THROW		1	N4W14GO	1751	N4X14GO	2164	N4Y14GO	2985
EIGHT WAY NO OFF 45 DEG. THROW		1	N4W14H	1838	N4X14H	2297	N4Y14H	3152
		2	N8W24H	2976	N8X24H	3575	N8Y24H	6036
		3	N12W34H	3658	N12X34H	4985	N12Y34H	6954

AMMETER & VOLTMETER SWITCH					
SWITCHING	IP MARKING	AMP	POLE	TYPE	M.R.P. (Rs)
TO READ CURRENT IN EACH PHASE WITH OFF, TO BE USED WITH CTO 90 Deg.		6	3	N3R39AP	527
		10	3	N3S39AP	547
TO READ VOTAGE BETWEEN PHASES WITH OFF 90 DEG.		6	3	N2R39VP	394
		10	3	N2S39VP	505



DESCRIPTION	16A TYPE	M.R.P. (Rs.)	25A TYPE	M.R.P. (Rs.)	32A TYPE	M.R.P. (Rs.)
Spring Return- Lever type Lock wit 1-Trip & 1-Close contact	UBCA01L006K161/N	1820	BCA01L006K161/N	2427	WBCA01L006K161/N	2749
Spring Return- Pistol Grip Handle with 1-Trip & 1-Close contact	UBCA01P006K142/N	1128	BCA01P006K142/N	1506	WBCA01P006K142/N	1705
Spring Return- Lever type Lock with 2-Trip & 2-Close contact	UBCA02L006K163/N	2301	BCA02L006K163/N	2924	WBCA02L006K163/N	3482
Spring Return- Pistol Grip Handle with 2-Trip & 2-Close contact	UBCA02P006K144/N	1426	BCA02P006K144/N	1897	WBCA02P006K144/N	2157
Spring Return- Pistol Grip Handle with 3-Trip & 3-Close contact	UBCA03P006K145/N	2383	BCA03P006K145/N	3173	WBCA03P006K145/N	3602
Spring Return + Seq. Locking - Pistol Grip Handle with 1-Trip & 1-Close contact	UBCD01P006K154/N	1700	BCD01P006K154/N	2263	WBCD01P006K154/N	2572
Stay Put-Lever type Lock with 2-Local & 2-Remote contact	UBCE02L009K136/N	1650	BCE02L009K136/N	2199	WBCE02L009K136/N	2496
Stay Put-Pistol Grip Handle with 2-Local & 2-Remote contact	UBCE02P009K112/N	992	BCE02P009K112/N	1321	WBCE02P009K112/N	1498
Stay Put-Pistol Grip Handle with 4-Local & 4-Remote contact	UBCE04P009K113/N	2016	BCE04P009K113/N	2686	WBCE04P009K113/N	3046
Stay Put-Lever type lock with 4-Local & 4-Remote contact	UBCE04L009K137/N	2433	BCE04L009K137/N	3242	WBCE04L009K137/N	3678
Spring Return- Pistol Grip Handle with 1-Trip, 2 - neurat & 1-Close.	UBCA02P006K143/N	1498	BCA02P006K143/N	2003	WBCA02P006K143/N	2269
Spring Return 4 NO +4 NC non lockable	UBCA04P006K146/N	2699	BCA04P006K146/N	3602	WBCA04P006K146/N	4089
Spring Return with Seq. Locking 2 NO + 2 NC	UBCD02P006K156/N	1997	BCD02P006K156/N	2661	WBCD02P006K156/N	3021

MECHANISM	DESCRIPTION	M.R.P. (Rs.)
A	Spring Return	1252
B.	Spring Return + Lost Motion Device	1532
C.	Spring Return + Lost Motion Device + Sequence Locking	1776
D.	Spring Return + Sequence Locking	1532
E.	Stayput	429
PACKETS :	Price Packet - Main / LMD 1 Packet = 2 electrical ways - 1 NO/NC	507
HANDLES :	1 = Wing	60
	2 = Ball	125
	3 = Pistol Grip (Old & New)	143
BARREL LOCK :	1 = With Lever Type handle	703
	2= With TEE Type handle	703
INDICATING PLATES	1= Indicating Plate size 72.5 x 72.5 sq.mm	60
	2= Indicating Plate size 75 x 75 sq. Mm with 36CKL (for barrel lock)	83
	3= Indicating Plate size 95 x 95 sq. Mm with 36CKL (for barrel lock)	83



6 AMP 250V AC - BY TYPE ONLY			
DESCRIPTION	NO OF POLES	TYPE	M.R.P. (RS)
OFF-ON	1	KT1621	145
ON-ON	1	KT1631	195
ON-OFF-ON	1	KT1632	182
OFF-ON	2	KT2641	182
ON-ON	2	KT2661	239
ON-OFF-ON	2	KT2662	270

10A 250V AC - 3 POLE & 4 POLE			
DESCRIPTION	NO OF POLES	TYPE	BY / AY TYPE M.R.P
OFF-ON	3	KT3061	425
ON-ON	3	KT3091	489
ON-OFF-ON	3	KT3092	514
OFF-ON	4	KT4081	489
ON-ON	4	KT40121	565
ON-OFF-ON	4	KT40122	590

10 Amp 250V AC UNSEALED TYPE			
DESCRIPTION	NO OF POLES	TYPE AY or BY	M.R.P. (Rs)
OFF-NONE-ON	1	KT1021	157
OFF-NONE-ON*(mom)	1	KT1022	195
ON-NONE-ON	1	KT1031	201
ON-OFF-ON	1	KT1032	189
ON-NONE-ON*(mom)	1	KT1033	220
ON-OFF-ON*(mom)	1	KT1034	264
(mom)*ON-OFF-ON*(mom)	1	KT1035	302
OFF-NONE-ON	2	KT2041	245
OFF-NONE-ON*(mom)	2	KT2042	270
ON-NONE-ON	2	KT2061	270
ON-OFF-ON	2	KT2062	295
ON-NONE-ON*(mom)	2	KT2063	251
ON-OFF-ON*(mom)	2	KT2064	327
(mom)*ON-OFF-ON*(mom)	2	KT2065	346

SEALED TYPE	
TYPE AYZ OR BYZ	M.R.P. (RS)
KT2021	546
KT2031	552
KT2032	571
KT2041	616
KT2042	597
KT2061	685
KT2062	717
KT2065	666

Type Of Terminal
Screw & Solder Terminal
= (6A, 10A - 250V AC)
10A 250V AC

Prefix of Type
Screw Terminal - BY/BYZ
Solder Terminal - AY/AYZ



ACCESSORIES FOR TOGGLE SWITCH		
DESCRIPTION	CODE	M.R.P. (RS)
SHROUD FOR DOLLY	CSPSH01	65

15AMP 250V AC - BY TYPE ONLY			
DESCRIPTION	NO OF POLES	TYPE	M.R.P (RS)
OFF-ON	1	KT1521	197
ON-ON	1	KT1531	298
ON-OFF-ON	1	KT1532	273
OFF-ON	2	KT2541	324
ON-ON	2	KT2561	432
ON-OFF-ON	2	KT2562	413

20 AMP 250V AC - BY TYPE ONLY			
DESCRIPTION	NO OF POLES	TYPE	M.R.P(RS)
OFF-ON	1	KT1221	241
ON-ON	1	KT1231	482
ON-OFF-ON	1	KT1232	305
OFF-ON	2	KT2241	355
ON-ON	2	KT2261	476
ON-OFF-ON	2	KT2262	374

Prices for defence application switches on request.
* Momentary Circuit (spring return) in particular position
* Legend Plate on request with extra cost.

DESCRIPTION	FIN TYPE BASE WITH SOLDER TERMINALS 5A/250V AC	"T" TYPE BASE WITH SCREW TERMINALS 15A/250V AC	M.R.P. (RS)
Basic Switch Standard Microswitch With Pin Plunger	K1A5431	K1B9433	606
BASIC SWITCH WITH ACTUATOR			
Short Roller Lever	K1A5431-02	K1B9433 - 02	543
Plain Lever (Direct Acting)	K1A5431-03	K1B9433 - 03	562
Plain Roller Lever (Direct Acting)	K1A5431-04	K1B9433 - 04	562
Compact Overtravel Plunger	K1A5431-20	K1B9433 - 20	594
Extended Overtravel Plunger	K1A5431-21	K1B9433 - 21	600
Panel Mount Plunger	K1A5431-22	K1B9433 - 22	581
Panel Mount Roller Plunger	K1A5431-23	K1B9433 - 23	670
Short Plain Lever (Reverse Acting)	K1A5431-25	K1B9433 - 25	537
Short Plain Lever with Roller (Reverse Acting)	K1A5431-26	K1B9433 - 26	556
Medium Plain Lever (Reverse Acting)	K1A5431-27	K1B9433 - 27	581
Medium Plain Lever with Roller (Reverse Acting)	K1A5431-28	K1B9433 - 28	568
Auxiliary Panel Mount Plunger	K1A5431-31	K1B9433 - 31	575
DESCRIPTION	TYPE		M.R.P. (RS)
Concealed Base With Screw Terminals 5A/250V AC	K1B5432		606
Protected Overtravel Plunger	K1B5432 - 32		594
Protected Overtravel Plunger in Enclosure with Left hand conduit entry	K1B9433 /LH		1219
Protected Overtravel Plunger in Enclosure with Right hand conduit entry	K1B9433 /RH		1219



Short Roller Lever



Plain Roller Lever
(Direct Acting)



Plain Roller Lever
(Direct Acting)



Compact
Overtravel Plunger



Extended
Overtravel Plunger



Panel Mount
Plunger



Panel Mount
Roller Plunger



Short Plain Lever with
Roller (Reverse Acting)



Medium Plain Lever
(Reverse Acting)



Medium Plain Lever with
Roller (Reverse Acting)



Auxiliary Panel
Mount Plunger



Protected Overtravel
Plunger



in Metal Enclosure LH or RH

CONCEALED TERMINALS


GENERAL TOLARANCES

FULL FIGURE	±1
UPTO 1ST DECIMAL	±0.5
UPTO 2ND DECIMAL	±0.25

DESCRIPTION	SOLDER TERMINALS	M.R.P. (RS)	SCREW TERMINALS	M.R.P. (RS)
Basic Switch without Actuator	K3A033	161	K3B033	167
Basic Switch with Actuator				
Short Plain Lever	K3A0330 - 01	187	K3B0330-01	193
Short Roller Lever	K3A0330 - 02	193	K3B0330-02	200
Medium Plain Lever	K3A0330 - 03	225	K3B0330-03	219
Medium Roller Lever	K3A0330 - 04	232	K3B0330-04	225
Extended Plain Lever	K3A0330 - 05	251	K3B0330-05	232
Plain Leaf	K3A0330 - 06	193	K3B0330-06	206
Roller Leaf	K3A0330 - 07	225	K3B0330-07	206
Hinged Lever	K3A0330 - 08	219	K3B0330-08	232
Hinged Lever with Roller	K3A0330 - 09	180	K3B0330-09	219
Extended Hinged Lever	-	-	K3B0330-10	232
Finger Push Button - S.P.	K3A0330 - 12	225	K3B0330-12	238
Finger Push Button - D.P.	2K3A0330-13	470	2K3B0330-13	476
Push Button - S.P.	K3A0330 - 15	238	K3B0330-15	245
Push Button - D.P.	2K3A0330-16	457	2K3B0330-16	464
Short Lever - D.P.	2K3A0330-18	425	2K3B0330-18	438
Auxiliary Panel Mount Plunger - D.P.	2K3A0330-31	361	2K3B0330-31	502

NOTE : K3C PUSH ON TERMINAL ON REQUEST ON MOQ BASIS.

INTEGRAL ACTUATORS K3



DESCRIPTION	SOLDER TERMINALS	M.R.P. (RS)	SCREW TERMINALS	M.R.P. (RS)
Basic Switch without Actuator (Auxiliary) TYPE K6				
Micro Switch-Non Reset	K6A5586	309	K6B5586	329
Micro Switch- Reset	K6A5587	297	K6B5587	303

EXECUTION	DESCRIPTION	NO. OF CONTACTS	ACTION	TYPE	M.R.P(RS)
OPEN	With Push Rod & Plastic Protective Cover	1 NC	Normal	KLS011X-OA	290
	With Push Rod	1 NO+ 1 NC	Normal	KLS000X-OA	290
		1 NO+ 1 NC	Snap	KLS000X-OB	398
	With Push Rod & Plastic Protective Cover	1 NO+ 1 NC	Normal	KLS001X-OA	317
		1 NO+ 1 NC	Snap	KLS001X-OB	418
OPEN	With Push Rod & Plastic Protective Cover	2 NC	Normal	NKLS023X-OA	466
		2NO		NKLS203X-OA	445
		1NO+2NC		NKLS123X-OA	405
		2NO+1NC		NKLS213X-OA	506
		2NO+2NC		KLS224X-OA	614

STANDARD PACKING - 25 NOS. OR MULTIPLE OF 25



KLS000X-OA
KLS000X-OB



KLS001X-OA
KLS001X-OB



NKLS023X-OA
NKLS203X-OA



NKLS123X-OA
NKLS213X-OA



KLS224X-OA

With Plastic Push rod and protective cover



KLS000X-OA/P
KLS000X-OB/P

With Roller Plunger (TR)



KLS001X-OA/TR
KLS001X-OB/TR

With Roller Plunger (TR)



KLS001X-OA/XTR
KLS001X-OB/XTR

With Roller Plunger (TR) & Plastic FP Protective Cover




KLS001X-OA/TR
KLS001X-OB/TR




Note : For Plastic Plunger price will be on request For More Details : sales@kayceeindustries.com

OLT (OIL TIGHT LIMIT SWITCH SERIES)			*2NO + 2NC ON REQUEST
TYPE	ACTUATOR	NO. OF CONTACTS	NEW M.R.P. (RS)
KLTPBA	Top Plunger	1 NO + 1 NC	1247
KLTPR	Top Push Roller	1 NO + 1 NC	1247
KLSPBA	Side Plunger Adjustable	1 NO + 1 NC	1761
KLSPR	Side Push Roller	1 NO + 1 NC	1658
KLSL1	Rotating Short lever	1 NO + 1 NC	1247
KLSCW	Spring Rod	1 NO + 1 NC	1697
KLSL2	Rotating Long Lever	1 NO + 1 NC	1247
KLSSLA	Rotating Adjustable Lever	1 NO + 1 NC	1247


STANDARD PACKING - 25 NOS. OR MULTIPLE OF 25




KLTPBA




KLTPR




KLSPBA



KLSPR




KLSL1



KLSCW




KLSL2




KLSSLA

LL (LEVER LIMIT-LIMIT SWITCH SERIES)			*2NO + 2NC ON REQUEST
TYPE	ACTUATOR	NO. OF CONTACTS	NEW M.R.P. (RS)
KLE01	Snap Action	1 NO + 1 NC	328
KLE11	Normal Action	1 NO + 1 NC	276
KLSPSO	Snap Action	1 NO + 1 NC	803
KLPSO	Normal Action	1 NO + 1 NC	778
KLPRSO	Snap Action	1 NO + 1 NC	958
KLPRO	Normal Action	1 NO + 1 NC	938
KLRSO	Snap Action	1 NO + 1 NC	938
KLSRO	Normal Action	1 NO + 1 NC	919
KLLRL	Snap Action	1 NO + 1 NC	1060
KLLRLS	Slipping roller lever	1 NO + 1 NC	1041
KLARL	Angular roller lever	1 NO + 1 NC	1022
KLARS	Snap Action	1 NO + 1 NC	887
KLAR	Normal Action	1 NO + 1 NC	874


STANDARD PACKING - 25 NOS. OR MULTIPLE OF 25




KLSPSO
KLPSO




KLPRSO
KLPRO




KLRSO
KLSRO



KLLRL
KLLRLS




KLARL




KLARS
KLAR

BPS (BITS PER SECONDS LIMIT SWITCH SERIES)			
TYPE	ACTUATOR	NO. OF CONTACTS	M.R.P. (RS)
KLTPRA1	Roller Plunger horizontal	1 NO + 1 NC	835
KLTPRA2	Roller Plunger horizontal	2 NO + 2 NC	1163
KLTPRB1	Roller Plunger Across	1 NO + 1 NC	835
KLTPRB2	Roller Plunger Across	2 NO + 2 NC	1163
KLRLR1	Roller Plunger In line	1 NO + 1 NC	848
KLRLR2	Roller Plunger In line	2 NO + 2 NC	1163
KLRL1	Roller Lever	1 NO + 1 NC	848
KLRL2	Roller Lever	2 NO + 2 NC	1163
KLSILR1	Long Lever	1 NO + 1 NC	848
KLSILR2	Long Lever	2 NO + 2 NC	1163
KLSILL1	6" long Lever	1 NO + 1 NC	848


STANDARD PACKING - 25 NOS. OR MULTIPLE OF 25




KLTPRA1
KLTPRA2




KLTPRB1
KLTPRB2




KLRLR1
KLRLR2



KLRL1
KLRL2



KLSILR1
KLSILR2



KLSILL1

WEATHER PROOF ROTARY TOGGLE SWITCHES



DESCRIPTION	RATING	TYPE	M.R.P. (RS.)
Single Pole - Push Button	5A/250V AC	PB 1000A	951
Single Pole - ON - OFF	5A/250VAC	RT 1000A	1186
Single Pole - change over	5A/250VAC	RT 2200A-N	1127
TWIN Switch - S.P. ON - OFF (Two Gang)	5A/250VAC	2RT1000A-N	2406
Single Pole - ON - OFF	6A/250VAC	RT 1000A-N	1127
TWIN Switch - S.P. ON - OFF (Three Gang)	6A/250VAC	3RT1000A-N	3525
Single Pole - ON - OFF	10A/250VAC	RT 1000A-N1	1464
TWIN Switch - S.P. ON - OFF (Two Gang)	10A/250VAC	2RT1000A-N1	3113
TWIN Switch - S.P. ON - OFF (Three Gang)	10A/250VAC	3RT1000A-N1	4560
Plug and Socket with ON - OFF Switch	13A/250VAC	RT 1000B/PS	5031
Plug and Socket with ON - OFF Switch with Shutters	13A/250VAC	RT 1000B/PS/S	5031
DOUBLE Pole - ON - OFF	20A/250VAC	RT 1000D	2793


FOOT SWITCHES

TYPE	DESCRIPTION	NO OF CONTACTS	NO. OF ELEMENT	M.R.P. (RS)
KCFS-1	COMPACT TYPE	1NO + 1NC	ONE	2330
KCFS-2/H1	HEAVY DUTY WITH PLAIN COVER	1NO + 1NC	ONE	3498
KCFS-2/H1G	HEAVY DUTY WITH GUARD	1NO + 1NC	ONE	4480
KCFS-2/H11G	HEAVY DUTY WITH GUARD	1NO + 1NC	TWO	4908
KCFS-2/H1S	HEAVY DUTY WITH SHIELD	1NO + 1NC	ONE	5973
KCFS-2/H11S	HEAVY DUTY WITH SHIELD	1NO + 1NC	TWO	5636
KCFS-2/P1G	HEAVY DUTY WITH GUARD	1NO + 1NC	ONE	4799
KCFS-2/P2G	HEAVY DUTY WITH GUARD	2NO + 2NC	ONE	6267
KCFS-3	DOMESTIC TYPE - SPDT-SB	1NO + 1NC	ONE	1196
KCFS-4	MEDI TWIN	1NO + 1NC	TWO	5719
KCFS-3M	FOOT SWITCH - MEDICAL	1NO + 1NC	ONE	1072
KCFS-3MC	FOOT SWITCH - MEDICAL WITH CABLE	1NO + 1NC	ONE	1143


PHASE SELECTOR SWITCH (DB SWITCH)

DESCRIPTION	RATING	TYPE	M.R.P. (RS)	MOQ
1 POLE, 3 WAY WITH OFF	32 Amp	PCW1P3WO/YR	963	25
1 POLE, 3 WAY WITH OFF	40 Amp	PCX1P3WO/YR	1558	20
1 POLE, 3 WAY WITH OFF	63 Amp	PCY1P3WO/YR	1750	10

8 MM Sq. Shaft Aluminium and Plastic Housing Screw Type				
DESCRIPTION	ALUMINIUM SCREW TYPE	M.R.P. (Rs)	PLASTIC SCREW TYPE	M.R.P. (Rs)
Aux.SW 01 NO + 01 NC	KCB8A01	251	KCB8P01	235
Aux.SW 02 NO + 02 NC	KCB8A02	502	KCB8P02	470
Aux.SW 03 NO + 03 NC	KCB8A03	753	KCB8P03	705
Aux.SW 04 NO + 04 NC	KCB8A04	1004	KCB8P04	940
Aux.SW 05 NO + 05 NC	KCB8A05	1255	KCB8P05	1175
Aux.SW 06 NO + 06 NC	KCB8A06	1506	KCB8P06	1410
Aux.SW 07 NO + 07 NC	KCB8A07	1757	KCB8P07	1645
Aux.SW 08 NO + 08 NC	KCB8A08	2008	KCB8P08	1880
Aux.SW 09 NO + 09 NC	KCB8A09	2259	KCB8P09	2115
Aux.SW 10 NO + 10 NC	KCB8A10	2510	KCB8P10	2350
Aux.SW 11 NO + 11 NC	KCB8A11	2761	KCB8P11	2585
Aux.SW 12 NO + 12 NC	KCB8A12	3012	KCB8P12	2820
Aux.SW 13 NO + 13 NC	KCB8A13	3263	KCB8P13	3055
Aux.SW 14 NO + 14 NC	KCB8A14	3514	KCB8P14	3290
Aux.SW 15 NO + 15 NC	KCB8A15	3765	KCB8P15	3525
Aux.SW 16 NO + 16 NC	KCB8A16	4016	KCB8P16	3760
Aux.SW 17 NO + 17 NC	KCB8A17	4267	KCB8P17	3995
Aux.SW 18 NO + 18 NC	KCB8A18	4518	KCB8P18	4230
Aux.SW 19 NO + 19 NC	KCB8A19	4769	KCB8P19	4465
Aux.SW 20 NO + 20 NC	KCB8A20	5020	KCB8P20	4700
Aux.SW 21 NO + 21 NC	KCB8A21	5271	KCB8P21	4935
Aux.SW 22 NO + 22 NC	KCB8A22	5522	KCB8P22	5170
Aux.SW 23 NO + 23 NC	KCB8A23	5773	KCB8P23	5405
Aux.SW 24 NO + 24 NC	KCB8A24	6024	KCB8P24	5640
Aux.SW 25 NO + 25 NC	KCB8A25	6275	KCB8P25	5875
Aux.SW 26 NO + 26 NC	KCB8A26	6526	KCB8P26	6110




8 MM Sq. Shaft Aluminium and Plastic Housing Clip-on Type				
DESCRIPTION	ALUMINIUM CLIPON TYPE	M.R.P. (Rs)	PLASTIC CLIPON TYPE	M.R.P. (Rs)
Aux.SW 01 NO + 01 NC	KCC8A01	251	KCC8P01	235
Aux.SW 02 NO + 02 NC	KCC8A02	502	KCC8P02	470
Aux.SW 03 NO + 03 NC	KCC8A03	753	KCC8P03	705
Aux.SW 04 NO + 04 NC	KCC8A04	1004	KCC8P04	940
Aux.SW 05 NO + 05 NC	KCC8A05	1255	KCC8P05	1175
Aux.SW 06 NO + 06 NC	KCC8A06	1506	KCC8P06	1410
Aux.SW 07 NO + 07 NC	KCC8A07	1757	KCC8P07	1645
Aux.SW 08 NO + 08 NC	KCC8A08	2008	KCC8P08	1880
Aux.SW 09 NO + 09 NC	KCC8A09	2259	KCC8P09	2115
Aux.SW 10 NO + 10 NC	KCC8A10	2510	KCC8P10	2350
Aux.SW 11 NO + 11 NC	KCC8A11	2761	KCC8P11	2585
Aux.SW 12 NO + 12 NC	KCC8A12	3012	KCC8P12	2820
Aux.SW 13 NO + 13 NC	KCC8A13	3263	KCC8P13	3055
Aux.SW 14 NO + 14 NC	KCC8A14	3514	KCC8P14	3290
Aux.SW 15 NO + 15 NC	KCC8A15	3765	KCC8P15	3525
Aux.SW 16 NO + 16 NC	KCC8A16	4016	KCC8P16	3760
Aux.SW 17 NO + 17 NC	KCC8A17	4267	KCC8P17	3995
Aux.SW 18 NO + 18 NC	KCC8A18	4518	KCC8P18	4230
Aux.SW 19 NO + 19 NC	KCC8A19	4769	KCC8P19	4465
Aux.SW 20 NO + 20 NC	KCC8A20	5020	KCC8P20	4700
Aux.SW 21 NO + 21 NC	KCC8A21	5271	KCC8P21	4935
Aux.SW 22 NO + 22 NC	KCC8A22	5522	KCC8P22	5170
Aux.SW 23 NO + 23 NC	KCC8A23	5773	KCC8P23	5405
Aux.SW 24 NO + 24 NC	KCC8A24	6024	KCC8P24	5640
Aux.SW 25 NO + 25 NC	KCC8A25	6275	KCC8P25	5875
Aux.SW 26 NO + 26 NC	KCC8A26	6526	KCC8P26	6110




6 MM SQ. SHAFT ALUMINIUM AND PLASTIC HOUSING SCREW TYPE

DESCRIPTION	ALUMINIUM SCREW TYPE	M.R.P. (Rs)	PLASTIC SCREW TYPE	M.R.P. (Rs)
Aux.SW 01 NO + 01 NC	KCB6A01	251	KCB6P01	235
Aux.SW 02 NO + 02 NC	KCB6A02	502	KCB6P02	470
Aux.SW 03 NO + 03 NC	KCB6A03	753	KCB6P03	705
Aux.SW 04 NO + 04 NC	KCB6A04	1004	KCB6P04	940
Aux.SW 05 NO + 05 NC	KCB6A05	1255	KCB6P05	1175
Aux.SW 06 NO + 06 NC	KCB6A06	1506	KCB6P06	1410
Aux.SW 07 NO + 07 NC	KCB6A07	1757	KCB6P07	1645
Aux.SW 08 NO + 08 NC	KCB6A08	2008	KCB6P08	1880
Aux.SW 09 NO + 09 NC	KCB6A09	2259	KCB6P09	2115
Aux.SW 10 NO + 10 NC	KCB6A10	2510	KCB6P10	2350
Aux.SW 11 NO + 11 NC	KCB6A11	2761	KCB6P11	2585
Aux.SW 12 NO + 12 NC	KCB6A12	3012	KCB6P12	2820
Aux.SW 13 NO + 13 NC	KCB6A13	3263	KCB6P13	3055
Aux.SW 14 NO + 14 NC	KCB6A14	3514	KCB6P14	3290
Aux.SW 15 NO + 15 NC	KCB6A15	3765	KCB6P15	3525
Aux.SW 16 NO + 16 NC	KCB6A16	4016	KCB6P16	3760
Aux.SW 17 NO + 17 NC	KCB6A17	4267	KCB6P17	3995
Aux.SW 18 NO + 18 NC	KCB6A18	4518	KCB6P18	4230
Aux.SW 19 NO + 19 NC	KCB6A19	4769	KCB6P19	4465
Aux.SW 20 NO + 20 NC	KCB6A20	5020	KCB6P20	4700
Aux.SW 21 NO + 21 NC	KCB6A21	5271	KCB6P21	4935
Aux.SW 22 NO + 22 NC	KCB6A22	5522	KCB6P22	5170
Aux.SW 23 NO + 23 NC	KCB6A23	5773	KCB6P23	5405
Aux.SW 24 NO + 24 NC	KCB6A24	6024	KCB6P24	5640
Aux.SW 25 NO + 25 NC	KCB6A25	6275	KCB6P25	5875
Aux.SW 26 NO + 26 NC	KCB6A26	6526	KCB6P26	6110




6 MM SQ. SHAFT ALUMINIUM AND PLASTIC HOUSING CLIPON TYPE


DESCRIPTION	ALUMINIUM CLIPON TYPE	M.R.P. (Rs)	PLASTIC CLIPON TYPE	M.R.P. (Rs)
Aux.SW 01 NO + 01 NC	KCC6A01	251	KCC6P01	235
Aux.SW 02 NO + 02 NC	KCC6A02	502	KCC6P02	470
Aux.SW 03 NO + 03 NC	KCC6A03	753	KCC6P03	705
Aux.SW 04 NO + 04 NC	KCC6A04	1004	KCC6P04	940
Aux.SW 05 NO + 05 NC	KCC6A05	1255	KCC6P05	1175
Aux.SW 06 NO + 06 NC	KCC6A06	1506	KCC6P06	1410
Aux.SW 07 NO + 07 NC	KCC6A07	1757	KCC6P07	1645
Aux.SW 08 NO + 08 NC	KCC6A08	2008	KCC6P08	1880
Aux.SW 09 NO + 09 NC	KCC6A09	2259	KCC6P09	2115
Aux.SW 10 NO + 10 NC	KCC6A10	2510	KCC6P10	2350
Aux.SW 11 NO + 11 NC	KCC6A11	2761	KCC6P11	2585
Aux.SW 12 NO + 12 NC	KCC6A12	3012	KCC6P12	2820
Aux.SW 13 NO + 13 NC	KCC6A13	3263	KCC6P13	3055
Aux.SW 14 NO + 14 NC	KCC6A14	3514	KCC6P14	3290
Aux.SW 15 NO + 15 NC	KCC6A15	3765	KCC6P15	3525
Aux.SW 16 NO + 16 NC	KCC6A16	4016	KCC6P16	3760
Aux.SW 17 NO + 17 NC	KCC6A17	4267	KCC6P17	3995
Aux.SW 18 NO + 18 NC	KCC6A18	4518	KCC6P18	4230
Aux.SW 19 NO + 19 NC	KCC6A19	4769	KCC6P19	4465
Aux.SW 20 NO + 20 NC	KCC6A20	5020	KCC6P20	4700
Aux.SW 21 NO + 21 NC	KCC6A21	5271	KCC6P21	4935
Aux.SW 22 NO + 22 NC	KCC6A22	5522	KCC6P22	5170
Aux.SW 23 NO + 23 NC	KCC6A23	5773	KCC6P23	5405
Aux.SW 24 NO + 24 NC	KCC6A24	6024	KCC6P24	5640
Aux.SW 25 NO + 25 NC	KCC6A25	6275	KCC6P25	5875
Aux.SW 26 NO + 26 NC	KCC6A26	6526	KCC6P26	6110




COUNTERS

PHOTO	DESCRIPTION	TYPE	NO.OF DIGITS	RESET	M.R.P(RS)
	Junior Stroke Counter	JS	5	Non Reset/Reset	656
	Junior Stroke Counter	JS5/CR/X2	5	Knob Reset	795
	Senior Revolution Counter	SR	5	Quick Reset	1504
	Senior Stroke Counter	ST	5	Quick Reset	1782

MEASURING MACHINES (WITH KNURLED ALUMINIUM WHEELS)



PHOTO	DESCRIPTION	TYPE	NO.OF DIGITS	RESET	M.R.P(RS.)
	Measuring Machine	MM2	5	Quick Reset	2392
	Measuring Machine	MM3	5	Quick Reset	2537
	Measuring Machine	MM4	5	Quick Reset	2942
	Measuring Machine	MM5	5	Quick Reset	2584
	Measuring Machine	MM7	5	Quick Reset	3385

MEASURING MACHINES (WITH RUBBER COVERED WHEELS)



PHOTO	DESCRIPTION	TYPE	NO.OF DIGITS	RESET	M.R.P(RS.)
	Measuring Machine	MM2	5	Quick Reset	2690
	Measuring Machine	MM3	5	Quick Reset	2836
	Measuring Machine	MM4	5	Quick Reset	3094
	Measuring Machine	MM5	5	Quick Reset	2882
	Measuring Machine	MM7	5	Quick Reset	3260

ACCESSORIES

SENIOR COUNTERS	TYPE	M.R.P. (Rs.)
Right Angled Gear Box		569
Gearing 1:2, 1:3, 5:1 & 10:1 and other Ratios.		235
1/3m. Circumference Knurled	CMMWH06	662
1/3m. Circumference Rubber Covered	CMMWH09	737
1/2m. Circumference Knurled	CMMWH01	817
1/2m. Circumference Rubber Covered	CMMWH04	879

PHOTO	DESCRIPTION	NO.OF DIGITS	TYPE	M.R.P. (RS.)
	Analog Time Totalizer	5	TT5	2037
		6	TT6/H (230VAC)	2523
		6	TT6/H-CABLE	3100
	Digital Time Totalizer	6	DTTKH (230V AC)	3587
		6	DTTH (230V AC)	3587
		6	DTTKM (230V AC)	3587

MINI TIME TOTALIZER

PHOTO	SPECIFICATIONS	TYPE	M.R.P. (RS)
	Panel mounted 240 VAC (48x48x40mm)	MTT7/HZ - 220V AC	1310
	Panel mounted 110 VAC (48x48x40mm)	MTT7/HZ - 110V AC	1310
	Panel mounted (59x53mm)	MTT7/HZ-10V -60 VAC/DC	2247
	Panel mounted (59x53mm)	MTT7/HZ-140-250V AC/DC	2247
	Panel mounted (59x53mm)	MTT7/HZ-60-140V AC/DC	2247

ALUMINIUM CRIMPING CONNECTOR :-

TYPE	MM ² ID	M.R.P. (Rs.)
KC-ALS-6	2.5	4.04
KC-ALS-5	4	4.04
KC-ALS-13	6	4.04
KC-ALS-146	10	4.67
KC-ALS-14	10	5.27
KC-ALS-4	16	7.03
KC-ALS-3	25	10.02
KC-ALS-2	35	13.19
KC-ALS-12	50	22.36
KC-ALS-1	70	38.52
KC-ALS-15	95	43.32
KC-ALS-9	120	58.65
KC-ALS-10	150	73.10
KC-ALS-11	185	98.59
KC-ALS-147	225	140.66
KC-ALS-16	240	161.89
KC-ALS-17	300	212.43
KC-ALS-18	400	337.43
KC-ALS-19	500	469.72
KC-ALS-20	625	592.47
KC-ALS-148	800	950.60
KC-ALS-149	1000	1548.52

ALUMINIUM REDUCER TYPE TERMINAL ENDS :-

TYPE	MM ² ID	M.R.P. (Rs.)
KCLA-7	2.5	16.18
KCLA-16	4.0	16.18
KCLA-18	6.0	16.27
KCLA-20	10.0	19.66
KCLA-22	10.0	23.27
KCLA-2	16.0	30.07
KCLA-25	25.0	47.28
KCLA-4	35.0	62.20
KCLA-26	50.0	71.66
KCLA-27	70.0	108.30
KCLA-31	95.0	142.02
KCLA-35	120.0	221.56
KCLA-37	150.0	287.35
KCLA-38	185.0	362.98
KCLA-39	225.0	597.41
KCLA-43	240.0	561.51
KCLA-45	300.0	718.39



ALUMINIUM TUBE TERMINAL :-					
TYPE	MM^2 ID	M.R.P. (RS.)	TYPE	MM^2 ID	M.R.P. (RS.)
KC-ALS-309	2.5-3	5.45	KC-ALS-226	70-12	39.72
KC-ALS-155	4-4	5.80	KC-ALS-227	95-10	42.42
KC-ALS-317	4-5	5.80	KC-ALS-228	95-12	42.42
KC-ALS-158	6-5	5.80	KC-ALS-229	95-16	42.42
KC-ALS-313	6-6	5.80	KC-ALS-257	120-10	60.10
KC-ALS-159	10-4	7.91	KC-ALS-230	120-12	60.10
KC-ALS-214	10-6	7.91	KC-ALS-231	120-16	60.10
KC-ALS-215	10-8	7.91	KC-ALS-258	150-10	83.04
KC-ALS-252	16-6	8.79	KC-ALS-232	150-12	83.04
KC-ALS-216	16-8	8.79	KC-ALS-233	150-16	83.04
KC-ALS-217	16-10	8.79	KC-ALS-311	185-10	101.66
KC-ALS-253	25-6	11.78	KC-ALS-234	185-12	101.66
KC-ALS-218	25-8	11.78	KC-ALS-235	185-16	101.66
KC-ALS-219	25-10	11.78	KC-ALS-320	225-12	136.67
KC-ALS-220	25-12	11.78	KC-ALS-236	240-12	171.75
KC-ALS-254	35-6	15.47	KC-ALS-237	240-16	171.75
KC-ALS-221	35-8	15.47	KC-ALS-300	300-16	237.23
KC-ALS-222	35-10	15.47	KC-ALS-259	300-20	237.23
KC-ALS-255	50-8	23.29	KC-ALS-260	400-20	367.28
KC-ALS-312	50-10	23.29	KC-ALS-296	500-20	582.56
KC-ALS-224	50-12	23.29	KC-ALS-261	625-20	752.39
KC-ALS-256	70-8	39.72	KC-ALS-318	800	1104.45
KC-ALS-225	70-10	39.72	KC-ALS-319	1000	1707.95

COPPER FORK TERMINAL INSULATED :-		
TYPE	MM ² ID	M.R.P. (Rs.)
KC7926	1.5	4.56
KC7928	2.5	5.36
KC7930	4.6	8.63
KC7931	4.6	8.60
KC7933	10.0	28.41

COPPER FORK TERMINAL :-		
TYPE	MM ² ID	M.R.P. (Rs.)
KC7249	1.5	3.53
KC7251	2.5	3.83
KC7252	4.6	6.04
KC7253	5	6.12
KC7255	10	22.67

COPPER PIN TERMINAL INSULATED WITH METAL REINFORCEMENT :-		
TYPE	MM ² ID	M.R.P. (Rs.)
KCPD-26	1.50	6.18
KCPD-27	2.5	6.57
KCPD-28	2.5 F	6.57
KCPD-29	4.0	13.52
KCPD-32	6.0	16.53
KCPD-33	10.0	32.43
KCPD-34	16	45.76

COPPER FORK TERMINAL INSULATED WITH METAL REINFORCEMENT :-		
TYPE	MM ² ID	M.R.P. (RS.)
KC7935	1.5	5.82
KC7937	2.5	6.65
KC7939	4.6	11.42
KC7940	4.6	11.42
KC7942	10.0	32.68

COPPER REDUCER TYPE TERMINAL ENDS :-		
TYPE	MM ² ID	M.R.P. (RS.)
KCLC - 7	2.50	28.62
KCLC -15	4.0	31.52
KCLC - 17	6	33.55
KCLC - 20	10.0	36.64
KCLC - 22	10.0	41.33
KCLC - 2	16.0	45.36
KCLC - 24	16	76.98
KCLC - 25	25	88.82
KCLC - 4	35	118.24
KCLC - 26	50	135.12
KCLC - 27	70	216.78
KCLC - 31	95	295.16
KCLC - 35	120	464.41
KCLC - 37	150	570.44
KCLC - 38	185	760.59
KCLC - 39	225	1188.41
KCLC - 43	240	1164.28
KCLC - 45	300	1464.12

COPPER PIN TERMINAL :-

TYPE	MM ² ID	M.R.P. (Rs.)
KCP-9	1.50	3.83
KCP-35	1.5 F	3.53
KCP-1	2.5	4.12
KCP-2	2.5 F	3.83
KCP-3	4.0	8.51
KCP-5	6.0	8.98
KCP-7	10	13.63
KCP-8	16	23.70
KCP-125	25.0	57.65
KCP-135	35.0	65.09
KCP-150	50.0	99.05
KCP-170	70.0	138.98
KCP-195	95.0	199.64

COPPER PIN TERMINAL INSULATED :-

TYPE	MM ² ID	M.R.P. (RS.)
KCPI-17	1.50	4.89
KCPI-40	1.5 F	4.39
KCPI-18	2.5	5.27
KCPI-19	2.5 F	4.73
KCP-20	4.0	11.28
KCPI-22	6.0	11.95
KCP-24	10	19.07
KCPI-25	16	32.10

COPPER TUBE TERMINALS :-

TYPE	MM ² ID	M.R.P. (RS.)
KCUS-05	2.5-5	10.35
KCUS-06	4.0-6	14.60
KCUS-07	6.0-6	15.90
KCUS-08	10-6	20.08
KCUS-09	16-6	26.75
KCUS-10	25-6	45.51
KCUS-11	35-6	53.10
KCUS-12	35-8	53.10
KCUS-13	50-6	67.93
KCUS-14	50-8	67.93
KCUS-15	50-10	67.93
KCUS-16	70-8	121.61
KCUS-17	70-10	121.61
KCUS-18	70-12	121.61
KCUS-19	95-10	169.16
KCUS-20	95-12	169.16
KCUS-21	120-10	234.63
KCUS-22	120-12	234.63
KCUS-23	120-16	234.63
KCUS-24	150-10	324.35
KCUS-25	150-12	324.35
KCUS-26	150-16	324.35
KCUS-27	185-12	480.34
KCUS-28	185-16	480.34
KCUS-231	225-16	657.81
KCUS-29	240-16	673.83
KCUS-30	240-20	673.83
KCUS-31	300-16	973.64
KCUS-32	300-20	973.64
KCUS-33	400-20	1354.26
KCUS-34	500-20	1848.31
KCUS-35	630-20	2556.75



COPPER INSULATED FERRULES ,SINGLE WIRE (TWIN):-			
DESCRIPTION	TYPE	MM^2 ID	M.R.P. (RS.)
Copper Insulated Ferrules ,Single Wire	KCO-16-L15	-	6.21
Copper Insulated Ferrules ,Single Wire,White Colour	KCO-5-L8	-	1.49
Copper Insulated Ferrules ,Single Wire,Grey Colour	KCO-75-L8	-	1.80
Copper Insulated Ferrules ,Single Wire,Red Colour	KCO-1-L8	-	1.90
Copper Insulated Ferrules ,Single Wire,Black Colour	KCO-1.5-L8	-	1.90
Copper Insulated Ferrules ,Single Wire,Blue Colour	KCO-2.5-L8	-	2.30
Copper Insulated Ferrules ,Single Wire,Yellow Colour	KCO-4-L12	-	3.02
Copper Insulated Ferrules ,Single Wire,Green Colour	KCO-6-L12	-	3.31
Copper Insulated Ferrules ,Single Wire,Brown Colour	KCO-10-L12	-	4.87

COPPER INSULATED FERRULES ,DOUBLE WIRE (TWIN):-			
DESCRIPTION	TYPE	MM^2 ID	M.R.P. (RS.)
Copper Insulated Ferrules ,Double Wire (Twin),White Colour	KCW-5-L8	-	4.20
Copper Insulated Ferrules ,Double Wire (Twin),Grey Colour	KCW-75-L8	-	4.52
Copper Insulated Ferrules ,Double Wire (Twin),Red Colour	KCW-1-L8	-	6.42
Copper Insulated Ferrules ,Double Wire (Twin),Black Colour	KCW-1.5-L8	-	7.39
Copper Insulated Ferrules ,Double Wire (Twin),Blue Colour	KCW-2.5-L8	-	9.20
Copper Insulated Ferrules ,Double Wire (Twin),Blue Colour	KCW-2.5-L10	-	9.95
Copper Insulated Ferrules ,Double Wire (Twin),Yellow Colour	KCW-4-L12	-	12.82
Copper Insulated Ferrules ,Double Wire (Twin),Green Colour	KCW-6-L14	-	14.27
Copper Insulated Ferrules ,Double Wire (Twin),Green Colour	KCW-10-L14	-	15.68

COPPER RING TERMINAL INSULATED :-					
TYPE	MM ² ID	M.R.P. (RS.)	TYPE	MM ² ID	M.R.P. (RS.)
KC7054	1.5-3	5.01	KC7074	2.5-6	6.18
KC7055	1.5-3.5	4.39	KC7075	2.5-5	9.04
KC7056	1.5-4	4.39	KC7076	2.5-6	8.33
KC7058	1.5-3.5	4.39	KC7077	2.5-8	7.74
KC7059	1.5-4	4.39	KC7079	2.5-8	11.57
KC7061	1.5-4	5.01	KC7081	2.5-10	10.51
KC7062	1.5-5	4.77	KC7083	4.6-4	10.10
KC7063	1.5-4	5.59	KC7084	4.6-5	9.66
KC7065	1.5-5	6.04	KC7086	4.6-5	11.60
KC7066	1.5-6	5.74	KC7089	4.6-6	12.43
KC7067	1.5-6	7.07	KC7090	4.6-8	12.43
KC7068	2.5-3	5.09	KC7092	4.6-6	13.72
KC7069	2.5-3.5	4.80	KC7093	4.6-6	16.78
KC7070	2.5-3	6.10	KC7094	4.6-8	15.05
KC7071	2.5-4	5.74	KC7096	4.6-8	20.14
KC7072	2.5-5	5.39	KC7099	4.6-10	21.61
KC7073	2.5-5	6.63	KC7100	4.6-12	18.76

COPPER SPECIAL FORK TERMINAL :-		
TYPE	MM ² ID	M.R.P. (RS.)
KCL -900	1.5	4.21
KCL -900 (I)	1.5	5.05
KCL -922	3	4.78
KCL -922 (I)	3	5.54

SNAP ON LUGS :-		
TYPE	MM ² ID	M.R.P. (Rs.)
KC-8351	1.5	5.67
KC-8351 (I)	1.5	7.58
KC-8347	3	5.80
KC-8347 (I)	3	7.63



COPPER RING TERMINAL INSULATED WITH METAL REINFORCEMENT :-

TYPE	MM^2 ID	M.R.P. (Rs.)	TYPE	MM^2 ID	M.R.P. (Rs.)
KC7437	1.5-3	6.12	KC7457	2.5-6	7.51
KC7438	1.5-3.5	6.33	KC7458	2.5-5	10.78
KC7439	1.5-4	6.26	KC7459	2.5-6	9.81
KC7441	1.5-3.5	6.26	KC7460	2.5-8	9.05
KC7442	1.5-4	6.43	KC7462	2.5-8	12.90
KC7444	1.5-4	6.21	KC7464	2.5-10	14.81
KC7445	1.5-5	5.96	KC7466	4.6-4	12.34
KC7446	1.5-4	8.77	KC7467	4.6-5	11.93
KC7448	1.5-5	7.07	KC7469	4.6-5	14.22
KC7449	1.5-6	7.45	KC7472	4.6-6	14.63
KC7450	1.5-6	9.07	KC7473	4.6-8	14.05
KC7451	2.5-3	6.54	KC7475	4.6-6	15.99
KC7452	2.5-3.5	6.30	KC7476	4.6-6	19.08
KC7453	2.5-3.5	8.42	KC7477	4.6-8	17.28
KC7454	2.5-4	7.04	KC7479	4.6-8	25.59
KC7455	2.5-5	6.77	KC7482	4.6-10	23.82
KC7456	2.5-5	8.04	KC7483	4.6-12	23.82

COPPER RING TERMINALS :-

TYPE	MM^2 ID	M.R.P. (RS.)	TYPE	MM^2 ID	M.R.P. (RS.)
KC7001	1.5-3	3.18	KC7106	1.5-6	5.52
KC7002	1.5-3	3.03	KC7107	2.5-3	3.61
KC7003	1.5-4	3.09	KC7008	2.5-3.5	3.61
KC7048	1.5-3.5	3.39	KC7108	2.5-3.5	4.56
KC7049	1.5-4	3.09	KC7009	2.5-4	4.24
KC7004	1.5-4	3.62	KC7010	2.5-5	3.92
KC7005	1.5-5	3.70	KC7109	2.5-5	5.09
KC7154	1.5-4	5.15	KC7011	2.5-6	4.65
KC7006	1.5-5	4.52	KC7110	2.5-5	7.30
KC7007	1.5-6	4.27	KC7012	2.5-6	6.60


COPPER RING TERMINALS :-					
TYPE	MM ² ID	M.R.P. (RS.)	TYPE	MM ² ID	M.R.P. (RS.)
KC7013	2.5-8	6.07	KC7033	16-12	33.71
KC7014	2.5-8	9.57	KC7156	25-6	45.82
KC7015	2.5-10	8.60	KC7034	25-8	47.38
KC7151	2.5-10	11.22	KC7132	25-10	74.29
KC7155	4.6-4	7.39	KC7037	25-12	72.82
KC7050	4.6-5	7.39	KC7133	35-6	58.10
KC7016	4.6-5	9.13	KC7038	35-8	56.12
KC7017	4.6-6	9.51	KC7135	35-10	75.23
KC7018	4.6-8	9.51	KC7040	35-12	75.09
KC7019	4.6-6	10.45	KC7136	50-8	92.08
KC7115	4.6-6	13.54	KC7137	50-10	106.30
KC7020	4.6-8	11.93	KC7042	50-12	105.71
KC7116	4.6-8	17.08	KC7139	50-16	136.18
KC7023	4.6-10	17.81	KC7140	70-10	135.98
KC7024	4.6-12	15.25	KC7141	70-12	135.18
KC7025	10-5	13.63	KC7142	70-16	157.97
KC7026	10-5	10.36	KC7144	95-10	186.48
KC7120	10-6	12.10	KC7044	95-12	184.12
KC7121	10-8	15.61	KC7145	95-16	216.01
KC7123	10-10	25.91	KC7146	120-12	239.48
KC7028	10-12	25.47	KC7147	120-16	280.70
KC7124	16-5	20.23	KC7148	120-20	348.72
KC7029	16-6	20.54	KC7149	150-12	518.77
KC7030	16-8	24.88	KC7045	150-16	495.42
KC7128	16-10	35.19	KC7046	150-20	562.76



KCS (5 AMP)

PHOTO	TYPE (KCS)	COIL VOLTS	MIN PACK	M.R.P. (RS)
	KCS012D2C	12V DC	20	295
	KCS024D2C	24V DC	20	295
	KCS048D2C	48V DC	20	333
	KCS110D2C	110V DC	20	308
	KCS220D2C	220V DC	20	665
	KCS024A2C	24V AC	20	320
	KCS012A2C	12V AC	20	328
	KCS048A2C	48V AC	20	343
	KCS110A2C	110V AC	20	360
	KCS240A2C	240V AC	20	343
	KCS012D3C	12V DC	20	305
	KCS024D3C	24V DC	20	308
	KCS110D3C	110V DC	20	328
	KCS012A3C	12V AC	20	415
	KCS024A3C	24V AC	20	375
	KCS110A3C	110V AC	20	383
	KCS240A3C	240V AC	20	403
	KCS012D4C	12V DC	20	305
	KCS024D4C	24V DC	20	308
	KCS048D4C	48V DC	20	343
KCS110D4C	110V DC	20	333	
KCS220D4C	220V DC	20	730	
KCS012A4C	12V AC	20	395	
KCS024A4C	24V AC	20	383	
KCS048A4C	48V AC	20	478	
KCS110A4C	110V AC	20	383	
KCS240A4C	240V AC	20	395	


STANDARD PACKING - 20 NOS. OR MULTIPLE OF 20



KCF (5 AMP)

PHOTO	TYPE (KCF)	COIL VOLTS	MIN PACK	M.R.P. (RS)
	KCF006D2C	6V DC	10	395
	KCF012D2C	12V DC	10	345
	KCF018D2C	18V DC	10	413
	KCF024D2C	24V DC	10	353
	KCF030D2C	30V DC	10	465
	KCF048D2C	48V DC	10	380
	KCF110D2C	110V DC	10	418
	KCF220D2C	220V DC	10	478
	KCF012D3C	12V DC	10	438
	KCF018D3C	18V DC	10	445
	KCF024D3C	24V DC	10	445
	KCF030D3C	30V DC	10	545
	KCF048D3C	48V DC	10	525
	KCF110D3C	110V DC	10	513
	KCF220D3C	220V DC	10	685
	KCF006A2C	06V AC	10	388
	KCF012A2C	12V AC	10	358
	KCF024A2C	24V AC	10	353
	KCF048A2C	48V AC	10	478
	KCF110A2C	110V AC	10	353
KCF240A2C	240V AC	10	453	
KCF012A3C	12V AC	10	430	
KCF024A3C	24V AC	10	418	
KCF110A3C	110V AC	10	433	
KCF240A3C	240V AC	10	518	

STANDARD PACKING - 20 NOS. OR MULTIPLE OF 20



GENERAL PUPOSE RELAY

KCT (10 AMP), KCR & SOCKETS

HSN CODE - 853649

PHOTO	TYPE (KCT)	COIL VOLTS	MIN PACK	M.R.P. (RS)
	KCT006D2C	06V DC	10	395
	KCT012D2C	12V DC	10	390
	KCT024D2C	24V DC	10	398
	KCT048D2C	48V DC	10	438
	KCT110D2C	110V DC	10	438
	KCT220D2C	220V DC	10	590
	KCT02D3C	12V DC	10	526
	KCT048D3C	48V DC	10	545
	KCT110D3C	110V DC	10	573
	KCT220D3C	220V DC	10	783
	KCT006A2C	06V AC	10	423
	KCT012A2C	12V AC	10	415
	KCT024A2C	24V AC	10	415
	KCT110A2C	110V AC	10	430
	KCT012A3C	12V AC	10	548
	KCT024A3C	24V AC	10	548
	KCT110A3C	110V AC	10	535
	KCT240A3C	240V AC	10	618
PHOTO	TYPE (KCR)	COIL VOLTS	Min Pack	M.R.P. (Rs)
	KCR012D1C030	12V DC	4	490
	KCR024D1C030	24V DC	4	493
	KCR012D2C030	12V DC	4	653
	KCR024D2C030	24V DC	4	625
	KCR012D3C030	12V DC	4	868
	KCR024D3C030	24V DC	4	838
	KCR240A1C030	240V AC	4	530
	KCR240A2C030	240V AC	4	700
	KCR240A3C030	240V AC	4	913
	KCR012D1C040	12V DC	4	503
	KCR024D1C040	24V DC	4	520
	KCR240A1C040	240V AC	4	548
	KCR012D1C060	12V DC	4	568
	KCR024D1C060	24V DC	4	595
	KCR240A1C060	240V AC	4	695
	KCR012D1C080	12V DC	3	720
	KCR024D1C080	24V DC	3	720
	KCR240A1C080	240V AC	3	968
	KCR012D1C100	12V DC	3	1038
	KCR024D1C100	24V DC	3	1038
KCR240A1C100	240V AC	3	1100	
SOCKETS				
KCFT08C	8 Pin for 2 C/O & Closed Terminals for KCF /KCT Relays		20	98
KCFT11C	11 Pin for 3 C/O & Closed Terminals for KCF/KCT Relays		20	137
KCS08C	Closed Terminals Socket for KCS - 2 Pole		20	142
KCS14C	Closed Terminals Socket for KCS - 4 Pole		20	186

STANDARD PACKING - 20 NOS. OR MULTIPLE OF 20

PHOTO	DESCRIPTION	TYPE	COLOR	M.R.P. (RS)
KC2SAF1M	CODING INFORMATION			
	KC= Suffix, 2= Ø22.5, SA= shroud actuator, F= flush head, 1= colour, M = Metal			
	Push Button Actuator - Flush Head - Metal RED	KC2SAF1M	RED	146
	Push Button Actuator - Flush Head - Metal GREEN	KC2SAF2M	GREEN	146
	Push Button Actuator - Flush Head - Metal YELLOW	KC2SAF3M	YELLOW	146
	Push Button Actuator - Flush Head - Metal BLUE	KC2SAF4M	BLUE	146
	Push Button Actuator - Flush Head - Metal BLACK	KC2SAF5M	BLACK	146
	Push Button Actuator - Flush Head - Metal WHITE	KC2SAF6M	WHITE	146
KC2SAP1M	CODING INFORMATION			
	KC= Suffix, 2= Ø22.5, SA= shroud actuator, P= projecting head, 1= colour, M = Metal			
	Push Button Actuator -Projecting Head-Metal RED	KC2SAP1M	RED	160
	Push Button Actuator -Projecting Head-Metal GREEN	KC2SAP2M	GREEN	160
	Push Button Actuator -Projecting Head-Metal YELLOW	KC2SAP3M	YELLOW	160
	Push Button Actuator -Projecting Head-Metal BLUE	KC2SAP4M	BLUE	160
	Push Button Actuator -Projecting Head-Metal BLACK	KC2SAP5M	BLACK	160
	Push Button Actuator -Projecting Head-Metal WHITE	KC2SAP6M	WHITE	160
KC2SAB1M	CODING INFORMATION			
	KC= Suffix, 2= Ø22.5, SA= shroud actuator, B= Booted, 1= colour, M = Metal			
	Push Button Actuator-Booted-Metal RED	KC2SAB1M	RED	293
	Push Button Actuator-Booted-Metal GREEN	KC2SAB2M	GREEN	293
	Push Button Actuator-Booted-Metal YELLOW	KC2SAB3M	YELLOW	293
	Push Button Actuator-Booted-Metal BLUE	KC2SAB4M	BLUE	293
	Push Button Actuator-Booted-Metal BLACK	KC2SAB5M	BLACK	293
	Push Button Actuator-Booted-Metal WHITE	KC2SAB6M	WHITE	293
KC2MH1M	CODING INFORMATION			
	KC= Suffix, 2= Ø22.5, MH = mush room spring return, B= Booted, 1= colour, M = Metal			
	Mush Room -Spring Return Actuators RED	KC2MH1M	RED	313
	Mush Room -Spring Return Actuators GREEN	KC2MH2M	GREEN	313
	Mush Room -Spring Return Actuators BLACK	KC2MH5M	BLACK	313
KC2MTR1M	CODING INFORMATION			
	KC= Suffix, 2= Ø22.5, MTR = mush room twist to release actuator, 1= colour, M = Metal			
	Mush Room Head -Twist Release Actuators RED	KC2MTR1M	RED	339
	Mush Room Head -Twist Release Actuators GREEN	KC2MTR2M	GREEN	339
	Mush Room Head -Twist Release Actuators BLACK	KC2MTR5M	BLACK	339
KC2MKA1M	CODING INFORMATION			
	KC= Suffix, 2= Ø22.5, MKA = mush room head key to release actuator, 1= colour, M = Metal			
	Mush Room-Key to Release Actuators RED	KC2MKA1M	RED	625
	Mush Room-Key to Release Actuators BLACK	KC2MKA5M	BLACK	625

PHOTO	DESCRIPTION	TYPE	COLOR	M.R.P(RS)
KC2SA35MSRL	CODING INFORMATION			
KC2KA35MSRR	KC= Suffix, 2= Ø22.5, SA = selector actuator,KA= key removeable, 2 & 3 = position, 5= colour, M = Metal, SRL= spring return, L=left, R=right			
	2 Position Stay put BLACK	KC2SA25M	BLACK	313
	2 Position Spring Return BLACK	KC2SA25MSR	BLACK	313
	3 Position Stay Put BLACK	KC2SA35M	BLACK	313
	3 Position Spring Return to Centre BLACK	KC2SA35MSR	BLACK	313
	3Position Stay put in Right/Spring Return Left to Centre BLACK	KC2SA35MSRL	BLACK	313
	3Position Stay put in Left/Spring Return Right to Centre BLACK	KC2SA35MSRR	BLACK	313
	2Position Stay Put -Key Removeable in Right Position BLACK	KC2KA25MR	BLACK	498
	2Position Stay Put -Key Removeable in Left Position BLACK	KC2KA25ML	BLACK	498
	2Position Stay Put-Key Removeable in Both Position BLACK	KC2KA25MA	BLACK	498
	2Position Spring Return-Key Removable in Un Actuated Pos BLACK	KC2KA25MSR	BLACK	498
	3Position Stay Put-Key Removable in Both Extreme Position BLACK	KC2KA35M	BLACK	519
	3Position Stay Put-Key Removable in Centre Position BLACK	KC2KA35MC	BLACK	519
	3Position Stay Put- Key Removable in all Position BLACK	KC2KA35MA	BLACK	519
	3Position Spring Return-Key Removable in Centre Position BLACK	KC2KA35MSR	BLACK	519
	3Position Stay put in Left/Spring Return in Right Key Removable in Centre position BLACK	KC2KA35MSRR	BLACK	519
	3Position Stay put in Right/Spring Return in Left,Key Removable in Centre position BLACK	KC2KA35MSRL	BLACK	519
* KC2IAXMILX	CODING INFORMATION			
	KC= Suffix, 2= Ø22.5, IA = illuminated actuator, X= colour, MIL = metal illuminated light, X = voltage, IN case of no prefix voltage will be "AC" only for "DC" add prefix "D" after the code.			
	Illuminated Push Button Actuator with Integral Chip LED , SUITABLE FOR AC SUPPLY	KC2IAXMILX	*	459
	Illuminated Push Button Actuator with Integral Chip LED , SUITABLE FOR AC & DC Supply	KC2IAXMILXD		526

SUFFIX COLOR CODE : 0-BLACK, RED-1, GREEN-2, YELLOW-3,BLUE-4, AMBER-5,WHITE-6,CLEAR-7


	NO CONTACT ELEMENT -6AGREEN	KCX1-NO	GREEN	128
	NC CONTACT ELEMENT - 6A RED	KCX2-NC	RED	128





PHOTO	PRODUCT DESCRIPTION	TYPE	COLOR	M.R.P. (RS)
	CODING INFORMATION			
	KC= Suffix, 2= Ø22.5, SA= shroUd actuator, F= flush head, 1= colour, P =plastic			
	Push Button Actuator - Flush Head- Red	KC2SAF1P	RED	80
	Push Button Actuator - Flush Head- Green	KC2SAF2P	GREEN	80
	Push Button Actuator - Flush Head- Yellow	KC2SAF3P	YELLOW	80
	Push Button Actuator - Flush Head- Blue	KC2SAF4P	BLUE	80
	Push Button Actuator - Flush Head- Black	KC2SAF5P	BLACK	80
Push Button Actuator - Flush Head- White	KC2SAF6P	WHITE	80	
	CODING INFORMATION			
	KC= Suffix, 2= Ø22.5, SA= shroud actuator, P= projecting head, 1= colour, P =plastic			
	Push Button Actuator -Projecting Head-Red	KC2SAP1P	RED	80
	Push Button Actuator -Projecting Head-Green	KC2SAP2P	GREEN	80
	Push Button Actuator -Projecting Head-Yellow	KC2SAP3P	YELLOW	80
	Push Button Actuator -Projecting Head-Blue	KC2SAP4P	BLUE	80
	Push Button Actuator -Projecting Head-Black	KC2SAP5P	BLACK	80
Push Button Actuator -Projecting Head-White	KC2SAP6P	WHITE	80	
	CODING INFORMATION			
	KC= Suffix, 2= Ø22.5, SA= shrouds actuator, B= Booted, 1= colour =plastic			
	Push Button Actuator-Booted-Red	KC2SAB1P	RED	125
	Push Button Actuator-Booted-Green	KC2SAB2P	GREEN	125
	Push Button Actuator-Booted-Yellow	KC2SAB3P	YELLOW	125
	Push Button Actuator-Booted-Blue	KC2SAB4P	BLUE	125
Push Button Actuator-Booted-Black	KC2SAB5P	BLACK	125	

PHOTO	PRODUCT DESCRIPTION	TYPE	COLOR	M.R.P. (RS)
KC2MH1P	CODING INFORMATION			
	KC= Suffix, 2= Ø22.5, MH = mush room spring return, B= Booted, 1= colour, P =plastic			
	Mush Room -Spring Return Actuators-Red	KC2MH1P	RED	157
	Mush Room -Spring Return Actuators-Green	KC2MH2P	GREEN	157
	Mush Room -Spring Return Actuators-Black	KC2MH5P	BLACK	157
KC2MTR1P	CODING INFORMATION			
	KC= Suffix, 2= Ø22.5, MTR = mush room twist to release actuator, 1= colour, P =plastic			
	Mush Room Head -Twist Release Actuators-Red	KC2MTR1P	RED	157
	Mush Room Head -Twist Release Actuators-Green	KC2MTR2P	GREEN	157
	Mush Room Head -Twist Release Actuators-Black	KC2MTR5P	BLACK	157
KC2MKA1P	CODING INFORMATION			
	KC= Suffix, 2= Ø22.5, MKA = mush room head key to release actuator, 1= colour, P =plastic			
	Mush Room-Key to Release Actuators-Red	KC2MKA1P	RED	565
	Mush Room-Key to Release Actuators-Black	KC2MKA5P	BLACK	565
KC2SA25PSR	CODING INFORMATION			
KC2SA35PSRR	KC= Suffix, 2= Ø22.5, SA = selector actuator,KA= key removeable, 2 & 3 = position, 5= colour, P =plastic, SR= spring return, L=left, R=right			
	2 Position Stay put BLACK	KC2SA25P	BLACK	213
	2 Position Spring Return BLACK	KC2SA25PSR	BLACK	213
	3 Position Stay Put BLACK	KC2SA35P	BLACK	213
	3Position Spring Return to Centre BLACK	KC2SA35PSR	BLACK	239
	3Position Stay put in Right/Spring Return Left to Centre BLACK	KC2SA35PSRL	BLACK	239
	3Position Stay put in Left/Spring Return Right to Centre BLACK	KC2SA35PSRR	BLACK	239
	2Position Stay Put -Key Removeable in Right Position BLACK	KC2KA25PR	BLACK	419
	2Position Stay Put -Key Removeable in Left Position BLACK	KC2KA25PL	BLACK	419
	2Position Stay Put-Key Removeable in Both Position BLACK	KC2KA25PA	BLACK	419
	2Position Spring Return-Key Removable in Un Actuated Pos BLACK	KC2KA25PSR	BLACK	419
	3Position Stay Put-Key Removable in Both Extreme Position BLACK	KC2KA35P	BLACK	426
	3Position Stay Put-Key Removable in Centre Position BLACK	KC2KA35PC	BLACK	426
	3Position Stay Put- Key Removable in all Position BLACK	KC2KA35PA	BLACK	426
	3Position Spring Return-Key Removable in Centre Position BLACK	KC2KA35PSR	BLACK	426
	3Position Stay put in Left/Spring Return in Right Key Removable in Centre position BLACK	KC2KA35PSRR	BLACK	426
	3Position Stay put in Right/Spring Return in Left,Key Removable in Centre position BLACK	KC2KA35PSRL	BLACK	426

PHOTO	PRODUCT DESCRIPTION	TYPE	COLOR	M.R.P. (RS)
* KC2BPLXPILX	CODING INFORMATION			
	KC= Suffix, 2= Ø22.5, BPL= barrel pilot light, X= colour, P=plastic, IL= illuminated light, X= voltage, IN case of no prefix voltage will be "AC" only for "DC" add prefix "D" after the code.			
	Barrel type Pilot Light -Integral Chip LED -SUITABLE FOR AC SUPPLY	KC2BPLXPILX	*	112
	Barrel type Pilot Light -Integral Chip LED -SUITABLE FOR AC & DC Supply	KC2BPLXPILXD		125
	Barrel type Pilot Light -Integral Chip LED -SUITABLE FOR 24-240VAC/DC Universal Voltage	KC2BPLXPILXU		180
* KC2IAXPILX	CODING INFORMATION			
	KC= Suffix, 2= Ø22.5, IA = illuminated actuator, X= colour, MIL = metal illuminated light, X= voltage, IN case of no prefix voltage will be "AC" only for "DC" add prefix "D" after the code.			
	Illuminated Push Button Actuator with Integral Chip LED -SUITABLE FOR AC SUPPLY	KC2IAXPILX	*	512
	Illuminated Push Button Actuator with Integral Chip LED -SUITABLE FOR AC & DC Supply	KC2IAXPILXD		592
* Last Digit [X]represent the Voltage to be specified while ordering- FOR AC or AC/DC				
VOLTAGE :-	Voltage for all same AC & AC/DC (12V, 24V, 48V, 230V)			

SUFFIX COLOR CODE : 0-BLACK, RED-1, GREEN-2, YELLOW-3, BLUE-4, AMBER-5, WHITE-6, CLEAR-7



TYPE	DESCRIPTION	STD PACKING	M. R. P. (RS)
KCBZ7MT48220AD	ELECTRONIC BUZZER 72X72 MM 48-220V AC/DC	1	962
KCBZ7MT1224AD	ELECTRONIC BUZZER 72X72 MM 12-24V AC/DC	1	962
KCBZ9MT12220AD	ELECTRONIC BUZZER 96X96 MM 12-220V AC/DC	1	1076
KCBZ9MTUV	MULTI TONE UNIVERSAL VOLTAGE 24-220 AC/DC	1	1076
KCBZ9MTSV	MULTI TONE SINGLE VOLTAGE AC OR DC	1	981
KCBZ9STSV	SINGLE TONE SINGLE VOLTAGE AC OR DC	1	880

TYPE	DESCRIPTION	STD PACKING	M. R. P (RS)
KCHT9ST24240AD	HOOTER 96X96,SINGLE TONE, 24-240V AC/DC	1	1102
KCHT9STSV	HOOTER 96X96,SINGLE TONE, SINGLE VOLTAGE	1	879
KCHT9STUV	HOOTER 96X96 SINGLE TONE UNIVERSALVOLTAGE	1	1102



Evolite Series

TYPE	NO OF WAYS	DOOR TYPE	KAYCEE CODE	M.R.P.(RS)
SPN	4 Way	SD	KCRDBSP04S	727
SPN	6 Way	SD	KCRDBSP06S	869
SPN	8 Way	SD	KCRDBSP08S	1006
SPN	12 Way	SD	KCRDBSP12S	1271
SPN	16 Way	SD	KCRDBSP16S	1586
SPN	4 Way	DD	KCRDBSP04D	1276
SPN	6 Way	DD	KCRDBSP06D	1479
SPN	8 Way	DD	KCRDBSP08D	1621
SPN	12 Way	DD	KCRDBSP12D	2109
SPN	16 Way	DD	KCRDBSP16D	2673
TPN	4(8+12)	SD	KCRDBTP04S	2455
TPN	6(8+18)	SD	KCRDBTP06S	2811
TPN	8(8+24)	SD	KCRDBTP08S	3349
TPN	12(8+36)	SD	KCRDBTP08S	4366
TPN	4(8+12)	DD	KCRDBTP04D	3349
TPN	6(8+18)	DD	KCRDBTP06D	4152
TPN	8(8+24)	DD	KCRDBTP08D	5138
TPN	12(8+36)	DD	KCRDBTP12D	6968

KC - Kaycee | R - Residential | DB - Distribution Board | SP - SPN | TP - TPN | S - Single door |
D - Double door | 04 - No. of ways

Ultra Series

TYPE	NO OF WAYS	DOOR TYPE	KAYCEE CODE	M.R.P.(RS)
SPN	4 Way	SD	KCRDBSP04SP	1525
SPN	6 Way	SD	KCRDBSP06SP	1610
SPN	8 Way	SD	KCRDBSP08SP	1915
SPN	12 Way	SD	KCRDBSP12SP	2477
SPN	16 Way	SD	KCRDBSP16SP	3007
SPN	4 Way	DD	KCRDBSP04DP	2466
SPN	6 Way	DD	KCRDBSP06DP	2557
SPN	8 Way	DD	KCRDBSP08DP	2884
SPN	12 Way	DD	KCRDBSP12DP	3863
SPN	16 Way	DD	KCRDBSP16DP	4922
TPN	4(8+12)	SD	KCRDBTP04SP	4708
TPN	6(8+18)	SD	KCRDBTP06SP	5778
TPN	8(8+24)	SD	KCRDBTP08SP	6581
TPN	12(8+36)	SD	KCRDBTP08SP	8560
TPN	4(8+12)	DD	KCRDBTP04DP	5404
TPN	6(8+18)	DD	KCRDBTP06DP	6634
TPN	8(8+24)	DD	KCRDBTP08DP	8030
TPN	12(8+36)	DD	KCRDBTP12DP	11770

KC - Kaycee | R - Residential | DB - Distribution Board | SP - SPN | TP - TPN | S - Single door |
D - Double door | 04 - No. of ways



OUR VALUABLE CLIENTS

		 Smart solutions. Strong relationships.			
					
					
					
					
					
					



Your Switching Basket Solution for Complete Industrial, Infrastructure or Residential needs.

Keep In Touch With Us

  **+91 9324780418 / 8208712614**

 **www.kayceeindustries.com**

 **sales@kayceeindustries.com**

 **24,26,27/19 KT Steel Compound, Wimko Naka, Near RK CNG Pump, Ambernath West, Thane - 421501**